

Literaturliste: Implantate und Halitosis: Welche Verbindungen bestehen?

1. Bacchi A, Regalin A, Bhering CL, et al. Loosening torque of Universal Abutment screws after cyclic loading: influence of tightening technique and screw coating. *J Adv Prosthodont.* 2015; 7: 375-379.
2. Baixe S, Tenenbaum H, Etienne O. Microbial contamination of the implant-abutment connections: Review of the literature. *Rev Stomatol Chir Maxillofac Chir Orale.* 2016; 117: 20-25.
3. Boffano P, Forouzanfar T. Current concepts on complications associated with sinus augmentation procedures. *J Craniofac Surg.* 2014; 25: 210-212.
4. Bollen CM, Beikler T. Halitosis: the multidisciplinary approach. *Int J Oral Sci.* 2012; 4: 55-63.
5. Bollen et al, 1997
6. Bollen et al, 1996
7. Bosshardt DD, Chappuis V, Buser D. Osseointegration of titanium, titanium alloy and zirconia dental implants: current knowledge and open questions. *Periodontol 2000.* 2017; 73: 22-40.
8. Bouren et al, 2007
9. Buser D, Sennerby L, De Bruyn H. Modern implant dentistry based on osseointegration: 50 years of progress, current trends and open questions. *Periodontol 2000.* 2017 Feb;73(1):7-21. doi: 10.1111/prd.12185.
10. Chrcanovic BR, Abreu MH. Survival and complications of zygomatic implants: a systematic review. *Oral Maxillofac Surg.* 2013; 17: 81-93.
11. Davenport JC. The oral distribution of candida in denture stomatitis. *Br Dent J.* 1970; 129: 151-156.
12. Delanghe G, Bollen C, Desloovere C. Halitosis - foetor ex ore. *Laryngorhinootologie.* 1999; 78: 521-524.
13. do Nascimento C, Pita MS, Pedrazzi V, de Albuquerque Junior RF & Ribeiro RF. In vivo evaluation of Candida spp. adhesion on titanium or zirconia abutment surfaces. *Arch Oral Biol.* 2013 Jul;58(7):853-61. doi: 10.1016/j.archoralbio.2013.01.014. Epub 2013 Apr 3.

14. Faschingbauer M, Renner L, Boettner F. Allergy in Total Knee Replacement. Does It Exist? Review Article. HSS J. 2017 Feb;13(1):12-19. doi: 10.1007/s11420-016-9514-8. Epub 2016 Jul 22. Review.
15. Gökçen-Röhlig B, Saruhanoglu A, Cifter ED, Evlioglu G. Applicability of zirconia dental prostheses for metal allergy patients. Int J Prosthodont. 2010; 23: 562-565.
16. Greenman J, Duffield J, Spencer P, et al. Study on the organoleptic intensity scale for measuring oral malodor. J Dent Res. 2004; 83: 81-85.
17. Gross M, Abramovich I, Weiss EI. Microleakage at the abutment-implant interface of osseointegrated implants: a comparative study. Int J Oral Maxillofac Implants. 1999; 14: 94-100.
18. Han et al, 2014
19. Lang NP, Kiel RA, Anderhalden K. Clinical and microbiological effects of subgingival restorations with overhanging or clinically perfect margins. J Clin Periodontol. 1983; 10: 563-578.
20. Lin KC, Wadhvani CP, Cheng J, et al. Assessing fit at the implant-abutment junction with a radiographic device that does not require access to the implant body. J Prosthet Dent. 2014; 112: 817-823.
21. Müller K, Valentine-Thon E. Hypersensitivity to titanium: clinical and laboratory evidence. Neuro Endocrinol Lett. 2006; 27: S31-S35.
22. Muniz FW, Friedrich SA, Silveira CF, Rösing CK. The impact of chewing gum on halitosis parameters: a systematic review. J Breath Res. 2017 Feb 17;11(1):014001. doi: 10.1088/1752-7163/aa5cc2.
23. Niazi F, Naseem M, Khurshid Z, Zafar MS, Almas K. Role of *Salvadora persica* chewing stick (miswak): A natural toothbrush for holistic oral health. Eur J Dent. 2016; 10: 301-308.
24. Park SD, Lee Y, Kim YL, Yu SH, Bae JM, Cho HW. Microleakage of different sealing materials in access holes of internal connection implant systems. J Prosthet Dent. 2012; 108: 173-180.
25. Quirynen M, De Soete M, van Steenberghe D. Infectious risks for oral implants: a review of the literature. Clin Oral Implants Res. 2002; 13: 1-19.
26. Quirynen M, Bollen CM. The influence of surface roughness and surface-free energy on supra- and subgingival plaque formation in man. A review of the literature. J Clin Periodontol. 1995; 22: 1-14.

27. Quirynen M, Bollen CM, Eyssen H, van Steenberghe D. Microbial penetration along the implant components of the Brånemark system. An in vitro study. Clin Oral Implants Res. 1994 Dec; 5(4): 239-44.
28. Ramel et al, 2015
29. Rosenberg M, McCulloch CA. Measurement of oral malodor: current methods and future prospects. J Periodontol. 1992; 63: 776-782.
30. Seerangaiyan K, Juch F, Winkel EG. Tongue Coating: its characteristics and role in intra-oral halitosis and general health: A review. J Breath Res. 2017; 22: 1752-17163.
31. Sinjari B, Murmura G, Caputi S, et al. Use of Oral Chroma™ in the assessment of volatile sulfur compounds in patients with fixed protheses. int J Immunopathol Pharmacol. 2013; 26: 691-697.
32. Söder B, Johansson B, Söder PO. The relation between foetor ex ore, oral hygiene and periodontal disease. Swed Dent J. 2000; 24: 73-82.
33. Sousa V, Mardas N, Farias B, et al. A systematic review of implant outcomes in treated periodontitis patients. Clin Oral Implants Res. 2015; 18: doi - 10.1111/clr.12684.
34. Tonzetich J. Oral malodour: an indicator of health status and oral cleanliness. Int Dent J. 1978; 28: 309-319.
35. Tonzetich J. Production and origin of oral malodor: a review of mechanisms and methods of analysis. J Periodontol. 1977; 48: 13-20.
36. Tosches NA, Brägger U & Lang NP. Marginal fit of cemented and screw-retained crowns incorporated on the Straumann (ITI) dental implant system: an in vitro study. Clin Oral Implants Res. 2009; 20: 79-86.
37. Yaegaki K, Coil JM. Examination, classification and treatment of halitosis; clinical perspectives. J Canad Dent Assoc. 2000; 66: 257-261.
38. Yoneda M, Naito T, Suzuki N, Yoshikane T, Hirofuji T. Oral malodor associated with internal resorption. Journal of oral science 2006; 48: 89-92.
39. Zimmerli B, Koch T, Flury S, Lussi A. The influence of toothbrushing and coffee staining on different composite surface coatings. Clin Oral Investig. 2012; 16: 469-479.