

- [1] Methyl methacrylate [MAK Value Documentation, 2010]. The MAK-Collection for Occupational Health and Safety. Ort: Wiley-VCH Verlag, 2002.
- [2] Aalto-Korte K, Alanko K, Kuuliala O, Jolanki R. Methacrylate and acrylate allergy in dental personnel. *Contact Dermatitis* 2007; 57: 324–330.
- [3] Attin T. Sicherheit und Anwendung von carbamidperoxidhaltigen Gelen bei Bleichtherapien. *Dtsch Zahnärztl Z* 1998; 53: 11–16.
- [4] Attin T. Die Aufhellung verfärbter, avitaler Zähne mit der "Walking-bleach-Technik". *Dtsch Zahnärztl Z* 2001; 56: 78–89.
- [5] Berghult B. Dentistry in antiquity. *Sven Med Tidskr* 2001; 5: 131–146.
- [6] Bertrand B, Colard T, Lacoche C, Salome JF, Vatteoni S. An original case of tin dental fillings from 18th century northern France. *J Dent Res* 2009; 88: 198–200.
- [7] Bjorklund G. The history of dental amalgam. *Tidsskr Nor Laegeforen* 1989; 109: 3582–3585.
- [8] Bowen RL, inventor; (U.S. Dept. of Commerce). assignee. Acrylic esters of bisphenol A diglycidyl ether. Application: US Patent No. 3179623, 1965 19610626.
- [9] Bowen RL, inventor; (U.S. Dept. of Commerce). assignee. Silica-resin direct filling material. Application: US Patent No. 31947834, 1965 19620501.
- [10] Buonocore mg. A simple method of increasing the adhesion of acrylic filling materials to enamel surfaces. *J Dent Res* 1955; 34: 849–53.
- [11] http://dfg.de/service/presse/pressemitteilungen/2011/pressemitteilung_nr_37/index.html
- [12] <http://www.dguv.de/ifa/Fachinfos/Nanopartikel-am-Arbeitsplatz/Beurteilung-von-Schutzmaßnahmen/index.jsp>
- [13] Diefenbach C, Eck M, Hohmann A, Reischl K, Ruppert KD, Schaub MD, et al. Dentalkomposite mit Tricyclo[5.2.1.02.6]decan-Derivaten. Google Patents, 2008.
- [14] Dietschi D, Benbachir N, Krejci I. In vitro colorimetric evaluation of the efficacy of home bleaching and over-the-counter bleaching products. *Quint Int* 2010; 41: 505–516.
- [15] Durner J, Debiak M, Burkle A, Hickel R, Reichl FX. Induction of DNA strand breaks by dental composite components compared to X-ray exposure in human gingival fibroblasts. *Arch Toxicol* 2011; 85: 143–148.
- [16] Durner J, Glasl B, Zaspel J, Kunzelmann KH, Hickel R, Reichl FX. Release of TEGDMA from composite during the chewing situation. *Dent Mater* 2010; 26: e197–204.
- [17] Durner J, Obermaier J, Draenert M, Ilie N. Correlation of the degree of conversion with the amount of elutable substances in nano-hybrid dental composites. *Dent Mater* 2012; 28: 1146–1153.
- [18] Durner J, Obermaier J, Ilie N. Investigation of different bleaching conditions on the amount of elutable substances from nano-hybrid composites. *Dent Mater* 2014; 30: 192–199.
- [19] Durner J, Spahl W, Zaspel J, Schweikl H, Hickel R, Reichl FX. Eluted substances from unpolymerized and polymerized dental restorative materials and their Nernst partition coefficient. *Dent Mater* 2010; 26: 91–99.
- [20] Durner J, Stojanovic M, Urcan E, Spahl W, Haertel U, Hickel R, et al. Effect of hydrogen peroxide on the three-dimensional polymer network in composites. *Dent Mater* 2011; 27: 573–580.

- [21] Durner J, Walther UI, Zaspel J, Hickel R, Reichl FX. Metabolism of TEGDMA and HEMA in human cells. *Biomaterials* 2010; 31: 818–823.
- [22] Durner J, Wellner P, Hickel R, Reichl FX. Synergistic interaction caused to human gingival fibroblasts from dental monomers. *Dent Mater* 2012; 28: 818–823.
- [23] Ferracane JL. Resin composite – state of the art. *Dent Mater* 2011; 27: 29–38.
- [24] Frauscher KE, Ilie N. Depth of cure and mechanical properties of nano-hybrid resin-based composites with novel and conventional matrix formulation. *Clin Oral Investig* 2012; 16: 1425–1434.
- [25] Furche S, Hickel R, Reichl FX, van Landuyt K, Shehata M, Durner J. Quantification of elutable substances from methacrylate based sealers and their cytotoxicity effect on with human gingival fibroblasts. *Dent Mater* 2013; 29: 618–625.
- [26] Goldberg M, Grootveld M, Lynch E. Undesirable and adverse effects of tooth-whitening products: a review. *Clin Oral Investig* 2010; 14: 1–10.
- [27] Goon AT, Isaksson M, Zimerson E, Goh CL, Bruze M. Contact allergy to (meth)acrylates in the dental series in southern Sweden: simultaneous positive patch test reaction patterns and possible screening allergens. *Contact Dermatitis* 2006; 55: 219–226.
- [28] Heidemann D. *Kariologie und Füllungstherapie*. München: Urban & Schwarzenberg, 1999.
- [29] Henriks-Eckerman ML, Suuronen K, Jolanki R, Alanko K. Methacrylates in dental restorative materials. *Contact Dermatitis* 2004; 50: 233–237.
- [30] Ilie N, Hickel R. Resin composite restorative materials. *Aust Dent J* 2011; 56 (Suppl 1): 59–66.
- [31] Ilie N, Obermaier J, Durner J. Effect of modulated irradiation time on the degree of conversion and the amount of elutable substances from nano-hybrid resin-based composites. *Clin Oral Investig* 2014; 18: 97–106.
- [32] Karmaker A, Prasad A, Sarkar NK. Characterization of adsorbed silane on fillers used in dental composite restoratives and its effect on composite properties. *J Mater Sci Mater Med* 2007; 18: 1157–1162.
- [33] Kopperud HM, Schmidt M, Kleven IS. Elution of substances from a silorane-based dental composite. *Eur J Oral Sci* 2010; 118: 100–102.
- [34] Krejci I, Lutz F. Posterior teeth – why no composite (yet)? *Phillip J Restaur Zahnmed* 1986; 3: 5–12.
- [35] Landsiedel R, Fabian E, Ma-Hock L, van Ravenzwaay B, Wohlleben W, Wiench K, et al. *Toxico-/biokinetics of nanomaterials*. *Arch Toxicol* 2012; 86: 1021–1060.
- [36] Lazarov A. Sensitization to acrylates is a common adverse reaction to artificial fingernails. *J Eur Acad Dermatol Venereol* 2007; 21: 169–174.
- [37] Leader SA. Direct acrylic fillings. *Br Dent J* 1948; 84: 214.
- [38] Li YC, Huang FM, Lee SS, Lin RH, Chang YC. Protective effects of antioxidants on micronuclei induced by camphorquinone/N,N-dimethyl-p-toluidine employing in vitro mammalian test system. *J Biomed Mater Res B Appl Biomater* 2007; 82: 23–28.
- [39] Lottner S, Shehata M, Hickel R, Reichl FX, Durner J. Effects of antioxidants on DNA-double strand breaks in human gingival fibroblasts exposed to methacrylate based monomers. *Dent Mater* 2013; 29: 991–998.
- [40] Mahaney BL, Meek K, Lees-Miller SP. Repair of ionizing radiation-induced DNA double-strand breaks by non-homologous end-joining. *Biochem J* 2009; 417: 639–650.
- [41] Marquardt W, Seiss M, Hickel R, Reichl FX. Volatile methacrylates in dental practices. *J Adhes Dent* 2009; 11: 101–107.
- [42] Mathisen GH, Ansteinsson V, Samuelsen JT, Becher R, Dahl JE, Bolling AK. TEGDMA and filler particles from dental composites additively attenuate LPS-induced cytokine release from the macrophage cell line RAW 264.7. *Clin Oral Investig* 2014; Band: Seitenzahlen.
- [43] Miletic VJ, Santini A. Remaining unreacted methacrylate groups in resin-based composite with respect to sample preparation and storing conditions using micro-Raman spectroscopy. *J Biomed Mater Res B Appl Biomater* 2008; 87: 468–474.

- [44] Moszner N, Angermann J, Fischer UK, Rheinberger VM. Dentalmaterialien auf der Basis von Dimersäure-Derivaten mit ringöffnend polymerisierbaren Gruppen. Google Patents, 2012.
- [45] Musenga A, Schedle A, Demelbauer U, Kremser L, Raggi MA, Kenndler E. Separation of ethoxylated bisphenol A dimethacrylates in dental composite after derivatisation to ionisable amines by capillary zone electrophoresis. *J Chromatogr A* 2004; 1034: 221–226.
- [46] Odian G. Principles of Polymerization. New York: Wiley, 2004.
- [47] Pandiarajan K. Hydrogen peroxide [as a reagent]. *Synth Reagents* 1985; 6: 60–155.
- [48] Reichl FX, Durner J, Muckter H, Elsenhans B, Forth W, Kunzelmann KH, et al. Effect of dental materials on gluconeogenesis in rat kidney tubules. *Arch Toxicol* 1999; 73: 381–386.
- [49] Reichl FX, Seiss M, Buters J, Behrendt H, Hickel R, Durner J. Expression of CYP450-2E1 and formation of 2,3-epoxymethacrylic acid (2,3-EMA) in human oral cells exposed to dental materials. *Dent Mater* 2010; 26: 1151–1156.
- [50] Reichl FX, Seiss M, Marquardt W, Kleinsasser N, Schweikl H, Kehe K, et al. Toxicity potentiation by H₂O₂ with components of dental restorative materials on human oral cells. *Arch Toxicol* 2008; 82: 21–28.
- [51] Reinhardt KJ. Unconverted double bonds and interface phenomena in composite materials. *Dtsch Zahnarztl Z* 1991; 46: 204–208.
- [52] Riddle JM. Gargilius Martialis as a medical writer. *J Hist Med Allied Sci* 1984; 39: 408–429.
- [53] Rieth P. Amalgam filling anno Domini 1528. *Dtsch Zahnarztl Z* 1966; 21: 301–307.
- [54] Roulet JF. A materials scientist's view: assessment of wear and marginal integrity. *Quintessence Int* 1987; 18: 543–552.
- [55] Ruiz-Delgado GJ, Mancias-Guerra C, Tamez-Gomez EL, Rodriguez-Romo LN, Lopez-Otero A, Hernandez-Arizpe A, et al. Dimethyl sulfoxide-induced toxicity in cord blood stem cell transplantation: report of three cases and review of the literature. *Acta Haematol* 2009; 122: 1–5.
- [56] Ruyter IE. Unpolymerized surface layers on sealants. *Acta Odontol Scand* 1981; 39: 27–32.
- [57] Schmalz G, Garhammer P. Risikomanagement bei zahnärztlichen Werkstoffen. *BZB Bayer Zahnarztl Mitt Kassenzahnarztl Ver Bayerns* 2008: 54–58.
- [58] Schulte P, Geraci C, Zumwalde R, Hoover M, Castranova V, Kuempel E, et al. Sharpening the focus on occupational safety and health in nanotechnology. *Scand J Work Environ Health* 2008; 34: 471–478.
- [59] Staehle J. Amalgam versus Komposit. *ZWP Special* 2003: 4–8.
- [60] Stanislawski L, Daniau X, Lauti A, Goldberg M. Factors responsible for pulp cell cytotoxicity induced by resin-modified glass ionomer cements. *J Biomed Mater Res* 1999; 48: 277–288.
- [61] Tanaka R, Shibata Y, Manabe A, Miyazaki T. Micro-structural integrity of dental enamel subjected to two tooth whitening regimes. *Arch Oral Biol* 2010; 55: 300–308.
- [62] Utterodt AD, Ruppert KD, Schaub MD, Diefenbach C, Reischl K, Hohmann A, et al. Dentalkomposite mit Tricyclo[5.2.0.2.6]decan-Derivaten. Google Patents, 2009.
- [63] Van Landuyt KL, Hellack B, Van Meerbeek B, Peumans M, Hoet P, Wiemann M, et al. Nanoparticle release from dental composites. *Acta Biomater* 2014; 10: 365–374.
- [64] Vasudeva G. Monomer systems for dental composites and their future: a review. *J Calif Dent Assoc* 2009; 37: 389–398.
- [65] Walther UI, Siagian, II, Walther SC, Reichl FX, Hickel R. Antioxidative vitamins decrease cytotoxicity of HEMA and TEGDMA in cultured cell lines. *Arch Oral Biol* 2004; 49: 125–231.
- [66] Weinmann W, Thalacker C, Guggenberger R. Siloranes in dental composites. *Dent Mater* 2005; 21: 68–74.
- [67] Xu HH, Weir MD, Sun L, Moreau JL, Takagi S, Chow LC, et al. Strong nanocomposites with Ca, PO(4), and F release for caries inhibition. *J Dent Res* 2010; 89: 19–28.

Okklusionsschienen: Indikation, Klassifikation und Herstellung

- [1] Ahlers, M.O., Freesmeyer, W.B., Götz, G., Jakstat, H.A., Koeck, B., Meyer, G., Ottl, P., Reiber, T., Seeher, W.D.: Klinische Funktionsanalyse. Gemeinsame Stellungnahme der DGZMK und der DGDFT. DZZ 58, 383–84 (2003).
- [2] Ahlers, M.O., Jakstat, H.A.: Klinische Funktionsanalyse. dentaConcept, Hamburg (2007).
- [3] Ash, M.M., Ramfjord, S.P.: Funktionelle Okklusion. Quintessenz, Berlin, Chicago, London, Sao Paulo, Tokio (1988).
- [4] Ash, M.M.: Schienentherapie. Evidenzbasierte Diagnostik und Behandlung bei TMD und CMD. 3.Aufl. Urban & Fischer, München, Jena (2006).
- [5] Asselmeyer, T., Lotzmann, U.: Theorie und Praxis der Okklusionsschienen unter Berücksichtigung von Abdrucknahme und Modellherstellung. In: Wall, G., Hermann, G. (Hrsg). Das zahnärztliche Praxislabor. Leitfaden für Aufbau, Führung und Organisation. Spitta, 2 (5), Balingen (2001).
- [6] Bauer, A., Gutowski, A.: Gnathologie – Einführung in Theorie und Praxis. 3. Aufl. Quintessenz, Berlin, Chicago, Rio de Janeiro, Tokio (1984).
- [7] Bumann, A., Lotzmann, U.: Funktionsdiagnostik und Therapieprinzipien. Thieme, Stuttgart (2000).
- [8] Franz, G.: Dentalgipse. Struktur, Verhalten, Verarbeiten. Hanser, München (1981).
- [9] Freesmeyer, W.B.: Zahnärztliche Funktionstherapie. Hanser, München (1993).
- [10] Graber, G.: Der Einfluss von Psyche und Stress bei dysfunktionsbedingten Erkrankungen des stomatognathen Systems. In: Koeck, B. (Hrsg). Funktionsstörungen des Kauorgans. Praxis der Zahnheilkunde Bd. 8. Urban & Schwarzenberg, München (1995).
- [11] Gross, M.D.: Okklusion in der restaurativen Zahnheilkunde. Deutsche Ausgabe von Gottfried Schmalz. Hanser, München, Wien (1987).
- [12] Kubein-Meesenburg, D., Meyer, G., Bücking, W.: Die praktische Anwendung des individuellen Frontzahn-Rekonstruktionskonzeptes: Handhabung des Kontur-Kurven-Formers (I). Quintessenz 38, 1–18 (1987).
- [13] Kubein-Meesenburg, D., Meyer, G., Bücking, W.: Die praktische Anwendung des individuellen Frontzahn-Rekonstruktionskonzeptes: Handhabung des Kontur-Kurven-Formers (II). Quintessenz 38, 19-27 (1987).
- [14] Lotzmann, U.: Okklusionsschienen und andere Aufbissbehelfe. 2. Aufl. Neuer Merkur, München (1985).
- [15] Lotzmann, U.: The effect of divergent positions of maximum intercuspation on head posture. J Gnathol 10, 63-68 (1991).
- [16] Lotzmann, U.: Die Prinzipien der Okklusion. 5. Aufl. Neuer Merkur, München (1998).
- [17] Meiners, H., Lehmann, K.H.: Klinische Materialkunde für Zahnärzte. Hanser, München (1998).
- [18] Meyer, G., Asselmeyer, T.: Das ABC der Schienentherapie. In: Deutscher Zahnärztekalendar. Deutscher Zahnärzterverlag, Köln (2005).
- [19] Meyer, G., Bernhardt, O., Asselmeyer, T.: Schienentherapie heute. In: Quintessenz, Monatszeitschrift für die gesamte Zahnmedizin. Quintessenz 58, 489-500 (2007).
- [20] Motsch, A.: Funktionsorientierte Einschleiftechnik für das natürliche Gebiss. Hanser, München 1978.
- [21] Schwenzer, N.: Zahn-Mund-Kiefer-Heilkunde: Zahnärztliche Chirurgie. Thieme, Stuttgart (2000).
- [22] Swestka-Polly, R.: Funktionsoptimierung von Unterkieferbewegungen durch kieferorthopädisch-chirurgische Behandlungen. Habilitationsschriften der Zahn-, Mund- und Kieferheilkunde. Quintessenz, Berlin (2000).
- [23] Siebert, G.: Gesichts- und Kopfschmerzen. Hanser, München (1992).

- [24] Stelzenmüller, W., Wiesner, J.: Therapie von Kiefergelenkschmerzen. Ein Behandlungskonzept für Zahnärzte, Kieferorthopäden und Physiotherapeuten. Thieme, Stuttgart (2004).
- [25] Venanzi, L., Spallone, L., Ferrarelli, E.: Die Aufbissschiene. Eine Platte zur Koordinierung der Kiefergelenksbewegung. Neuer Merkur, München (2004).
- [26] Zimmer, B., Schenk, S.: Schienentherapie in der Kieferorthopädie – Eine aktuelle Übersicht. Kieferorthopädie 27, 113–141 (2013).

Management von initialen kariösen Läsionen – ein aktueller Ansatz

- [1] Aggeli A, Bell M, Boden N, [Keen JN](#), [Knowles PF](#), [McLeish TC](#), [Pitkeathly M](#), [Radford SE](#): Responsive gels formed by the spontaneous self-assembly of peptides into polymeric beta-sheet tapes. *Nature* 386, 259–262 (1997).
- [2] Alkilzy M, Tarabaih A, Splieth C: Safety, Clinical Applicability and Effect of Curodont™ Repair in Children with Early Occlusal Caries (Abstract). *Caries Res* 48, 411–412 (2014).
- [3] Altenburger MJ, Jager B, Wrbas K-T, Hellwig E: Peptide Scaffolds to Support Remineralization of Initial Carious Lesions – In Vitro (Abstract). *Caries Res* 48, 404 (2014).
- [4] Bahoum A, Bahije L, Zaoui F: Demineralisationen des Zahnschmelzes in der Kieferorthopädie. *Schweiz Monatsschr Zahnmed* 122, 943–947 (2012).
- [5] Beerens MW, van der Veen MH, van Beek H, ten Cate JM: Effects of casein phosphopeptide amorphous calcium fluoride phosphate paste on white spot lesions and dental plaque after orthodontic treatment: a 3-month follow-up. *Eur J Oral Sci* 118, 610–617 (2010).
- [6] Brunton PA, Davies RP, Burke JL, Smith A, Aggeli A, Brookes SJ, Kirkham J: Treatment of early caries lesions using biomimetic self-assembling peptides--a clinical safety trial. *Br Dent J*, 215, E6 (2013).
- [7] Chen X, Gillam DG, Lysek DA, Hill RG: In Vitro Evaluation of Dentine Remineralisation by a Self-Assembling Peptide Using Scanning Electron Microscopy (Abstract). *Caries Res* 48, 402 (2014).
- [8] Chen X, Gillam DG, Mustafa HA, Lysek D, Hill RG: Dentine Tubule Occlusion of a Novel Self-assembling Peptide Containing Gel. IADR General Session and Exhibition – Cape Town, South Africa, Abstract no. 1347: <https://iadr.confex.com/iadr/14iags/webprogram/Paper188913.html> (2014).
- [9] Hausen H, Kärkkäinen S, Seppä L: Application of the high-risk strategy to control dental caries. *Community Dent Oral Epidemiol* 28, 26–34 (2000).
- [10] Helfenstein U, Steiner M: Fluoride varnishes (Duraphat): A meta-analysis. *Community Dent Oral Epidemiol* 22, 1–5 (1994).
- [11] Hellwig E, Schiffner U, Schulte A: S2k-Leitlinie "Fluoridierungsmaßnahmen zur Kariesprophylaxe", www.dgzmk.de (2013).
- [12] Huang SB, Gao SS, Yu HY: Effect of nano-hydroxyapatite concentration on remineralization of initial enamel lesion in vitro. *Biomed Mater* 4, 034104 (2009).
- [13] Jablonski-Momeni A, Stachniss V, Ricketts DNJ, Heinzl-Gutenbrunner M, Pieper K: Reproducibility and accuracy of the ICDAS-II for detection of occlusal caries in vitro. *Caries Res* 42, 79–87 (2008).
- [14] Jablonski-Momeni A: Klinische Kariesdiagnose- Eine Übersicht. *Quintessenz* 63, 7–16 (2012).
- [15] Jablonski-Momeni A, Lange J, Schmidt-Schäfer S, Petrakakis P, Heinzl-Gutenbrunner M, Pieper K: Zahngesundheit bei 12-Jährigen unter Einbeziehung von Initiailläsionen und Dentinkaries. *Das Gesundheitswesen* 76, 103–107 (2014).
- [16] Jablonski-Momeni A, Winter J, Petrakakis P, Schmidt-Schäfer S: Association of caries experience in 12-year-olds with independent variables in areas with low caries prevalence. *Int J Paed Dent* 24, 90–97 (2014).
- [17] Jablonski-Momeni A, Heinzl-Gutenbrunner M: Efficacy of the self-assembling peptide P11-4 in constructing a remineralization scaffold on artificially-induced enamel lesions on smooth surfaces. *J Orofac Orthop* 75, 175–189 (2014).
- [18] Kind L, Wuethrich A, Stevanovic S, Piesles U, Hug M, Lysek DA: A self-assembling peptide with the potential of non-invasive regeneration of early caries lesion. (Abstract). *Clin Oral Investig* 17, 1033 (2013).

- [19] Kirkham J, Firth A, Vernals D, Boden N, Robinson C, Shore RC, Brookes SJ, Aggeli A: Self-assembling peptide scaffolds promote enamel remineralization. *J Dent Res* 86, 426–430 (2007).
- [20] Kronenberg O, Lussi A, Ruf S.: Preventive effect of ozone on the development of white spot lesions during multibracket appliance therapy. *Angle Orthod* 79, 64–69 (2009).
- [21] Marinho VC, Higgins JP, Logan S, Sheiham A: Topical fluoride (toothpastes, mouthrinses, gels or varnishes for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev* (4) (2003).
- [22] Marthaler TM: Changes in Dental Caries 1953-2003. *Caries Res* 38, 173–181 (2004).
- [23] Martignon S, Ekstrand KR, Gomez J, Lara JS, Cortes A: Infiltrating/Sealing Proximal Caries Lesions: A 3-year Randomized Clinical Trial. *J Dent Res* 91, 288–292 (2012).
- [24] Paris S, Hopfenmuller W, Meyer-Lueckel H: Resin Infiltration of Caries Lesions-an Efficacy Randomized Trial. *J Dent Res* 89, 823–826 (2010).
- [25] Pieper K, Born C, Hartmann T, Heinzl-Gutenbrunner M, Jablonski-Momeni A: Association of preventive measures with caries experience expressed by outcome variables. *Schweizer Monatsschrift für Zahnmedizin* 117, 1038–1044 (2007).
- [26] Pieper K, Lange J, Jablonski-Momeni A, Schulte AG: Caries prevalence in 12-year-old children from Germany: results of the 2009 national survey. *Community Dent Health* 30, 138–142 (2013).
- [27] Pliska BT, Warner GA, Tantbirojn D, Larson BE: Treatment of white spot lesions with ACP paste and microabrasion. *Angle Orthod* 82, 765–769 (2012).
- [28] Schlee M, Rathe F, Huck T, Schad T, Koch JH, Tjaden A, Bommer C: Klinischer Effekt biomimetischer Mineralisation bei Approximalkaries. *Stomatologie*, DOI 10.1007/s00715-014-0335-4 (2014).
- [29] Splieth CH, Treuner A, Gedrange T, Berndt C: Caries-preventive and remineralizing effect of fluoride gel in orthodontic patients after 2 years. *Clin Oral Investig* 16, 1395–1399 (2012).
- [30] Thomson BM, Hardaker L, Davies RPW, Dennis C, Bronowska A, Aggeli A, Kirkham J, Lysek DA: P11–15 (NNRFEWEFENN): A Second Generation Biocompatible, Self-Assembling Peptide with Potential to Promote Enamel Remineralisation (Abstract). *Caries Res* 48, 405 (2014).
- [31] Wong B, Silvertown J, Abrams S, Sivagurunathan K, Lysek DA, Amaechi BT: In Vitro Detection of Remineralisation of Early Caries Using Curodont® Repair with The Canary System™ (Abstract). *Caries Res* 48, 407 (2014).
- [32] Yengopal V, Mickenautsch S: Caries preventive effect of casein phosphopeptide-amorphous calcium phosphate (CPP-ACP): a meta-analysis. *Acta Odontol Scand* 67, 321–332 (2009).

- [1] Hardekopf JD., Dunlap RM., Ahl D., Pelleu G.: The "furcation arrow". A reliable radiographic image? *J Periodontol* 58(4), 258–61 (1987).
- [2] Armitage GC.: Development of a classification system for periodontal diseases and conditions. *Ann Periodontol* 4(1), 1-6 (1999).
- [3] Klotz H.: Differentiation between necrotic ulcerative gingivitis and primary herpetic gingivostomatitis. *NY State Dent J* 39, 283–294 (1973).
- [4] Jenkins WMM., Papapanou NP.: Epidemiology of periodontal diseases in children and adolescents. *Periodontol* 2000 26, 16–32 (2001).
- [5] Rosenberg ES., Garber DA., Rossman L., Evian I.: A combined endodontic-periodontic lesion. Its management and resolution. *J Clin Periodontol* 8(5), 369–74 (1981).
- [6] Christie WH., Holthuis AF.: The endo-perio problem in dental practice: diagnosis and prognosis. *J Can Dent Assoc* 56(11), 1005–1011 (1990).
- [7] Hirschfeld L., Wasserman B.: A long-term survey of tooth loss in 600 treated periodontal patients. *J Periodontol* 49(5), 225–37 (1978).
- [8] Haffajee AD., Socransky SS.: Microbial etiological agents of destructive periodontal diseases. *Periodontology* 2000 5, 78–111 (1994).
- [9] van Winkelhoff AJ., Rams TE., Slots J.: Systemic antibiotic therapy in periodontics. *Periodontology* 2000 10, 45–78 (1996).
- [10] Brook I.: Microbiology and management of periodontal infections. *Gen Dent* 51(5), 424–428 (2003).
- [11] Gjermo P.: Chlorhexidine in dental practice. *J Clin Periodontol* 1, 143–152 (1974).
- [12] Proctor DB. & Baker CG.: Treatment of acute necrotizing ulcerative gingivitis with metronidazole. *J Canadian Dental association* 37, 376–380 (1971).
- [13] Loesche WJ., Syed SA., Laughon BE., Stoll J.: The bacteriology of acute necrotizing ulcerating ulcerative gingivitis. *J Periodont* 53, 223–230 (1982).
- [14] Johnson BD. & Engel D.: Acute necrotizing ulcerative gingivitis. A review of diagnosis, etiology and treatment. *J Periodontol* 57, 141–150 (1986).
- [15] Rowland RW.: Necrotizing ulcerative gingivitis. *Ann Periodontol* 4, 65–73 (1999).
- [16] Scully C., Laskaris G., Pindborg JJ., Porter SR., Reichardt P.: Oral manifestation of HIV infection and their management. I. More common lesions. *Oral Surg, Oral Med, Oral Pathol* 71, 158–166 (1991).
- [17] Horning GM. & Cohen ME.: Necrotizing ulcerative gingivitis, periodontitis, and stomatitis: Clinical staging and predisposing factors. *J Periodontol* 66, 990–998 (1995).
- [18] Lang NP., Tonetti MS.: Periodontal risk assessment (PRA) for patients in supportive periodontal therapy (SPT). *Oral Health Prev Dent* 1(1), 7–16 (2003).
- [19] Badersten A., Nilveus R., Egelberg J.: Effect of nonsurgical periodontal therapy . II. Severely advanced periodontitis *J Clin Periodontol* 11, 63–76 (1984a).
- [20] Badersten A., Nilveus R., Egelberg J.: Effect of nonsurgical periodontal therapy. III. Single versus repeated instrumentation. *J Clin Periodontol* 11, 114-124 (1984b).
- [21] Badersten A., Nilveus R., Egelberg J.: Effect of nonsurgical periodontal therapy. IV. Operator variability. *J Clin Periodontol* 12, 190–200 (1985a).
- [22] Badersten A., Nilveus R., Egelberg J.: Effect of nonsurgical periodontal therapy. VI Localization of sites with probing attachment loss. *J Clin Periodontol* 12, 351–359 (1985b).
- [23] Badersten A., Nilveus R., Egelberg J.: Effect of nonsurgical periodontal therapy. VIII Probing attachment changes related to clinical characteristics. *J Clin Periodontol* 187, 14, 425–432.

- [24] Hardekopf JD., Dunlap RM., Ahl D., Pelleu G.: The "furcation arrow". A reliable radiographic image? J Periodontol 58(4), 258–61 (1987).