

- [1] Gurvits GE, Tan A. Black hairy tongue syndrome. *World J Gastroenterol*; DOI: 10.3748/wjg.v20.i31.10845.
- [2] Assimakopoulos D, Patrikakos G, Fotika C et al. Benign migratory glossitis or geographic tongue: an enigmatic oral lesion. *The American Journal of Medicine*; DOI: 10.1016/S0002-9343(02)01379-7.
- [3] Miloğlu O, Göregen M, Akgül HM et al. The prevalence and risk factors associated with benign migratory glossitis lesions in 7619 Turkish dental outpatients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; DOI: 10.1016/j.tripleo.2008.10.015.
- [4] Scully C. *Oral and Maxillofacial Medicine: The Basis of Diagnosis and Treatment*. 2. Aufl. Philadelphia: Churchill Livingstone Elsevier; 2008.
- [5] Archard HO, Heck JW, Stanley HR. Focal epithelial hyperplasia: An unusual oral mucosal lesion found in Indian children. *Oral Surgery, Oral Medicine, Oral Pathology*; DOI: 10.1016/0030-4220(65)90192-1.
- [6] Straßburg M, Knolle G. *Farbatlas und Lehrbuch der Mundschleimhauterkrankungen: Mundschleimhaut – Lippen - Mundumgebung*. 3. Aufl. Berlin: Quintessenz Verlags-GmbH; 1991.
- [7] Marx RE, Stern D. *Oral and Maxillofacial Pathology: A Rationale for Diagnosis and Treatment*. Illinois: Quintessence Publishing Co, Inc; 2003.
- [8] Reinel D, Plettenberg A, Seebacher C. *Orale Candidose: Leitlinien der Deutschen Dermatologischen Gesellschaft und der Deutschsprachigen Mykologischen Gesellschaft*; 2008.
- [9] Hertl M, Schuler G. Bullöse Autoimmundermatosen: Teil 3: Diagnostik und Therapie. *Hautarzt* 2002; 53 (5): 352–366.
- [10] Schmidt E, Goebeler M, Hertl M et al. S2k guideline for the diagnosis of pemphigus vulgaris/foliaceus and bullous pemphigoid. *J Dtsch Dermatol Ges*; DOI: 10.1111/ddg.12612.
- [11] Warnakulasuriya S, Johnson NW, van der Waal, I. Nomenclature and classification of potentially malignant disorders of the oral mucosa. *J. Oral Pathol. Med.*; DOI: 10.1111/j.1600-0714.2007.00582.x.
- [12] Silverman S Jr., Gorsky M, Lozada-Nur F. A prospective follow-up study of 570 patients with oral lichen planus: Persistence, remission, and malignant association. *Oral Surgery, Oral Medicine, Oral Pathology* 1985; 60 (1): 30–34.
- [13] Eisen D. The clinical features, malignant potential, and systemic associations of oral lichen planus: A study of 723 patients. *Journal of the American Academy of Dermatology*; DOI: 10.1067/mjd.2002.120452.
- [14] Holmstrup P, Thorn JJ, Rindum J et al. Malignant development of lichen planus-affected oral mucosa. *Journal of Oral Pathology & Medicine* 1988; 17 (5): 219–225.
- [15] Scully C, Carrozzo M. Oral mucosal disease: Lichen planus. *Br J Oral Maxillofac Surg*; DOI: 10.1016/j.bjoms.2007.07.199.
- [16] Al-Hashimi I, Schifter M, Lockhart PB et al. Oral lichen planus and oral lichenoid lesions: diagnostic and therapeutic considerations. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*; DOI: 10.1016/j.tripleo.2006.11.001.
- [17] Kuhn A, Bonsmann G. *Kutaner Lupus Erythematodes: AWMF Leitlinien Entwicklungsstufe 1*; 2008.
- [18] Tenbrock K, Horneff G. Systemischer Lupus erythematodes. AWMF online; 2013
- [19] Hahner S, Arlt W, Allolio B. *Die Nebennierenkrise*. *Der Internist*; DOI: 10.1007/s00108-003-1050-1.
- [20] Zeiser R, Wolff D, Scheid C, Luft T, Greinix H, Dreger P. *Graft-versus-Host Erkrankung, akut: Leitlinie [Empfehlungen der Fachgesellschaft zur Diagnostik und Therapie hämatologischer und onkologischer Erkrankungen]*; 2015.

- [21] Imanguli MM, Pavletic SZ, Guadagnini J et al. Chronic graft versus host disease of oral mucosa: review of available therapies. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; DOI: 10.1016/j.tripleo.2005.08.028.
- [22] Daniel Wolff, Robert Zeiser, Christof Scheid, Thomas Luft, Stephan Mielke, Peter Dreger, Jürgen Finke, Ernst Holler, Hildegard Greinix. *Graft-versus-Host Erkrankung, chronisch*; 2015.
- [23] WHO Collaborating Cente for Oral Precancerous Lesions. Definition of leukoplakia and related lesions: An aid to studies on oral precancer. *Oral Surgery, Oral Medicine, Oral Pathology* 1978; 46 (4): 518–539.
- [24] Axéll T, Pindborg JJ, Smith CJ et al. Oral white lesions with special reference to precancerous and tobacco-related lesions: conclusions of an international symposium held in Uppsala, Sweden, May 18–21 1994. *Journal of Oral Pathology & Medicine* 1996; 25: 49–54.
- [25] Cawson RA, Odell EW. *Oral Pathology and Oral Medicine*. 8. Aufl. Churchill Livingstone Elsevier; 2008.
- [26] Reichart PA, Philipsen HP. Oral erythroplakia--a review. *Oral Oncol.*; DOI: 10.1016/j.oraloncology.2004.12.003.
- [27] Clovis JB, Horowitz AM, Poel DH. Oral and Pharyngeal Cancer- Knowledge and Opinions of Dentists in British Columbia and Nova Scotia. *J Can Dent Assoc* 2002; 68 (7): 415–420.
- [28] Zenk W, Dietel W, Schleier P et al. Visualisierung von Karzinomen der Mundhöhle durch Stimulierung der Synthese von fluoreszierendem Protoporphyrin IX. *Mund-, Kiefer- und Gesichtschirurgie* 1999; (3): 205–209.
- [29] Farah CS, McIntosh L, Georgiou A et al. Efficacy of tissue autofluorescence imaging (VELScope) in the visualization of oral mucosal lesions. *Head Neck*; DOI: 10.1002/hed.21834.
- [30] Epstein JB, Silverman S, Epstein JD et al. Analysis of oral lesion biopsies identified and evaluated by visual examination, chemiluminescence and toluidine blue. *Oral Oncol.*; DOI: 10.1016/j.oraloncology.2007.08.011.
- [31] Remmerbach TW, Sauer J, Bauer U et al. Evaluation der flüssigkeitsbasierten (Dünnschicht-)Zytologie oraler Bürstenbiopsien zur Dignitätsabklärung von unklaren Mundschleimhautveränderungen. *Verh. Dtsch. Ges. Zyt.* 2015; 29: 59–66.
- [32] Hertrampf K, Wenz H, Koller M et al. Early detection of oral cancer: dentists' opinions and practices before and after educational interventions in Northern-Germany. *J Craniomaxillofac Surg*; DOI: 10.1016/j.jcms.2013.01.019.

- [1] Arnolds, H.; Heege, F.; Röh, C. und W. Tussing (2013): Materialwirtschaft und Einkauf. Grundlagen, Spezialthemen und Übungen, 12. Auflage, Springer Gabler: Wiesbaden, 2013, S. 407.
- [2] Bundesministerium der Justiz und für Verbraucherschutz (2014): Medizinproduktegesetz – MPG, unter: www.gesetze-im-internet.de/bundesrecht/mpg/gesamt.pdf, Datum des Abrufes: 10. März 2015.
- [3] Bundeszahnärztekammer und Kassenzahnärztliche Bundesvereinigung (2013), Daten & Fakten 2013. Unter www.kzbv.de/daten-fakten-2013-web.media.pdf, Datum des Abrufes: 15. Februar 2015.
- [4] Gemeinsamer Bundesausschuss (2006): Qualitätsmanagement-Richtlinie vertragszahnärztliche Versorgung – ZÄQM-RL, unter: www.g-ba.de/informationen/richtlinien/48/, letzte Änderung: 23. Januar 2014, Datum des Abrufes: 7. März 2015.
- [5] Hausladen, I. (2014): IT-gestützte Logistik – Systeme, Prozesse, Anwendungen, 2. Auflage, Springer Gabler: Wiesbaden, S. 3, 53–54.
- [6] Jung, N. A. und T. Nowak (2012): Sparen bei den Materialkosten – Aber wie? ZWP online, unter: www.zwp-online.info/de/zwpnews/wirtschaft-und-recht/praxismanagement/sparen-bei-den-materialkosten-aber-wie, Datum des Abrufes: 21. Februar 2015.
- [7] Nuding, H.; Nuding, G.; Haller, J.; Wagner, M.; Stollmeier, W. und S. Runckel (2011): Praxisorganisation, Praxisverwaltung und Wirtschaftskunde für Medizinische und Zahnmedizinische Fachangestellte – Lösungen. 5. Auflage, Holland + Josenhans: Stuttgart, S. 215.
- [8] Oeldorf, G. und K. Olfert (2008): Materialwirtschaft. 12. Auflage, Kiehl-Verlag: Ludwigshafen, S. 19.
- [9] Wirtschaftslexikon24.com (2015): Qualitätsmanagement, Ausgabe 2015, unter: www.wirtschaftslexikon24.com/d/qualitaetsmanagement/qualitaetsmanagement.htm, Datum des Abrufes: 22. Februar 2015.

- [1] Ah Pin PJ: The use of intraligamental injections in haemophiliacs. *Br Dent J* 21, 151–152 (1987).
- [2] Csides M, Taubenheim L, Glockmann E: Intraligamentäre Anästhesie: Systembedingte Nebenwirkungen. *ZWR Deutsch Zahnärzteblatt* 4, 158–166 (2009).
- [3] Dirnbacher T, Schulz D, Taubenheim L: Die intraligamentale Injektion – interstitiellen Widerstand adäquat überwinden. *Dtsch Zahnärztl Z* 12, 737–742 (2013).
- [4] Eigner TL: Use of intraligamentary anesthesia in patient with severe hemophilia and factor VIII inhibitor. *Spec Care Dentist* (10) 4, 121–124 (1990).
- [5] Einwag J: Die intraligamentäre Anästhesie im Kindes und Jugendalter. *Dtsch Zahnärztl Z* 37, 874–876 (1982).
- [6] Einwag J: Die intraligamentäre Anästhesie. *Zahnärztl Mitt* 75, 693–695 (1985).
- [7] Endo T, Gabka J, Taubenheim L: Intraligamentary anesthesia: Benefits and limitations. *Quintessence International* (39) 1, e15–e25 (2008).
- [8] Glockmann E, Taubenheim L: Die intraligamentäre Anästhesie. Georg Thieme Verlag, Stuttgart-New York (2002).
- [9] Glockmann E, Taubenheim L: Minimalinvasive Schmerzausschaltung – Intraligamentäre Anästhesie. *Zahnärztl Fach-Verlag*, Herne (2010).
- [10] Heizmann R, Gabka J: Nutzen und Grenzen der intraligamentären Anästhesie. *Zahnärztl Mitt* 84, 46–50 (1994).
- [11] Kaufman E, Epstein JB, Naveh E, Gorsky M, Gross A, Cohen G: A Survey of Pain, Pressure, and Discomfort Induced by Commonly Used Oral Local Anesthesia Injections. *Anesth Prog* 52, 122–127 (2005).
- [12] Langbein A, Taubenheim L, Benz C: Die intraligamentäre Anästhesie – primäre Methode der Schmerzausschaltung? *ZWR Deutsch Zahnärzteblatt* 7+8, 334–342 (2012).
- [13] Marshall M: Die intraligamentäre Anästhesie mit dem SoftJect zur Ermittlung der Praxistauglichkeit. Diss., München (2001).
- [14] Patientenrechtegesetz, BGB § 670 e – Aufklärungspflichten (1).
- [15] Prothmann M, Taubenheim L, Rossaint R: Alternativen zu Leitungs- und Infiltrationsanästhesie. *ZWR Deutsch Zahnärzteblatt* 9, 398–405 (2010).
- [16] Schwenzer N, Ehrenfeld M: Zahnärztliche Chirurgie. Zahn-Mund-Kiefer-Heilkunde, Georg Thieme Verlag Band 3, 31–32 (2000).
- [17] Schwenzer N, Ehrenfeld M: Zahn-Mund-Kiefer-Heilkunde – Chirurgische Grundlagen, Georg Thieme Verlag (2008), ISBN 978-3-13-593404-4.
- [18] Stoll P, Bührmann K: Die intraligamentäre Anästhesie bei der Zahnextraktion von Patienten mit hämorrhagischer Diathese. *Zahnärztl.Welt/Reform* 92, 54–55 (1983).
- [19] Stoll P, Krekeler G, Bührmann K: Lokale Schmerzausschaltung bei hämorrhagischer Diathese. *Dtsch Zahnärztl Z* 41, 405–407 (1986).
- [20] Stammnitz BE, Taubenheim L: Zeit sparen durch zeitgemäße Lokalanästhesie. *Zahn Prax* (16) 2, 90–92 (2013).
- [21] Weber M, Taubenheim L, Glockmann E: Schmerzausschaltung vor indizierten endodontischen Behandlungen. *ZWR Deutsch Zahnärzteblatt* 10, 421–433 (2006).
- [22] Zugal W: Die intraligamentäre Anästhesie in der zahnärztlichen Praxis. *Zahnärztl Mitt* 6, 46–52 (2001).

Die adhäsive postendodontische Versorgung stark zerstörter Pfeilerzähne mit indirekten Restaurationen

- [1] Pak JG, Fayazi S, White SN: Prevalence of periapical radiolucency and root canal treatment: a systematic review of cross-sectional studies. *J Endod* 38 (9), 1170–6 (2012).
- [2] Hamedy R, et al: Prevalence of root canal treatment and periapical radiolucency in elders: a systematic review. *Gerodontology* (2014).
- [3] Saunders W, Saunders E: Coronal leakage as a cause of failure in root canal therapy: a review. *Endod Dent Traumatol* 10, 105–8 (1994).
- [4] Ng YL, et al: Outcome of primary root canal treatment: systematic review of the literature – Part 2. Influence of clinical factors. *Int Endod J* 41 (1), 6–31 (2008).
- [5] Hommez GM, Coppens CR, De Moor RJ: Periapical health related to the quality of coronal restorations and root fillings. *Int Endod J* 35 (8), 680–9 (2002).
- [6] Gillen BM, et al: Impact of the quality of coronal restoration versus the quality of root canal fillings on success of root canal treatment: a systematic review and meta-analysis. *J Endod* 37 (7), 895–902 (2011).
- [7] Schwartz RS, Robbins JW: Post placement and restoration of endodontically treated teeth: a literature review. *J Endod* 30 (5), 289–301 (2004).
- [8] Tang W, Wu Y, Smales RJ: Identifying and reducing risks for potential fractures in endodontically treated teeth. *J Endod* 36 (4), 609–17 (2010).
- [9] Aurelio IL, et al: Are posts necessary for the restoration of root filled teeth with limited tissue loss? A structured review of laboratory and clinical studies. *Int Endod J*, (2015).
- [10] Krishan R, et al: Impacts of conservative endodontic cavity on root canal instrumentation efficacy and resistance to fracture assessed in incisors, premolars, and molars. *J Endod* 40 (8), 1160–6 (2014).
- [11] Asundi A, Kishen A: Advanced digital photoelastic investigations on the tooth-bone interface. *J Biomed Opt* 6 (2), 224–30 (2001).
- [12] Lertchirakarn V, Palamara JE, Messer HH: Patterns of vertical root fracture: factors affecting stress distribution in the root canal. *J Endod* 29 (8), 523–8 (2003).
- [13] Wu MK, van der Sluis LW, Wesselink PR: Comparison of mandibular premolars and canines with respect to their resistance to vertical root fracture. *J Dent* 32 (4), 265–8 (2004).
- [14] Lang H, et al: Impact of endodontic treatments on the rigidity of the root. *J Dent Res* 85 (4), 364–8 (2006).
- [15] Reeh ES, Messer HH, Douglas WH: Reduction in tooth stiffness as a result of endodontic and restorative procedures. *J Endod* 15 (11), 512–6 (1989).
- [16] Kahler B, Swain MW, Moule A: Fracture-toughening mechanisms responsible for differences in work to fracture of hydrated and dehydrated dentine. *J Biomech* 36 (2), 229–37 (2003).
- [17] Kishen A, Ramamurty U, Asundi A: Experimental studies on the nature of property gradients in the human dentine. *J Biomed Mater Res* 51 (4), 650–9 (2000).
- [18] Kishen A, Kumar GV, Chen NN: Stress-strain response in human dentine: rethinking fracture predilection in postcore restored teeth. *Dent Traumatol* 20 (2), 90–100 (2004).
- [19] Tay FR, Pashley DH: Monoblocks in root canals: a hypothetical or a tangible goal. *J Endod* 33 (4), 391–8 (2007).
- [20] Ilie N, Simon A: Effect of curing mode on the micro-mechanical properties of dual-cured self-adhesive resin cements. *Clin Oral Investig* 16 (2), 505–12 (2012).
- [21] Zicari F, et al: Mechanical properties and micro-morphology of fiber posts. *Dent Mater* 29 (4), e45–52 (2013).
- [22] Juloski J, et al: Four-year Survival of Endodontically Treated Premolars Restored with

- Fiber Posts. *J Dent Res* 93 (7 suppl), 52S–58S (2014).
- [23] Naumann M, Preuss A, Frankenberger R: Load capability of excessively flared teeth restored with fiber-reinforced composite posts and all-ceramic crowns. *Oper Dent* 31 (6), 699–704 (2006).
 - [24] Rehmann P, et al: Klinische Bewährung von Zähnen, die zur Verankerung einer Teilprothese mit Teleskopkronen versorgt wurden. *DZZ* 61 (12), 662–666 (2006).
 - [25] Pjetursson BE, et al: Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). *Clin Oral Implants Res* 18 (Suppl 3), 97–113 (2007).
 - [26] Pjetursson BE, et al: A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res* 15 (6), 667–76 (2004).
 - [27] Adolph G, et al: Direct resin composite restorations in vital versus root-filled posterior teeth: a controlled comparative long-term follow-up. *Oper Dent* 32 (5), 437–42 (2007).
 - [28] Scotti N, et al: Influence of adhesive techniques on fracture resistance of endodontically treated premolars with various residual wall thicknesses. *J Prosthet Dent* 110 (5), 376–82 (2013).
 - [29] Mangold JT, Kern M: Influence of glass-fiber posts on the fracture resistance and failure pattern of endodontically treated premolars with varying substance loss: an in vitro study. *J Prosthet Dent* 105 (6), 387–93 (2011).
 - [30] Salameh Z, et al: Fracture resistance and failure patterns of endodontically treated mandibular molars restored using resin composite with or without translucent glass fiber posts. *J Endod* 32 (8), 752–5 (2006).
 - [31] Frankenberger R, et al: Effect of proximal box elevation with resin composite on marginal quality of ceramic inlays in vitro. *Clin Oral Investig* 17 (1), 177–83 (2013).
 - [32] Ilgenstein I, et al: Influence of proximal box elevation on the marginal quality and fracture behavior of root-filled molars restored with CAD/CAM ceramic or composite onlays. *Clin Oral Investig* 19 (5), 1021–8 (2015).
 - [33] Zaruba M, et al: Influence of a proximal margin elevation technique on marginal adaptation of ceramic inlays. *Acta Odontol Scand* 71 (2), 317–24 (2013).
 - [34] Naumann M, et al: 10-year Survival Evaluation for Glass-fiber-supported Postendodontic Restoration: A Prospective Observational Clinical Study. *J Endod* 38 (4) 432–5 (2012).
 - [35] Bitter K, et al: Randomized clinical trial comparing the effects of post placement on failure rate of postendodontic restorations: preliminary results of a mean period of 32 months. *J Endod* 35 (11), 1477–82 (2009).
 - [36] Ferrari M, et al: A randomized controlled trial of endodontically treated and restored premolars. *J Dent Res* 91 (7 Suppl), 72S–78S (2012).
 - [37] Signore A, et al: Clinical evaluation of an oval-shaped prefabricated glass fiber post in endodontically treated premolars presenting an oval root canal cross-section: a retrospective cohort study. *Int J Prosthodont* 24 (3), 255–63 (2011).
 - [38] Bateli M, et al: A retrospective evaluation of teeth restored with zirconia ceramic posts: 10-year results. *Clin Oral Investig* 18 (4) 1181–7 (2014).
 - [39] Butz F, et al: Survival rate and fracture strength of endodontically treated maxillary incisors with moderate defects restored with different post-and-core systems: an in vitro study. *Int J Prosthodont* 14 (1), 58–64 (2001).
 - [40] Mortazavi V, et al: Fracture resistance of structurally compromised and normal endodontically treated teeth restored with different post systems: An in vitro study. *Dent Res J (Isfahan)* 9 (2), 185–91 (2012).
 - [41] Shetty PP, et al: A finite element analysis for a comparative evaluation of stress with two commonly used esthetic posts. *Eur J Dent* 7 (4), 419–22 (2013).
 - [42] Kinney JH, Marshall SJ, Marshall GW: The mechanical properties of human dentin: a critical review and re-evaluation of the dental literature. *Crit Rev Oral Biol Med* 14 (1), 13–29 (2003).
 - [43] Dietschi D, et al: Biomechanical considerations for the restoration of endodontically

- treated teeth: a systematic review of the literature, Part II (Evaluation of fatigue behavior, interfaces, and in vivo studies). *Quintessence Int* 39 (2), 117–29 (2008).
- [44] Santos AF, et al: Can fiber posts increase root stresses and reduce fracture? *J Dent Res* 89 (6), 587–91 (2010).
 - [45] Bolla M, et al: Root canal posts for the restoration of root filled teeth. *Cochrane Database Syst Rev*, (2007). 1: p. CD004623.
 - [46] Theodosopoulou JN, Chochlidakis KM: A systematic review of dowel (post) and core materials and systems. *J Prosthodont* 18 (6), 464–72 (2009).
 - [47] Sterzenbach G, Franke A, Naumann M: Rigid versus Flexible Dentine-like Endodontic Posts-Clinical Testing of a Biomechanical Concept: Seven-year Results of a Randomized Controlled Clinical Pilot Trial on Endodontically Treated Abutment Teeth with Severe Hard Tissue Loss. *Journal of Endodontics* 38 (12), 1557–63 (2012).
 - [48] Naumann M, Blankenstein F, Dietrich T: Survival of glass fibre reinforced composite post restorations after 2 years-an observational clinical study. *J Dent* 33 (4), 305–312 (2005).
 - [49] Schmitter M, et al: Influence of clinical baseline findings on the survival of 2 post systems: a randomized clinical trial. *Int J Prosthodont* 20 (2), 173–8 (2007).
 - [50] Monticelli F, et al: Clinical behavior of translucent-fiber posts: a 2-year prospective study. *Int J Prosthodont* 16 (6), 593–6 (2003).
 - [51] Naumann M, et al: Survival of glass fiber post restorations over 5 years. *Am J Dent* 21 (4), 267–72 (2008).
 - [52] Schmitter M, Hamadi K, Rammelsberg P: Survival of two post systems--five-year results of a randomized clinical trial. *Quintessence Int* 42 (10), 843–50 (2011).
 - [53] Juloski J, et al: Ferrule effect: a literature review. *J Endod* 38 (1), 11–9 (2012).
 - [54] Sterzenbach G, et al: Loading standardization of postendodontic restorations in vitro: impact of restorative stage, static loading, and dynamic loading. *Oper Dent* 37 (1), 71–9 (2012).
 - [55] Samran A, El Bahra S, Kern M: The influence of substance loss and ferrule height on the fracture resistance of endodontically treated premolars. An in vitro study. *Dent Mater* 29 (12), 1280–6 (2013).
 - [56] Sterzenbach G, et al: Increased tooth mobility because of loss of alveolar bone support: a hazard for zirconia two-unit cantilever resin-bonded FDPs in vitro? *J Biomed Mater Res B Appl Biomater* 102 (2), 244–9 (2014).
 - [57] Tay FR, et al: Geometric factors affecting dentin bonding in root canals: a theoretical modeling approach. *J Endod* 31 (8), 584–9 (2005).
 - [58] Perdigao J, Gomes G, Augusto V: The effect of dowel space on the bond strengths of fiber posts. *J Prosthodont* 16 (3), 154–64 (2007).
 - [59] Mjör IA, et al: The structure of dentine in the apical region of human teeth. *Int Endod J* 34 (5), 346–53 (2001).
 - [60] Bitter K, et al: Morphological and bond strength evaluation of different resin cements to root dentin. *Eur J Oral Sci* 117 (3), 326–33 (2009).
 - [61] Bitter K, et al: Reliability of fiber post bonding to root canal dentin after simulated clinical function in vitro. *Oper Dent* 37 (4), 397–405 (2012).
 - [62] Sterzenbach G, et al: Fiber post placement with core build-up materials or resin cements-an evaluation of different adhesive approaches. *Acta Odontol Scand* 70 (5), 368–76 (2012).
 - [63] Sarkis-Onofre R, et al: The Role of Resin Cement on Bond Strength of Glass-fiber Posts (GFPs) Luted Into Root Canals: A Systematic Review and Meta-analysis of In Vitro Studies. *Oper Dent*, (2013).
 - [64] Bitter K, et al: Various irrigation protocols for final rinse to improve bond strengths of fiber posts inside the root canal. *Eur J Oral Sci* 121 (4), 349–54 (2013).
 - [65] Bitter K, et al: Do chlorhexidine and ethanol improve bond strength and durability of adhesion of fiber posts inside the root canal? *Clin Oral Investig* 18 (3), 927–34 (2014).

Implantatplanung: Relevanz für periimplantäre Erkrankungen

- [1] Buchmann R, Nunn ME, Van Dyke TE, Lange DE: Aggressive periodontitis: 5-year follow-up of treatment. *J Periodontol* 73, 675–683 (2002).
- [2] Branschovsky M, Beikler T, Schäfer R, Flemming TF, Lang H: Secondary trauma from occlusion and periodontitis. *Quintessence Int.* 42, 515–522 (2011).
- [3] Weston P, Yaziz YA, Moles DR, Needleman I: Occlusal interventions for periodontitis in adults. *Cochrane Database Syst Rev.* 16, Review (2008).
- [4] Tatzel W: Funktionskorrigierendes Haltungsmanagement bei craniocaudaler Problematik. *Dtsch Zahnarztwoche kompakt* 5, 24–26 (2013).
- [5] Schulze R: DVT-Diagnostik in der Implantologie: Grundlagen – Fallstricke. *Zahnheilkunde Management Kultur* 27, 6–13 (2011).
- [6] Marquardt P, Witkowski S, Strub J: Three-dimensional navigation in implant dentistry. *Eur J Esthet Dent* 2: 80–98 (2007).
- [7] Lindhe J: *Clinical Periodontology and Implant Dentistry*. Wiley-Blackwell, 6. Auflage, ISBN: 978-0-470-67248-8, 1536 Seiten (2015).
- [8] Enkling N, Jöhren P, Katsoulis J, Bayer S, Jervøe-Storm PM, Mericske-Stern R, Jepsen S: Influence of platform switching on bone level alterations: A three-year randomized clinical trial. *J Dent Res* 92, Suppl 12, 139–145 (2013). doi: 10.1177/0022034513504953. Epub 2013 Oct 24.
- [9] Romanos GE, Javed F: Platform switching minimizes crestal bone loss around dental implants: Truth or myth? *J Oral Rehabil* 41, 700–708 (2014).
- [10] Geckili O, Cilingir A, Erdogan O, Kesoglu AC, Bilmenoglu C, Ozdiler A, Bilhan H: The influence of interimplant distance in mandibular overdentures supported by two implants on patient satisfaction and quality of life. *Int J Prosthodont* 28, 19–21 (2015).
- [11] Zanetta-Barbosa D, Klinge B, Svensson H: Laser doppler flowmetry of blood perfusion in mucoperiosteal flaps covering membranes in bone augmentation and implant procedures. A pilot study in dogs. *Clin Oral Implants Res* 4, 35–38 (1993).
- [12] Welander M, Abrahamsson I, Berglundh T: Subcrestal placement of two-part implants. *Clin Oral Implants Res* 20, 226–231 (2009).
- [13] Herekar M, Sethi M, Ahmad T, Fernandes AS, Patil V, Kulkarni H: A correlation between bone (B), insertion torque (IT) and implant stability (S). BITS score. *J Prosthet Dent* 112, 805–810 (2014).
- [14] Canullo L, Peñarrocha-Oltra D, Covani U, Botticelli D, Serino G, Penarrocha M: Clinical and microbial findings in patients with peri-implantitis: A cross-sectional study. *Clin Oral Implants Res* 26 (2015). doi: 10.1111/clr.12557.
- [15] Javed F, Romanos GE : Role of implant diameter on long-term survival of dental implants placed in posterior maxilla: A systematic review. *Clin Oral Investig* 19, 1-10 (2015).
- [16] Lee SA, Lee CT, Fu MM, Elmisalati W, Chuang SK: Systematic review and meta-analysis of randomized controlled trials for the management of limited vertical height in the posterior region: Short implants (5 to 8 mm) vs. longer implants (> 8 mm) in vertically augmented sites. *Int J Oral Maxillofac Implants* 29, 1085–1097 (2014).
- [17] Klein MO, Schiegnitz E, Al-Nawas B: Systematic review on success of narrow-diameter dental implants. *Int J Oral Maxillofac Implants* 29, Suppl 43–54 (2014).
- [18] Esposito M, Grusovin MG, Kwan S, Worthington HV, Coulthard P: Interventions for replacing missing teeth: Bone augmentation techniques for dental implant treatment. *Cochrane Database Syst Rev.* 16, CD003607 (2008).
- [19] Buchmann R, Kochhan G: Praxiskonzept Implantologie: So sollte jeder Patient behandelt werden. *Zahnärztl Mitt* 101, 56–64 (2011).
- [20] Renvert S, Polyzois I, Persson GR: Treatment modalities for peri-implant mucositis and peri-implantitis. *Am J Dent* 26, 313–318 (2013).

- [21] Khoury F, Buchmann R: The surgical therapy of periimplant-disease. A three-year follow-up study of cases treated with 3 different techniques of bone regeneration. J Periodontol 72, 1498–1508 (2001).