Zirkonoxid-Implantate – Entwicklungsstand und offene Fragen

Teil 2: Die Auswahl geeigneter Restaurationsmaterialien

Jens Fischer, Nadja Rohr

ZMK 1-2/2022 (38), 6-21

1 Astasov-Frauenhoffer M, Glauser S, Fischer J, Schmidli F, Waltimo T, Rohr N. Biofilm formation on restorative materials and resin composite cements. Dent Mater. 2018;34:1702-1709.
2 Balmer M, Spies BC, Kohal RJ, Hämmerle CH, Vach K, Jung RE. Zirconia implants restored with single crowns or fixed dental prostheses: 5-year results of a prospective cohort investigation. Clin Oral Implants Res. 2020;31:452-462.
3 Blumer L, Schmidli F, Weiger R, Fischer J. A systematic approach to standardize artificial aging of resin composite cements. Dent Mater. 2015;31:855-863.
4 Bürgin S, Rohr N, Fischer J. Assessing degradation of composite resin cements during artificial aging by Martens hardness. Head Face Med. 2017;13:9.
5 Cassina G, Fischer J, Rohr N. Correlation between flexural and indirect tensile strength of resin composite cements. Head Face Med. 2016;12:29.
6 Coldea A, Fischer J, Swain MV, Thiel N. Damage tolerance of indirect restorative materials (including PICN) after simulated bur adjustments. Dent Mater. 2015;31:684-694.
7 Ferracane JL. Hygroscopic and hydrolytic effects in dental polymer networks. Dent Mater. 2006;22:211-222.
8 Glauser S, Astasov-Frauenhoffer M, Müller JA, Fischer J, Waltimo T, Rohr N. Bacterial colonization of resin composite cements: influence of material composition and surface roughness. Eur J Oral Sci. 2017;125:294-302.
9 Hitz T, Stawarczyk B, Fischer J, Hämmerle CH, Sailer I. Are self-adhesive resin cements a valid alternative to conventional resin cements? A laboratory study of the long-term bond strength. Dent Mater. 2012;28:1183-1190.
10 Holderegger C, Sailer I, Schuhmacher C, Schläpfer R, Hämmerle C, Fischer J. Shear bond strength of resin cements to human dentin. Dent Mater. 2008;24:944-950.
11 Hu M, Weiger R, Fischer J. Comparison of two test designs for evaluating the shear bond strength of resin composite cements. Dent Mater. 2016;32:223-232.
12 Kohal RJ, Spies BC, Vach K, Balmer M, Pieralli S. A prospective clinical cohort investigation on zirconia implants: 5-year results. J Clin Med. 2020;9:2585.
13 Müller JA, Rohr N, Fischer J. Evaluation of ISO 4049: water sorption and water solubility of resin cements. Eur J Oral Sci. 2017;125:141-150.
14 Nueesch R, Conejo J, Mante F, Fischer J, Märtin S, Rohr N, Blatz MB. Loading capacity of CAD/CAM-fabricated anterior feldspathic ceramic crowns bonded to one-piece zirconia implants with different cements. Clin Oral Implants Res. 2019;30:178-186.
15 Rohr N, Balmer M, Müller JA, Märtin S, Fischer J. Chewing simulation of zirconia implant supported restorations. J Prosthodont Res. 2019;63:361-367.
16 Rohr N, Bertschinger N, Fischer J, Filippi A, Zitzmann NU. Influence of material and surface roughness of resin composite cements on fibroblast behavior. Oper Dent 2020;45:528-536.
17 Rohr N, Brunner S, Märtin S, Fischer J. Influence of cement type and ceramic primer on retention of polymer-infiltrated ceramic crowns to a one-piece zirconia implant. J Prosthet Dent. 2018;119:138-145.
18 Rohr N, Coldea A, Zitzmann NU, Fischer J. Loading capacity of zirconia implant supported hybrid ceramic crowns. Dent Mater. 2015;31:e279-288.
19 Rohr N, Fischer J. Effect of aging and curing mode on the compressive and indirect tensile strength of resin composite cements. Head Face Med. 2017;13:22.
20 Rohr N, Flury A, Fischer J. Efficacy of a universal adhesive in the bond strength of composite cements to polymer-infiltrated ceramic. J Adhes Dent. 2017;19:417-424.

21 Rohr N, Märtin S, Fischer J. Correlations between fracture load of zirconia implant supported single crowns and mechanical properties of restorative material and cement. Dent Mater J. 2018 30;37:222-228.
22 Rohr N, Märtin S, Fischer J. Fracture load of zirconia implant supported CAD/CAM resin crowns and mechanical properties of restorative material and cement. J Prosthodont Res. 2021. doi: 10.2186/jpr.JPR_D_20_00051. Epub ahead of print.
23 Rohr N, Müller JA, Fischer J. Influence of ambient temperature and light-curing moment on polymerization shrinkage and strength of resin composite cements. Oper Dent. 2018;43:619-630.
24 Schwenter J, Schmidli F, Weiger R, Fischer J. Adhesive bonding to polymer infiltrated ceramic. Dent Mater J. 2016;35:796-802.
25 Spies BC, Balmer M, Jung RE, Sailer I, Vach K, Kohal RJ. All-ceramic, bi-layered crowns supported by zirconia implants: Three-year results of a prospective multicenter study. J Dent. 2017;67:58-65.
26 Spies BC, Balmer M, Jung RE, Sailer I, Vach K, Kohal RJ. All-ceramic single crowns supported by zirconia implants: 5-year results of a prospective multicenter study. Clin Oral Implants Res. 2019;30:466-475.
27 Spies BC, Kohal RJ, Balmer M, Vach K, Jung RE. Evaluation of zirconia-based posterior single crowns supported by zirconia implants: preliminary results of a prospective multicenter study. Clin Oral Implants Res. 2017;28:613-619.
28 Spies BC, Pieralli S, Vach K, Kohal RJ. CAD/CAM-fabricated ceramic implant-supported single crowns made from lithium disilicate: Final results of a 5-year prospective cohort study. Clin Implant Dent Relat Res. 2017;19:876-883.
29 Straface A, Rupp L, Gintaute A, Fischer J, Zitzmann NU, Rohr N. HF etching of CAD/CAM materials: influence of HF concentration and etching time on shear bond strength. Head Face Med. 2019;15:21.
30 Zeller DK, Fischer J, Rohr N. Viscous behavior of resin composite cements. Dent Mater J. 2021;40:253-259.

Wirkstoffe in Zahnpasten: Was passt für wen?

Dr. Fabian Cieplik

ZMK 1-2/2022 (38), 42-44

1. Ástvaldsdóttir Á, et al. Arginine and Caries Prevention: A Systematic Review. Caries Res. 2016;50(4):383-93. doi: 10.1159/000446249. Epub 2016 Jul 12. PMID: 27403876.
2. Bijle MN et al. A Scoping Review on Arginine in Caries Prevention. J Evid Based Dent Pract. 2020 Sep;20(3):101470. doi: 10.1016/j.jebdp.2020.101470. Epub 2020 Jul 2. PMID: 32921383.
3. Flothkötter M et al.: Kariesprävention im Säuglings- und frühen Kindesalter. Handlungsempfehlungen des bundesweiten Netzwerks Gesund ins Leben. Monatsschr Kinderheilkd. 2021; 169(6): 550-558 [Fluoridempfehlungen für Kinder]
4. Geurtsen W, Hellwig E, Klimek J et al.: S2k-Leitlinie (Langversion): Kariesprophylaxe bei bleibenden Zähnen – grundlegende Empfehlungen. AWMF-Registernummer: 083-021. Stand: Juni 2016. Gültig bis: Mai 2021; https://www.awmf.org/leitlinien/detail/ll/083-021.html (mindestens 1000ppm, 2xtäglich)
5. Hahner P: Halitosis – die Rolle des chemischen und mechanischen Biofilmmanagements. PnC 2019; 13(4): 198-204
6. Koopman JE et al. Changes in the oral ecosystem induced by the use of 8% arginine toothpaste. Arch. Oral Biol. 2017; 73, 79-87.
7. Kraivaphan P et al. Two-Year Caries Clinical Study of the Efficacy of Novel Dentifrices Containing 1.5% Arginine, an Insoluble Calcium Compound and 1,450 ppm Fluoride. Caries Res. 2013;47(6), 582–590.
8. S3-Leitlinien „Häusliches mechanisches Biofilmmanagement in der Prävention und Therapie der Gingivitis“ und „Häusliches chemisches Biofilmmanagement in der Prävention und S3-Leitlinie „Leitlinie zur Behandlung der Parodontitis“ Langversion Stand Dezember 2020 (AWMF-Register Nr. 083-022 und Nr. 083-016, Versionen 2018; Amendment 2020 [Empfehlungen zum Gingivitis-Prävention und Therapie]
9. Walsh T, Worthington HV, Glenny AM, Marinho VCC, Jeroncic A: Fluoride toothpastes of different concentrations for preventing dental caries. Cochrane Database of Systematic Reviews 2019, Issue 3. Art. No.: CD007868. DOI: 10.1002/14651858.CD007868.pub3. [belegt die Dosis-Wirkung-Abhängigkeit von Fluoriden hinsichtlich Karies. 1.450 ppm wird hier als effektiver als 1000-1250 ppm-Zahnpaste ausgewiesen]
10. Zimmer S, Bizhang M: Die häusliche kontrollierte Mundhygiene mit Zahncreme, Mundspüllösung und Co. – Eine Standortbestimmung. Quintessenz. 2020;71(12): 2-12

Nicht kariesbedingte Zahnhartsubstanzdefekte: Risikofaktoren und Therapie

ZÄ Laurentia Schuster, Prof. Dr. Till Dammaschke

ZMK 1-2/2022 (38), 37-41

[1] Lussi A, Ganss C (Hrsg.). Erosive Tooth Wear – From Diagnosis to Therapy. Monogr Oral Sci Vol. 25. 2. überarbeitete und erweiterte Auflage, Basel: Karger, 2014.

[2] Bartlett DW, Lussi A, West NX, Bouchard P, Sanz M, Bourgeois D. Prevalence of tooth wear on buccal and lingual surfaces and possible risk factors in young European adults. J Dent 2013; 41: 1007–1013.

[3] Marinescu IR, Popescu SM, Draghici EC, Scrieciu M, Mercut V, Turcu AA, Nicola AG. Etiological Aspects of Noncarious Dental Lesions. Curr Health Sci J 2017; 43(1): 54–61.

[4] Warreth A, Abuhijleh E, Almaghribi MA, Mahwal G, Ashawish A. Tooth surface loss: A review of literature. Saudi Dent J 2020; 32(2): 53–60.

[5] Meyer-Lückel H, Paris S, Ekstrand KR (Hrsg.). Karies – Wissenschaft und klinische Praxis. Stuttgart: Georg Thieme, 2012.

[6] Hellwig E, Schäfer E, Klimek J, Attin T. Einführung in die Zahnerhaltung. 7. Auflage, Köln: Deutscher Zahnärzte Verlag, 2018.

[7] Carvalho TS, Colon P, Ganss C, Huysmans MC, Lussi A, Schlueter N, Schmalz G, Shellis RP, Tveit AB, Wiegand A. Consensus report of the European Federation of Conservative Dentistry: Erosive tooth wear – diagnosis and management. Clin Oral Invest 2015; 19: 1557–1561.

[8] Denucci GC, Mantilla TF, Amaral FLB, Basting RT, Franca FMG. Saliva with reduced calcium and phosphorous concentrations: Effect on erosion dental lesions. Oral Dis 2018; 24(6): 957–963.

[9] Hannig M, Fiebiger M, Güntzer M, Döbert A, Zimehl R, Nekrashevych Y. Protective effect of the in situ formed short-term salivary pellicle. Arch Oral Biol 2004; 49: 903–910.

[10] Wiegand A, Bliggenstorfer S, Magalhaes AC, Sener B, Attin T. Impact of the in situ formed salivary pellicle on enamel and dentine erosion induced by different acids. Acta Odontol Scand 2008; 66(4): 225–230.

[11] Atalay C, Ozgunaltay G. Evaluation of tooth wear and associated risk factors: A matched case-control study. Niger J Clin Pract 2018; 21(12): 1607–1614.

[12] Milosevic A. Clinical guidance and an evidence-based approach for restoration of the worn dentition by direct composite resin. Br Dent J 2018 (Mar 9); 224(5): 301–310.

[13] Assuncao CM, Lussi A, Rodrigues JA, Carvalho TS. Efficacy of toothpastes in the prevention of erosive tooth wear in permanent and deciduous teeth. Clin Oral Invest 2019; 23: 273–284.

[14] Pickles MJ. Tooth Wear. In: Duckworth RM (ed.). The teeth and their environment. Monogr Oral Sci Vol.19, Basel: Karger, 2006: 86–104.

[15] Huysmans MCDNJM, Chew HP, Ellwood RP. Clinical studies of dental erosion and erosive wear. Caries Res 2011; 45(1): 60–68.

[16] Joao-Souza SH, Lussi A, Baumann T, Scaramucci T, Aranha ACC, Carvalho TS. Chemical and physical factors of desensitizing and/or anti-erosive toothpastes associated with lower erosive tooth wear. Sci Rep 2017; 7: 17909.

[17] Sterenborg BAMM, Bronkhorst EM, Wetselaar P, Lobbezoo F, Loomans BAC, Huysmans MCDNJM. The influence of management of tooth wear on oral health-related quality of life. Clin Oral Invest 2018; 22: 2567–2573.

[18] Varma S, Preiskel A, Bartlett D. The management of tooth wear with crowns and indirect restorations. Br Dent J 2018 (Mar 9); 224(5): 343–347.

[19] Loomans BAC, Kreulen CM, Huijs-Visser HECE, Sterenborg BAMM, Bronkhorst EM, Huysmans MCDNJM, Opdam NJM. Clinical performance of full rehabilitations with direct composite in severe tooth wear patients: 3.5 years results. J Dent 2018; 70: 97–103.

[20] Paryag A, Rafeek R. Dental erosion and medical conditions: An overview of aetiology, diagnosis and management. West Indian Med J 2014; 63(5): 499–502.

[21] Deari S, Wegehaupt FJ, Tauböck TT, Attin T. Influence of Different Pretreatments on the Microtensile Bond Strength to Eroded Dentin. J Adhes Dent. 2017;19 (2):147-155.

Aktuelles aus der Prävention – von der Schwangerschaft bis zum Kleinkindalter

PD Dr. Yvonne Wagner

ZMK 1-2/2022 (38) 37-41

[1] Berg B, Cremer M, Flothkötter M, Koletzko B, Krämer N, Krawinkel M, Lawrenz B, Przyrembel H, Schiffner U, Splieth C, Vetter K, Weißenborn A. Kariesprävention im Säuglings- und frühen Kindesalter. Handlungsempfehlungen des bundesweiten Netzwerks Gesund ins Leben. Monatsschr Kinderheilkd. 2021; 169. doi: 10.1007/s00112-021-01167-z
[2] Bundeszahnärztekammer (BZAEK) (Hrsg.) 2014. Frühkindliche Karies vermeiden. https://www.kzbv.de/fruehkindliche-karies-vermeiden.840.de.html
[3] Bundeszahnärztekammer (BZAEK), Kassenzahnärztliche Bundesvereinigung (KZBV). Zahnärztliche Arzneiverordnung in Schwangerschaft und Stillzeit. http://www.bzaek.de/fileadmin/PDFs/za/AKZ/10_01Zahnaerztliche_ArzneiVO_in_der_Schwangerschaft.pdf
[4] Gemeinsamer Bundesausschuss. Richtlinie zur systematischen Behandlung von Parodontitis und anderen Parodontalerkrankungen: Erstfassung. BAnz AT 21.06.2021 B2. https://www.g-ba.de/beschluesse/4623/
[5] Gemeinsamer Bundesausschuss. Richtlinie über die ärztliche Betreuung während der Schwangerschaft und nach der Entbindung („Mutterschafts-Richtlinien"). BAnz AT 27.06.2014 B3. https://www.g-ba.de/downloads/62-492-883/Mu-RL_2014-04-24.pdf
[6] Heyman MB, Abrams SA. Fruit juice in infants, children, and adolescents: current recommendations. Pediatrics. 2017; 139 (6): e20170967.
[7] Koletzko B, Armbruster M, Bauer CP et al. Ernährung und Bewegung im Kleinkindalter. Handlungsempfehlungen des Netzwerks „Gesund ins Leben – Netzwerk junge Familie". Monatsschr Kinderheilk, 2013; 161 (12): 1187-1200.
[8] Leong PM, Gussy MG, Barrow SYL, Silva-Sanigorski A, Waters E. A systematic review of risk factors during first year of life for early childhood caries. Int J Paediatr Dent. 2013; 23: 235-250.
[9] Lynch RJM. The primary and mixed dentition, post-eruptive enamel maturation and dental caries: a review. Int Den J. 2013; 63: 3-13.
[10] Marinho VC, Worthington HV, Walsh T, Clarkson JE. Fluoride varnishes for preventing dental caries in children and adolescents. Cochrane Database Syst Rev. 2013; 11: 7 CD002279.
[11] Oral Health Care During Pregnancy Expert Workgroup. Oral Health Care During Pregnancy: A National Consensus Statement. Washington, DC: National Maternal and Child Oral health Resource Center, 2012.
[12] Pitts N, Baez R, Guillory C, et al. Early childhood caries: IAPD Bangkok Declaration. Int J Paediatr Dent. 2019; 29: 384-386.
[13] Rieken SE, Terezhalmy GT. The pregnant and breast-feeding patient. Quintessence Int. 2006; 37: 455-468.
[14] Splieth C, Basner R, Santamaria M et al. Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2016. Deutsche Arbeitsgemeinschaft für Jugendzahnpflege e. V. 2017, https://www.daj.de/fileadmin/user_upload/PDF_Downloads/Epi_2016/Epi_final_BB1801_final.pdf

[15] Vergnes JN, Pastor-Harper D, Constantin S, Bedos C, Kaminski M, Nabet C, et al. Perceived oral health and the use of dental services during pregnancy: the MaterniDent study. Sante Publique. 2013; 25: 281-292.
[16] Walsh T, Worthington HV, Glenny AM, Marinho VC, Jeroncic A, Cochrane Oral Health Group. Fluoride toothpastes of different concentrations for preventing dental caries. Cochrane Database Syst Rev. 2019; 3: D007868. doi: 10.1002/14651858.CD007868.pub3
[17] World Health Organization (WHO) (Hrsg.). 2015. Guideline: sugars intake for adults and children. Geneva: World Health Organization.
[18] Wu M, Chen SW, Jiang SY. Relationship between Gingival Inflammation and Pregnancy. Review. Mediators of Inflammation 2015, Article ID 623427, http://dx.doi.org/10.1155/2015/623427