

**Bulk-Fill- und Universalkomposite – eine klinische Einordnung anhand der Tetric-Familie**

[1] da Rosa WL, Piva E, da Silva AF: Bond strength of universal adhesives: A systematic review and meta-analysis. *J Dent* 43 (7), 765–76 (2015).

[2] Tsujimoto A, Barkmeier WW, Takamizawa T, Latta MA, Miyazaki M: The effect of phosphoric acid pre-etching times on bonding performance and surface free energy with single-step self-etch adhesives. *Oper Dent* 41 (4), 441–449 (2016).

[3] Van Dijken JW, Pallesen U: Posterior bulk-filled resin composite restorations. A 5-year randomized controlled clinical study. *J Dent* 51, 29–35 (2016).

[4] Yazici AR, Antonson SA, Kutuk ZB, Ergin E: Thrity-six-month clinical comparision of Bulk Fill and Nano Fill Composite restorations. *Oper Dent* 42 (5), 478–485 (2017).

[5] Tardem C, Albuquerque EG, Lopes LS, Marins SS, Calazans FS, Poubel LA, Barcelos R, Barceleiro MO: Clinical time and postoperative sensitivity after use of bulk-fill (syringe and capsule) vs. incremental filling composites: a randomized clinical trial. *Braz Oral Res* 33 (0), e089 (2019).

[6] Heck K, Manhart J, Hickel R, Diegritz C: Clinical evaluation of the Bulk Fill Composite QuiXfil in molar class I and II cavities: 10-year results of a RCT. *Dent Mater* 34 (6), e138–e147 (2018).

[7] Heintze SD, Rousson V: Clinical effectiveness of direct class II restorations – a meta analysis. *J Adhes Dent* 14 (5), 407–431 (2012).

[8] Reeh ES, Messer HH, Douglas WH: Reduction in tooth stiffness as a result of endodontic and restorative procedures. *J Endod* 15 (11), 512–516 (1989).

[9] Howe CA, McKendry DJ: Effect of endodontic access preparation on resistance to crown-root fracture. *J Am Dent Assoc* 121 (6), 712–715 (1990).

[10] Alshaikh KH, Hamama HHH, Mahmoud SH: Effect of smear layer deproteinization on bonding of self-etch adhesives to dentin: a systematic review and meta-analysis. *Restor Dent Endod* 43 (2), e14 (2018).

[11] Price RB: Light curing matters. *J Adhes Dent* 14 (6), 503–504 (2012).

[12] Ernst CP, Price RB, Callaway A, Masek A, Schwarm H, Rullmann I, Willershausen B, Ehlers V: Visible light curing devices – irradiance and use in 302 German dental offices. *J Adhes Dent* 20 (1), 41–55 (2018).

1. Gu XH, Kern M: Marginal discrepancies and leakage of all-ceramic crowns: influence of luting agents and aging conditions. *Int J Prosthodont* 16 (2), 109–116 (2003).
2. Yuksel E, Zaimoglu A: Influence of marginal fit and cement types on microleakage of all-ceramic crown systems. *Braz Oral Res* 25 (3), 261–266 (2011).
3. Al-Makramani BMA, Razak AAA, Abu-Hassan MI: Evaluation of load at fracture of Procera AllCeram copings using different luting cements. *J Prosthodont* 17 (2), 120–124 (2008).
4. Attia A, Abdelaziz KM, Freitag S, Kern M: Fracture load of composite resin and feldspathic all-ceramic CAD/CAM crowns. *J Prosthet Dent* 95 (2), 117–123 (2006).
5. Blatz MB: Long-term clinical success of all-ceramic posterior restorations. *Quintessence Int* 33 (6), 415–426 (2002).
6. Blatz MB, Phark JH, Ozer F, Mante FK, Saleh N, Bergler M et al.: In vitro comparative bond strength of contemporary self-adhesive resin cements to zirconium oxide ceramic with and without air-particle abrasion. *Clin Oral Investig* 14 (2), 187–192 (2010).
7. Blatz MB, Vonderheide M, Conejo J: The effect of resin bonding on long-term success of high-strength ceramics. *J Dent Res* 97 (2), 132–139 (2018).
8. Campos F, Valandro LF, Feitosa SA, Kleverlaan CJ, Feilzer AJ, de Jager N et al.: Adhesive cementation promotes higher fatigue resistance to zirconia crowns. *Oper Dent* 42 (2), 215–224 (2017).
9. Güth JF, Stawarczyk B, Edelhoff D, Liebermann A: Zirconia and its novel compositions: What do clinicians need to know? *Quintessence Int* 50 (7), 512–520 (2019).
10. Kern M, Thompson VP, Beuer F, Edelhoff D, Frankenberger R, Kohal RJ et al.: All ceramics at a glance. 3<sup>rd</sup> English edition. AG Keramik (2017).
11. Weigl P, Sander A, Wu Y, Felber R, Lauer HC, Rosentritt M: In-vitro performance and fracture strength of thin monolithic zirconia crowns. *J Adv Prosthodont* 10 (2), 79–84 (2018).
12. Wolfart M, Lehmann F, Wolfart S, Kern M: Durability of the resin bond strength to zirconia ceramic after using different surface conditioning methods. *Dent Mater* 23 (1), 45–50 (2007).
13. Yang B, Barlo A, Kern M: Influence of air-abrasion on zirconia ceramic bonding using an adhesive composite resin. *Dent Mater* 26 (1), 44–50 (2010).
14. Yoshihara K, Nagaoka N, Okihara T, Kuroboshi M, Hayakawa S, Maruo Y et al.: Functional monomer impurity affects adhesive performance. *Dent Mater* 31 (12), 1493–1501 (2015).
15. Hansen NA, Wille S, Kern M: Effect of reduced airborne particle abrasion pressure on the retention of zirconia copings resin bonded to titanium abutments. *J Prosthet Dent* J Prosthet Dent . 2020 Jul;124(1):60-67. doi: 10.1016/j.jprostdent.2019.07.001. Epub 2019 Nov 5.
16. Kajihara Y, Matsumura M, S. M, Minesaki Y, Minami H: Evaluation of a novel self-adhesive cement adhesion to CAD/CAM resin blocks. The 37<sup>th</sup> Annual Meeting of Japan Society for Adhesive Dentistry; Japan (2018).
17. Irie M, Tokunaga E, Maruo Y, Nishigawa G, Yoshida K, Nagaoka N, et al.: Adhesive strength of resin cement to CAD/CAM block for posterior restorations. The 37<sup>th</sup> Annual Meeting of Japan Society for Adhesive Dentistry; Japan (2018).
18. Yoshida K, Nagaoka N, Yoshida Y, Van Meerbeek B: The silane coupling effect of a silane-containing self-adhesive composite cement. International Congress on Adhesive Dentistry; (2019). Silane-coupling effect of a silane-containing self-adhesive composite cement.  
*Dental Materials* ( IF 4.495 ) Pub Date : 2020-05-27 , DOI: 10.1016/j.dental.2020.04.014
19. Shibuya K, Ohara N, Ono S, Matsuzaki K, Yoshiyama M: Influence of 10-MDP concentration on the adhesion and physical properties of self-adhesive resin cements. *Restor Dent Endod* 44 (4), e45 (2019).

20. Elsayed A, Younes F, Lehmann F, Kern M: Tensile bond strength of so-called universal primers and universal multimode adhesives to zirconia and lithium disilicate ceramics. *J Adhes Dent* 19 (3), 221–228 (2017).
21. Romanini-Junior JC, Kumagai RY, Ortega LF, Rodrigues JA, Cassoni A, Hirata R et al.: Adhesive/silane application effects on bond strength durability to a lithium disilicate ceramic. *J Esthet Restor Dent* 30 (4), 346–351 (2018).
22. Passia N, Lehmann F, Freitag-Wolf S, Kern M: Tensile bond strength of different universal adhesive systems to lithium disilicate ceramic. *J Am Dent Assoc* 146 (10), 729–734 (2015).
23. Dimitriadi M, Panagiotopoulou A, Pelecanou M, Yannakopoulou K, Eliades G: Stability and reactivity of gamma-MuPTMS silane in some commercial primer and adhesive formulations. *Dent Mater* 34 (8), 1089–1101 (2018).
24. Mair LH: Ten-year clinical assessment of three posterior resin composites and two amalgams. *Quintessence Int* 29 (8), 483–490 (1998).

ZMK (36) 10/2020, S. 599-603

Komposit-Restorationen: Differenzierte Materialauswahl bei benachbarten Kavitäten.

Prof. Dr. Claus-Peter Ernst

References:

1. Aleixo AR, Guiraldo RD, Fugolin AP, Berger SB, Consani RL, Correr AB, Gonini-Júnior A, Lopes MB. Evaluation of contraction stress, conversion degree, and cross-link density in low-shrinkage composites. Photomed Laser Surg 2014; 32: 267-273.
2. Ardu S, Duc O, Di Bella E, Krejci I. Color stability of recent composite resins. Odontology 2017; 105: 29-35.
3. Ardu S, Duc O, Di Bella E, Krejci I, Daher R. Color stability of different composite resins after polishing. Odontology 2018; 106: 328-333.
4. Barkmeier WW, Takamizawa T, Erickson RL, Tsujimoto A, Latta M, Miyazaki M. Localized and generalized simulated wear of resin composites. Oper Dent 2015; 40: 322-335.
5. Barabanti N, Madini L, Cerutti F, Acquaviva A, Cerutti A: 24-month clinical evaluation of class-V restorations with two different composites. J Dent Res 90 (Spec. Iss A), 146, 2011
6. Barreto BC, Van Meerbeek B, Van Ende A, Sousa SJ, Silva GR, Soares PV, Soares CJ. Biomechanical Behavior of Extensively Restored Premolars: Cusp Deformation, Marginal Integrity, and Fracture Resistance. J Adhes Dent 2015; 17: 213-218.
7. Boaro LC, Gonçalves F, Guimarães TC, Ferracane JL, Versluis A, Braga RR. Polymerization stress, shrinkage and elastic modulus of current low-shrinkage restorative composites. Dent Mater 2010; 26: 1144-1150.
8. Boaro LC, Fróes-Salgado NR, Gajewski VE, Bicalho AA, Valdivia AD, Soares CJ, Miranda Júnior WG, Braga RR. Correlation between polymerization stress and interfacial integrity of composites restorations assessed by different in vitro tests. Dent Mater 2014; 30: 984-992.
9. Cerutti F, Acquaviva PA, Gagliani M, Madini L, Depero LE and Cerutti A. Relevance of Different Polymerisation Methods On Light-curing Composites. Conversion Degree. J Dent Res 88 (Spec Iss A): 301, 2009 ([www.dentalresearch.org](http://www.dentalresearch.org)).].
10. Christensen GJ: Clinicians Report, A publication of CR Foundation, Provo, UT, USA, Newsletter April 2014, Volume 7, Issue 4.
11. de Oliveira DC, Rovaris K, Hass V, Souza-Júnior EJ, Haiter-Neto F, Sinhoreti MA. Effect of low shrinkage monomers on physicochemical properties of dental resin composites. Braz Dent J 2015; 26: 272-276.
12. Da Rosa Rodolpho PA, Donassollo TA, Cenci MS, Loguércio AD, Moraes RR, Bronkhorst EM, Opdam NJ, Demarco FF. 22 year clinical evaluation of the performance of two posterior composites with different filler characteristics. Dent Mater 2011; 27: 955-963.
13. Ernst CP. Physikalische Eigenschaften im Fokus der Materialauswahl.

Restaurative ZHK: Frontzahnaufbauten – immer noch eine Herausforderung (2). dzw – Die Zahnarztwoche 2017; 37; 30.

14. Ernst CP. Ästhetik oder Formstabilität – oder beides. Restaurative ZHK: Frontzahnaufbauten – immer noch eine Herausforderung (1). dzw – Die Zahnarztwoche 2017; 36; 18.
15. Ernst CP. Reshaping of Incisors – Challenges with an easy Solution. Private Dentistry, June 2017; 60-62.
16. Ernst CP. Reshaping of Incisors – An easy Solution. Private Dentistry, May 2017; 58-62.
17. Ernst CP. Neuversorgung eines insuffizienten Goldinlays. ZMK 2016; 32 (12); 846–848.
18. Ernst CP, Sebus, A., Briseño, B.: Direkte adhäsive Versorgungen wurzelkanalbehandelter Zähne. ZMK 2016; 32 (9); 562-570.
19. Ernst CP. Vom Gold-Standard zur Gold-Alternative. ZMK 2015; 31 (4), 214-226.
20. Ernst CP. Verschalungstechnik - einmal anders. ZMK 2012; 28 (5); 318-324.
21. Ernst CP. Update Komposite - Teil II: Indikation und Anwendung von Kompositmaterialien in der Füllungstherapie. ZMK 2010; 26 (5), 255-275.
22. Ernst CP. Update Komposite - Teil I - Ein Einteilung der Kompositmaterialien. ZMK 2010; 26 (4), 198-207.
23. Ernst CP. Komposit im Seitenzahnbereich: Möglichkeiten und Grenzen Quintessenz 2010; 61(5), 545-557.
24. Ernst CP. Frontzahnrestorationen in überdurchschnittlich belasteten Bereichen. Cosmetic Dentistry 2009; 7 (1), 18-22.
25. Ferracane JL, Hilton TJ. Polymerization stress - Is it clinically meaningful? Dent Mater 2016; 32: 1-10.
26. Han SH, Sadr A, Tagami J, Park SH. Internal adaptation of resin composites at two configurations: Influence of polymerization shrinkage and stress. Dent Mater 2016; 32: 1085-1094.
27. Kolker J, Vargas M, Hernandez M, Bergeron C, Geraldeli S, Cobb D, Barwacz RE. Esthetic and Functional 24-month Outcomes of Anterior Composite Restorations, J Dent Res 93 (Spec Iss A) 1143, 2014. 67
28. Koottathape N, Takahashi H, Iwasaki N, Kanehira M, Finger WJ. Quantitative wear and wear damage analysis of composite resins in vitro. J Mech Behav Biomed Mater 2014; 29:508-516.
29. Koplin, da Silva Rodrigues G, Jaeger R. Calculating internal stress during curing of dental composites. J Dent Res 88 (Spec Iss B): 145, 2009 ([www.dentalresearch.org](http://www.dentalresearch.org))
30. Lynch CD, Opdam NJ, Hickel R, Brunton PA, Gurgan S, Kakaboura A, Shearer AC, Vanherle G, Wilson NH. Guidance on posterior resin composites: Academy of

Operative Dentistry - European Section. J Dent 2014; 42: 377-383.

31. Magno MB, Rodrigues Nascimento GC, da Rocha YS, Ribeiro BD, Loretto SC, Maia LC: Silorane-based composite resin restorations are not better than conventional composites – a meta-analysis of clinical studies. J Adhes Dent 2016; 18: 375-386.
32. Manhart, J, Chen H, Hamm, G, Hickel R: Buonocore Memorial Lecture. Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition. Oper Dent 2004; 29: 481-508.
33. Manhart J, Thiessen D, Ern C, Litzenburger A, Okuka A, Rohmer J, Hickel R: Clinical evaluation of Venus Diamond in posterior cavities (18 months). J Dent Res 90 (Spec Iss C), 151569, 2011.
34. Marchesi G, Breschi L, Antoniolli F, Di Lenarda R, Ferracane J, Cadenaro M. Contraction stress of low-shrinkage composite materials assessed with different testing systems. Dent Mater 2010; 26: 947-953.
35. Moraschini V, Fai CK, Alto RM, Dos Santos GO. Amalgam and resin composite longevity of posterior restorations: A systematic review and meta-analysis. J Dent 2015; 43: 1043-1050.
36. Muños CA, Magnuszewski T: Clinical evaluation of a nano-hybrid composite resin on posterior restorations. J Dent Res 88 (Spec Iss A): 3243, 2009 ([www.dentalresearch.org](http://www.dentalresearch.org)).
37. Opdam NJM, van de Sande FH, Bronkhorst E, Cenci MS, Bottenberg P, Pallesen U, Gaengler P, Lindberg A, M.C.D.N.J.M. Huysmans MCDNMJ, van Dijken JW. Longevity of Posterior composite restorations: A systematic review and Metaanalysis. J Dent Res 2014; 93: 943-949.
38. Pallesen U, van Dijken JW. A randomized controlled 30 years follow up of three conventional resin composites in Class II restorations. Dent Mater 2015; 31: 1232-1244.
39. Rosentritt M, Behr M, Kolbeck C, Handel G. Flexural strength of restorative composites after different aging conditions. Abstract # 1559. 2013 IADR/AADR/CADR General Session (Seattle, WA, USA).  
<https://iadr.abstractarchives.com/abstract/13iags-171330/flexural-strength-ofrestorative-composites-after-different-aging-conditions>.
40. Rullmann I, Schattenberg A, Marx M, Willershausen B, Ernst,CP. Photoelastic determination of polymerization shrinkage stress in low-shrinkage resin composites. Schweiz Monatsschr Zahnmed 2012; 122 (4), 294-299.
41. Schmidt C, Illie N. The mechanical stability of nano-hybrid composites with new methacrylate monomers for matrix compositions. Dent Mater 2012; 28: 152-159.
42. Schwendicke F, Göstemeyer G, Blunck U, Paris S, Hsu LY, Tu YK. Directly Placed Restorative Materials: Review and Network Meta-analysis. J Dent Res. 2016; 95: 613-622., Van Ende A, De Munck J, Lise DP, Van Meerbeek B. Bulk-Fill Composites: A Review of the Current Literature. J Adhes Dent 2017; 9: 95-109.
43. Takahashi H, Finger WJ, Wegner K, Utterodt A, Komatsu M, Wöstmann B, Balkenhol M. Factors influencing marginal cavity adaptation of nanofiller

containing resin composite restorations. Dent Mater 2010; 26: 1166-1175.

44. Takahashi H, Finger WJ, Endo T, Kanehira M, Koottathape N, Balkenhol M, Komatsu M. Comparative evaluation of mechanical characteristics of nanofiller containing resin composites. American Journal of Dentistry 2011; 24: 264-70.

45. Watts DC, Alnazzawi A. Temperature-dependent polymerization shrinkage stress kinetics of resin-composites. Dent Mater 2014; 30: 654-660.

46. Yamamoto T, Hanabusa M, Momoi Y, Sakaguchi RL. Polymerization stress of dental resin composite continues to develop 12 hours after irradiation. J Esthet Restor Dent 2015; 27: 44-54.

**Endodontie: Was bringt die Zukunft?**

- [1] Abusrewil S, Alshanta OA, Albashaireh K, Alqahtani S, Nile CJ, Scott JA, McLean W: Detection, treatment and prevention of endodontic biofilm infections: what's new in 2020? *Crit Rev Microbiol* 46, 194–212 (2020).
- [2] Arslan H, Ahmed HMA, Şahin Y, Doğanay Yıldız E, Gündoğu EC, Güven Y, Khalilov R: Regenerative endodontic procedures in necrotic mature teeth with periapical radiolucencies: a preliminary randomized clinical study. *J Endod* 45, 863–872 (2019).
- [3] Asgary S, Eghbal MJ: Treatment outcomes of pulpotomy in permanent molars with irreversible pulpitis using biomaterials: a multi-center randomized controlled trial. *Acta Odontol Scand* 71, 130–136 (2013).
- [4] Asgary S, Hassanizadeh R, Torabzadeh H, Eghbal MJ: Treatment outcomes of 4 vital pulp therapies in mature molars. *J Endod* 44, 529–535 (2018).
- [5] Banchs F, Trope M: Revascularization of immature permanent teeth with apical periodontitis: new treatment protocol? *J Endod* 30, 196–200 (2004).
- [6] Buchalla W, Frankenberger R, Galler K, Krastl G, Kunzelmann K-H, Paris S, Schäfer E: Aktuelle Empfehlungen zur Kariesexkavation. *Wissenschaftliche Mitteilung der Deutschen Gesellschaft für Zahnerhaltung (DGZ)*. *Dtsch Zahnärztl Z* 6, 484–494 (2017).
- [7] Çapar İD, Uysal B, Ok E, Arslan H: Effect of the size of the apical enlargement with rotary instruments, single-cone filling, post space preparation with drills, fiber post removal, and root canal filling removal on apical crack initiation and propagation. *J Endod* 41, 253–256 (2015).
- [8] Chailertvanitkul P, Paphangkorakit J, Sooksantisakoonchai N, Pumas N, Pairojamornyoot W, Leela-Apiradee N, Abbott PV: Randomized control trial comparing calcium hydroxide and mineral trioxide aggregate for partial pulpotomies in cariously exposed pulps of permanent molars. *Int Endod J* 47, 835–842 (2014).
- [9] Chan R, Versiani MA, Friedman S, Malkhassian G, Dousa-Neto MD, Leoni GB, Silva Sousa YT, Basrani B: Efficacy of 3 supplementary irrigation protocols in the removal of hard tissue debris from the mesial root canal system of mandibular molars. *J Endod* 45, 923–929 (2019).
- [10] Choi HW, Park SY, Kang MK, Shon WJ: Materials (Basel). Comparative analysis of biofilm removal efficacy by multisonic ultracleaning system and passive ultrasonic activation. *Materials* 12, 3492 (2019).
- [11] Dammaschke T, Galler K, Krastl G: Aktuelle Empfehlungen zur Vitalerhaltung der Pulpa. *Dtsch Zahnärztl Z* 74, 54–63 (2019).
- [12] da Silva LA, Nelson-Filho P, da Silva RA, Flores DS, Heilborn C, Johnson JD, Cohenca N: Revascularization and periapical repair after endodontic treatment using apical negative pressure irrigation versus conventional irrigation plus triantibiotic intracanal dressing in dogs' teeth with apical periodontitis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 109, 779–787 (2010).

- [13] da Silva JM, Rodrigues JR, Camargo CH, Fernandes VV Jr, Hiller KA, Schweikl H, Schmalz G: Effectiveness and biological compatibility of different generations of dentin adhesives. *Clin Oral Investig* 18, 607–613 (2014).
- [14] Duncan HF, Galler KM, Tomson PL, Simon S, El-Karim I, Kundzina R, Krastl G, Dammaschke T, Fransson H, Markvart M, Zehnder M, Bjørndal L: European Society of Endodontontology position statement: Management of deep caries and the exposed pulp. *Int Endod J* 52, 923–934 (2019).
- [15] Fawzy El-Sayed KM, Ahmed GM, Abouaaf EA, Schwendicke F: Stem/progenitor cell-mediated pulpal tissue regeneration: a systematic review and meta-analysis. *Int Endod J* 52, 1573–1585 (2019).
- [16] Fouad AF: Contemporary microbial and antimicrobial considerations in regenerative endodontic therapy. *J Endod* 46, S105–S114 (2020).
- [17] Galani M, Tewari S, Sangwan P, Mittal S, Kumar V, Duhan J: Comparative evaluation of postoperative pain and success rate after pulpotomy and root canal treatment in cariously exposed mature permanent molars: a randomized controlled trial. *J Endod* 12, 1953–1962 (2017).
- [18] Galler KM, Grubmüller V, Schlichting R, Widbiller M, Eidt A, Schuller C, Wölflick M, Hiller KA, Buchalla W: Penetration depth of irrigants into root dentine after sonic, ultrasonic and photoacoustic activation. *Int Endod J* 52, 1210–1217 (2019).
- [19] Galler KM, Krastl G, Simon S, Van Gorp G, Meschi N, Vahedi B, Lambrechts P: European Society of Endodontontology position statement: Revitalization procedures. *Int Endod J* 49, 717–23 (2016).
- [20] Galler KM, Schweikl H, Hiller KA, Cavender AC, Bolay C, D'Souza RN, Schmalz G: TEGDMA reduces mineralization in dental pulp cells. *J Dent Res* 90, 257–262 (2011).
- [21] Galler KM, Widbiller M: Cell-free approaches for dental pulp tissue engineering. *J Endod* 46, S143–S149 (2020).
- [22] Gronthos S, Brahim J, Li W, Fisher LW, Cherman N, Boyde A, DenBesten P, Robey PG, Shi S: Stem cell properties of human dental pulp stem cells. *J Dent Res* 81, 531–535 (2002).
- [23] Haapasalo M, Wang Z, Shen Y, Curtis A, Patel P, Khakpour M: Tissue dissolution by a novel multisonic ultracleaning system and sodium hypochlorite. *J Endod* 40, 1178–1181 (2014).
- [24] Hilton TJ, Ferracane JL, Mancl L: Northwest practice-based research collaborative in evidence-based dentistry (NWP). Comparison of CaOH with MTA for direct pulp capping: a PBRN randomized clinical trial. *J Dent Res* 92, 16S–22S (2013).
- [25] Iohara K, Imabayashi K, Ishizaka R, Watanabe A, Nabekura J, Ito M, Matsushita K, Nakamura H, Nakashima M: Complete pulp regeneration after pulpectomy by transplantation of CD105+ stem cells with stromal cell-derived factor-1. *Tissue Eng Part A* 17, 1911–1920 (2011).
- [26] Iwaya SI, Ikawa M, Kubota M: Revascularization of an immature permanent tooth with apical periodontitis and sinus tract. *Dent Traumatol* 17, 185–187 (2001).

- [27] Jacob J, Paul M, Sara B, Steaphen P, Philip N, Mathew J. Comparative Analysis of Dentinal Crack Formation Following Root Canal Instrumentation with Hand K-Flex Files, ProTaper Next, and Self-adjusting Files. *J Contemp Dent Pract* 20, 935–939 (2019).
- [28] Krastl G, Weiger R: Vital pulp therapy after trauma. *Endodontic Practice Today* 8, 293–300 (2014).
- [29] Kurzmann C, Meire MA, Lettner S, Farmakis ETR, Moritz A, De Moor RJJG: The efficacy of ultrasonic and PIPS (photon-induced acoustic streaming) irrigation to remove artificially placed dentine debris plugs out of an artificial and natural root model. *Lasers Med Sci* 35, 719–728 (2020).
- [30] Mente J, Hufnagel S, Leo M, Michel A, Gehrig H, Panagidis D, Saure D, Pfefferle T: Treatment outcome of mineral trioxide aggregate or calcium hydroxide direct pulp capping: long-term results. *J Endod* 40, 1746–1751 (2014).
- [31] Mente J, Petrovic J, Gehrig H, Rampf S, Michel A, Schürz A, Pfefferle T, Saure D, Erber R: A prospective clinical pilot study on the level of matrix metalloproteinase-9 in dental pulpal blood as a marker for the state of inflammation in the pulp tissue. *J Endod* 42, 190–197 (2016).
- [32] Nakashima M, Iohara K: Recent progress in translation from bench to a pilot clinical study on total pulp regeneration. *J Endod* 43, S82–S86 (2017).
- [33] Ong TK, Lim GS, Singh M, Fial AV: Quantitative assessment of root development following regenerative endodontic therapy: a systematic review and meta-analysis. *J Endod* S0099-2399, 30613-0 (2020).
- [34] Ostby BN: The role of the blood clot in endodontic therapy: an experimental histologic study. *Acta Odontol Scand* 19, 324–353 (1961).
- [35] Özgür B, Uysal S, Güngör HC: Partial pulpotomy in immature permanent molars after carious exposures using different hemorrhage control and capping materials. *Pediatr Dent* 39, 364–370 (2017).
- [36] Qian W, Ma T, Ye M, Li Z, Liu Y, Hao P: Microbiota in the apical root canal system of tooth with apical periodontitis. *BMC Genomics*, 20(S2), 189 (2019).
- [37] Qudeimat MA, Alyahya A, Hasan AA: Mineral trioxide aggregate pulpotomy for permanent molars with clinical signs indicative of irreversible pulpitis: a preliminary study. *Int Endod J* 50, 126–134 (2017).
- [38] Rechenberg DK, Galicia JC, Peters OA: Biological markers for pulpal inflammation: a systematic review. *PLoS One* 11, e0167289 (2016).
- [39] Schilder H: Cleaning and shaping the root canal. *Dent Clin North Am* 18, 269–296 (1974).
- [40] Siqueira JF Jr, Rôças IN: Bacterial pathogenesis and mediators in apical periodontitis. *Braz Dent J* 18, 267–280 (2007).
- [41] Taha NA, Ahmad MB, Ghannim A: Assessment of mineral trioxide aggregate pulpotomy in mature permanent teeth with carious exposures. *Int Endod J* 50, 117–125 (2017).
- [42] Taha NA, Khazali MA: Partial pulpotomy in mature permanent teeth with clinical signs indicative of irreversible pulpitis: a randomized clinical trial. *J Endod* 43, 1417–1421 (2017).

- [43] Torabinejad M, Nosrat A, Verma P, Udochukwu O: Regenerative endodontic treatment or mineral trioxide aggregate apical plug in teeth with necrotic pulps and open apices: a systematic review and meta-analysis. *J Endod* 43, 1806–1820 (2017).
- [44] Widbiller M, Ducke S, Eidt A, Buchalla W, Galler KM: A training model for revitalization procedures. *Int Endod J* 51, e301–e308 (2018).
- [45] Widmer C, Skutas J, Easson C, Lopez JV, Torneck C, Flax M, Sayin TC: Culture-independent characterization of the microbiome of healthy pulp. *J Endod* 44, 1132–1139 (2018).
- [46] Xuan K, Li B, Guo H, Sun W, Kou X, He X, Zhang Y, Sun J, Liu A, Liao L, Liu S, Liu W, Hu C, Shi S, Jin Y: Deciduous autologous tooth stem cells regenerate dental pulp after implantation into injured teeth. *Sci Transl Med* 10, eaaf3227 (2018).
- [47] Zehnder M: Root canal irrigants. *J Endod* 32, 389–398 (2006).
- [48] Zehnder M, Wegehaupt FJ, Attin T: A first study on the usefulness of matrix metalloproteinase 9 from dentinal fluid to indicate pulp inflammation. *J Endod* 37, 17–20 (2011).
- [49] Zhao Y, Fan W, Xu T, Tay FR, Gutmann JL, Fan B: Evaluation of several instrumentation techniques and irrigation methods on the percentage of untouched canal wall and accumulated dentine debris in C-shaped canals. *Int Endod J* 52, 1354–1365 (2019).

[1] Arabolu M, Nair KC, Raheel SA, Tarakji B, Azzeghaiby SN, Nassani MZ: Using an existing crown to repair a damaged cast post and core restoration. *J Int Oral Health* 6, 111-113 (2014).

[2] Brown DE: Using plumber's teflon tape to enhance bonding procedures. *Dent Today* 21, 76–78, 80–81 (2002).

[3] Chan DCN: Technique for repair of multiple abutment teeth under preexisting crowns. *J Prosthet Dent* 89, 91-92 (2003).

[4] de Aquino AR, Barreto AO, de Aquino LM, Ferreira ÂM, Carreiro Ada F: Longitudinal clinical evaluation of undercut areas and rest seats of abutment teeth in removable partial denture treatment. *J Prosthodont* 20: 639–642 (2011).

[5] de Sousa CA, Taborda MBB, Momesso GAC, Rocha EP, Dos Santos PH, Santiago-Júnior JF, Assunção WG: Materials Sealing Preventing Biofilm Formation in Implant/Abutment Joints: Which Is the Most Effective? A Systematic Review and Meta-Analysis. *J Oral Implantol* 46, 163-171 (2020).

[6] Dunn WJ, Davis JT, Casey J: Polytetrafluoroethylene (PTFE) tape as a matrix in operative dentistry. *Oper Dent* 29, 470–472 (2004).

[7] Frese C, Wolff D, Staehle H-J: Problemlösungen in der restaurativen Zahnheilkunde. *Zahnmedizin up2date* 8, 467-482 (2014).

[8] Haas RC, Haas SE: Cement shield membrane technique to minimize residual cement on implant crowns: A dental technique. *J Prosthet Dent* 123, 223-227 (2020).

[9] Hess TA: A technique to eliminate subgingival cement adhesion to implant abutments by using polytetrafluoroethylene tape. *J Prosthet Dent* 112, 365-368 (2014).

[10] Lührs A-K: Nicht nur für Installateure! – Der Einsatz des Teflonbandes in der Zahnheilkunde. *Deutsche Zahnärztliche Zeitschrift* 72, 116-132 (2017).

[11] Lührs A-K: Das Teflonband – ein Problemlöser für schwierige klinische Situationen! *ZWR - Das Deutsche Zahnärzteblatt* 127, 334-345 (2018).

[12] Lührs A-K: Subgingival = suboptimal? Die Proximal Box Elevation zur Therapie tiefer Defekte. *Zahnmedizin up2date* 14, 127-143 (2020).

[13] Paranjpe A, Jain S, Alibhai KJ, Wadhwani CP, Darveau RP, Johnson JD: In vitro microbiologic evaluation of PTFE and cotton as spacer materials. *Quintessence Int* 43, 703-707 (2012).

[14] Plunkett RJ: The History of Polytetrafluoroethylene: Discovery and Development. In High Performance Polymers: Their Origin and Development, Proceed. Symp.; Seymour, R.B.,

Kirshenbaum, G.S., Eds.; Hist. High Performance Polymers at the ACS Meeting in New York, April 1986; Elsevier: New York, NY, USA, 1987.

[15] Pospiech P, Nagel F, Gebhart F, Nothdurft FP, Mitov G: In vitro investigation of the performance of different restorative materials under cast circumferential clasps for removable dental prostheses. *Clin Oral Investig* 16, 1659–1667 (2012).

[16] Sattar MM, Patel M, Alani A: Clinical applications of polytetrafluoroethylene (PTFE) tape in restorative dentistry. *Br Dent J* 222, 151-158 (2017).

[17] Stean H: PTFE tape: a versatile material in restorative dentistry. *Dent Update* 20, 146-148 (1993).

[18] Teng H: Overview of the Development of the Fluoropolymer Industry. *Applied Sciences* 2, 496–512 (2012).

**Dr. Bruno Imhoff**

**Indikationsgerechte Schienentherapie für CMD-Patienten**

- [1] Ahlers MO, Fussnegger M, Göz G, Imhoff B, Jakstat HA, Mentler C, Neff A, Nippel E, Ottl P, Peroz I: Zur Therapie der Erkrankungen des kraniomandibulären Systems. Dtsch Zahnärztl Z 71, 162-164 (2016).
- [2] Bartolucci ML, Bortolotti F, Martina S, Corazza G, Michelotti A, Alessandri-Bonetti G: Dental and skeletal long-term side effects of mandibular advancement devices in obstructive sleep apnea patients: a systematic review with meta-regression analysis. Eur J Orthod 41, 89-100 (2019).
- [3] Bereznicki T, Barry E, Wilson N: Unintended changes to the occlusion following the provision of night guards. Br Dent J 225, 715-722 (2018).
- [4] Bodere C, Woda A: Effect of a jig on EMG activity in different orofacial pain conditions. Int J Prosthodont 21, 253-258 (2008).
- [5] Bracci A, Lange M, Djukic G, Guarda-Nardini L, Manfredini D: Ecological momentary assessment von Wachbruxismusverhalten - Entwicklungs- und Anwendungsmöglichkeiten einer Smartphone-App. J CranoMand Func 10, 217-228 (2018).
- [6] Brown D, Gaudet E, Phillips C: Changes in vertical tooth position and face height related to long term anterior repositioning splint therapy. Cranio 12, 19-22 (1994).
- [7] Derutsche Gesellschaft für Funktionsdiagnostik und -therapie (DGFDT): [https://www.dgfdt.de/richtlinien\\_formulare](https://www.dgfdt.de/richtlinien_formulare). [letzter Aufruf: 20.09.2020].
- [8] Ferrando M, Galdon MJ, Dura E, Andreu Y, Jimenez Y, Poveda R: Enhancing the efficacy of treatment for temporomandibular patients with muscular diagnosis through cognitive-behavioral intervention, including hypnosis: a randomized study. Oral Surg Oral Med Oral Pathol Oral Radiol 113, 81-89 (2012).
- [9] Hugger A, Lange M, Schindler HJ, Türp JC: Begriffsbestimmungen: Funktionsstörung, Dysfunktion, kraniomandibuläre Dysfunktion (CMD), Myoarthropathie des Kausystems (MAP). Dtsch Zahnärztl Z 71, 165-166 (2016).
- [10] Imhoff B: Initialtherapie bei CMD –Ziele definieren, Stolpersteine erkennen, differenziert behandeln. Deutscher Zahnärztetag, Frankfurt, 11.11.2016. (2016).
- [11] Lutz AM, Hampe R, Roos M, Lümkemann N, Eichberger M, Stawarczyk B: Fracture resistance and 2-body wear of 3-dimensional-printed occlusal devices. J Prosthet Dent 121, 166-172 (2019).
- [12] Magdaleno F, Ginestal E: Side Effects of Stabilization Occlusal Splints: A Report of Three Cases and Literature Review. Cranio-the Journal of Craniomandibular Practice 28, 128-135 (2010).
- [13] Peroz I, Lange M, et al: S3-Leitlinie: Diagnostik und Behandlung des Bruxismus. <https://www.awmf.org/leitlinien/detail/II/083-027.html>.
- [14] Ramfjord SP, Ash MM: Reflections on the Michigan occlusal splint. J Oral Rehabil 21, 491-500 (1994).
- [15] Rauer A, Schindler HJ, Schmitter M: Klinische Studie zur Wirksamkeit eines Heimübungsprogramms bei myofaszialen Schmerzen des Kausystems. 50. Jahrestagung der Deutschen Gesellschaft für Funktionsdiagnostik und -therapie (DGFDT), Bad Homburg v.d.H., 17.11.2017.
- [16] Schindler HJ, Hugger A, Kordass B, Tuerp JC: Grundlagen der Schienentherapie bei Myoarthropathien des Kausystems. J Craniomand Func 6, 207-230 (2014).

- [17] Schindler HJ, Hugger A, Turp JC: [The therapy of masticatory muscle pain with oral splints]. Z Evid Fortbild Qual Gesundhwes 107, 297-301 (2013).
- [18] Türp JC, Nilges P: Welche Instrumente eignen sich für die Achse-II-Diagnostik? Dtsch Zahnärztl Z 71, 361-366 (2016).