

[1] Aus der Praxis: Erfolg ist Teamsache. 2020. <https://www.zpdz.de/blog/eintrag/aus-der-praxis-erfolg-ist-teamsache>

[2] Daniel Izquierdo-Hänni. 2021. dentaljournal. <https://dentaljournal.co/leadership-in-der-zahnarztpraxis-wie-mache-ich-aus-meiner-belegschaft-ein-echtes-team/>

[3] Businessnews. 2011. Zwp-online. Patientenbindung mit Teamwork und Mitarbeiterführung. <https://www.zwp-online.info/zwpnews/wirtschaft-und-recht/businessnews/patientenbindung-mit-teamwork-und-mitarbeiterfuehrung>

[4] Monia Geitz. 2020. Mitarbeiterführung in der Zahnarztpraxis: Acht Tipps für ein erfolgreiches Miteinander. <https://www.deutscher-zahnarzt-service.de/blog/mitarbeiterfuehrung-in-der-zahnarztpraxis>

[5] Annina Blum. 2019. Starker Zusammenhalt, gemeinsame Ziele - Teambuilding für die Praxis. <https://www.solutio.de/charlys-couch/blog/details/starker-zusammenhalt-gemeinsame-ziele-teambuilding-fuer-die-praxis>

[6] Murakami S et al. 2018 Dental plaque-induced gingival conditions J Periodontol Jun;89 Suppl 1:S17-27.

[7] DG PARO, DGZMK. S3-Leitlinie (Langversion): Häusliches chemisches Biofilmmangement in der Prävention und Therapie der Gingivitis. AWMF-Registernummer: 083-016. Stand: November 2018. Gültig bis: November 2023.

ZMK 11/2021 S. 734–736

Prof. Dr. Ralf Rößler

Lappenlos inseriert – vom Knochen toleriert

[1] Choi BH, Jeong SM, Kim J, Engelke W. Flapless implantology. 1st ed. London: Quintessence Publishing Co. Ltd; 2010.

[2] Covani U, Canullo L, Toti P, Alfonsi F, Barone A. Tissue stability of implants placed in fresh extraction sockets: a 5-year prospective single-cohort study; J Periodontol. 2014; 85 (9): e323-32. doi: 10.1902/jop.2014.140175. Epub 2014 May 16.

[3] Altinci P, Can G, Gunes O, Ozturk C, Eren H. Stability and Marginal Bone Level Changes of SLActive Titanium-Zirconium Implants Placed with Flapless Surgery: A Prospective Pilot Study. Clin Implant Dent Relat Res. 2016; 18 (6): 1193-1199. doi: 10.1111/cid.12392. Epub 2016 Feb 14. PMID: 26874460.

[4] Arora H, Khzam N, Roberts D, Bruce WL, Ivanovski S. Immediate implant placement and restoration in the anterior maxilla: Tissue dimensional changes after 2-5 year follow up. Clin Implant Dent Relat Res. 2017; 19 (4): 694-702. doi: 10.1111/cid.12487. Epub 2017 Apr 21. PMID: 28429394.

[5] Helal E, El-Zawahry M, Gouda A, Elkhadem AH, Ibrahim SI. Bone Height Changes of the Mandibular Edentulous Ridge in Screw Retained Versus Telescopic Restorations for Completely Edentulous Patients. Open Access Maced J Med Sci. 2017; 5 (1): 72-78. doi: 10.3889/oamjms. 2017.004. Epub 2017 Jan 18. PMID: 28293321.

[6] Wright PS, Glantz P-O, Randow K, Watson RM. The effects of fixed and removable implant- stabilised prostheses on posterior mandibular residual ridge resorption. Clin Oral Implants Res. 2002; 13 (2): 169–174. <https://doi.org/10.1034/j.1600-0501.2002.130207.x>. PMID: 11952737.

[7] Moraschini V, Velloso G, Luz D, Barboza EP. Implant survival rates, marginal bone level changes, and complications in full-mouth rehabilitation with flapless computer-guided surgery: a systematic review and meta-analysis. Int J Oral Maxillofac Surg. 2015; 44 (7): 892-901. doi: 10.1016/j.ijom.2015.02.013. Epub 2015 Mar 17. Review. PMID: 25790741

[1] Deimling D et al., Gemeinsame Stellungnahme der Deutschen Gesellschaft für Parodontologie (DGP) und der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde, (DGZMK), V4.0: Parodontale Erkrankungen während der Schwangerschaft – Besteht Behandlungsbedarf? DZZ 2007; 62 (03). Online abrufbar unter: https://secure.owidi.de/documents/10165/1935870/Parodontale_Erkrankungen_waehrend_der_Schwangerschaft_Besteht_Behandlungsbedarf.pdf/5d427d19-ee78-4072-83c8-4a6545977f3c (Letzter Zugriff: 10.05.2021).

[2] Favero V, et al. Pregnancy and Dentistry: A Literature Review on Risk Management during Dental Surgical Procedures. Dent J (Basel). 2021;9 (4): 46. doi: 10.3390/dj9040046.

[3] Giglio JA, et al. Oral health care for the pregnant patient. J Can Dent Assoc. 2009; 75 (1): 43-48.

[4] Liebaug F, et al. Differenzierte Lokalanästhesie. Ein praxisnaher Leitfaden. Dental Magazin. 2016; 34 (8): 42-47.

[5] Sanofi. Fachinformation Ultracain® D ohne Adrenalin, April 2017.

[6] American Society of Anesthesiologists, ASA Physical Status Classification System, aktualisiert 2014. Online abrufbar unter: <https://www.asahq.org/standards-and-guidelines/asa-physical-status-classification-system> (Letzter Zugriff: 10.05.2021).

[7] Daubländer M. „Lokalanästhesie in der Zahn-, Mund- und Kieferheilkunde“, in: Aken, Hv und Wulf H (Hrsg.), Lokalanästhesie, Regionalanästhesie, Regionale Schmerztherapie (3. überarb. Auflage 2010), Thieme, Stuttgart, New York, 585-636.

[8] Strasser K, et al. Placental transfer of carticaine (Ultracain) a new local anesthetic agent (author's transl.). Z Geburtsh U Perinat.1977; 181:118-120.

[9] Willershausen-Zönnchen B. Stellungnahme der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde, (DGZMK), V2.0: Zahnärztliche Behandlung in der Schwangerschaft. DZZ. 1994: 49.

[10] Greenblatt DJ, Sellers EM und Shader RI. Drug therapy: drug disposition in old age. N Engl J Med. 1982; 306 (18): 1081-8.

[11] Daubländer M, Kämmerer PW. Lokalanästhesie in der Zahnmedizin, 2011, Berlin, Sanofi.

[12] Sanofi. Fachinformation Ultracain® D-S, D-S forte, September 2020.

[13] Fatori Popovic S, Lübbers HT und von Mandach U. Schwangerschaft und Stillzeit: Welche Lokalanästhetika und Analgetika? Swiss Dent J. 2016; 126 (3): 260-1.

[14] Rahn R, Jakobs W. Auswahlkriterien für zahnärztliche Lokalanästhetika Teil 2. Oralchir J. 2004; 1: 20-22.

[15] Lipp M, et al. Exogenous and endogenous plasma levels of epinephrine during dental treatment under local anesthesia. Reg Anesth. 1993; 18 (1): 6-12. PMID: 8448101.

[16] Wu J, et al. An exaggerated epinephrine-adrenergic receptor signaling impairs uterine decidualization in mice. *Reprod Toxicol.* 2019; 90: 109-117. doi: 10.1016/j.reprotox.2019.09.003. Epub 2019 Sep 11. PMID: 31520687.

[17] Schindler C, et al. Die AKZ der BZÄK/KZBV informiert: Zahnärztliche Arzneiverordnung in Schwangerschaft und Stillzeit. *Zm.* 2010; 100 (1): 26–32.

Assoziation zwischen maternaler Parodontitis und adversen Schwangerschaftsausgängen – ein Update

- [1] Beck JD, Papapanou PN, Philips KH, Offenbacher S. Periodontal Medicine: 100 Years of Progress. *J Dent Res.* 2019; 98:1 053-1062
- [2] Bobetsis YA, Graziani F, Gürsoy M, Madianos PN. Periodontal disease and adverse pregnancy outcomes. *Periodontol 2000.* 2020; 83: 154-174
- [3] Boggess KA, Lieff S, Murtha AP, Moss K, Beck J, Offenbacher S. Maternal periodontal disease is associated with an increased risk for preeclampsia. *Obstet Gynecol.* 2003; 101: 227-231
- [4] Boggess KA. Choosing the left fork: Steven Offenbacher and understanding maternal periodontal disease and adverse pregnancy outcomes. *J Periodontol.* 2020; 91 Suppl 1: S40-S44
- [5] Brauer HU, Hoesli I, Manegold-Brauer G. Oral Health and Periodontal Diseases in Pregnancy. In: *The EBCOG Postgraduate Textbook of Obstetrics & Gynaecology: Volume 1, Obstetrics* (S. 354-358), Hrsg.: T Mahmood et al., Cambridge University Press, 2021
- [6] Brauer HU, Manegold-Brauer G, Hoesli I, Beikler T. Parodontitis und negative Schwangerschaftsoutcomes. *ZWR.* 2015; 124: 120-121
- [7] Figuero E, Han YW, Furuichi Y. Periodontal diseases and adverse pregnancy outcomes: Mechanisms. *Periodontol 2000.* 2020; 83: 175-188
- [8] Gomes-Filho IS, Pereira EC, Cruz SS, Adan LF, Vianna MI, Passos-Soares JS, Trindade SC, Oliveira EP, Oliveira MT, Cerqueira Ede M, et al. Relationship among mothers' glycemic level, periodontitis, and birth weight. *J Periodontol.* 2016; 87: 238-247
- [9] Jeffcoat MK, Geurs NC, Reddy MS, Goldenberg RL, Hauth JC. Current evidence regarding periodontal disease as a risk factor in preterm birth. *Ann Periodontol.* 2001; 6: 183-188
- [10] López NJ, Smith PC, Gutierrez J. Periodontal therapy may reduce the risk of preterm low birth weight in women with periodontal disease: a randomized controlled trial. *J Periodontol.* 2002; 73: 911-924
- [11] Manegold-Brauer G, Hoesli I, Brauer HU, Beikler T. Parodontale Erkrankungen – Eine Übersicht über die Beziehung mütterlicher Parodontitis und negativer Schwangerschaftsergebnisse. *Z Geburtsh Neonatol.* 2014; 218: 248-253
- [12] Michalowicz BS, Hodges JS, DiAngelis AJ, Lupo VR, Novak MJ, Ferguson JE, Buchanan W, Bofill J, Papapanou PN, Mitchell DA, et al. OPT Study. Treatment of periodontal disease and the risk of preterm birth. *N Engl J Med.* 2006; 355: 1885-1894
- [13] Odermatt T, Schötzau A, Hoesli I. Oral health and pregnancy – patient survey using a questionnaire. *Z Geburtsh Neonatol.* 2017; 221: 180-186
- [14] Offenbacher S, Katz V, Fertik G et al. Periodontal infection as a possible risk factor for preterm low birth weight. *J Periodontol.* 1996; 67: 1103-1113
- [15] Offenbacher S, Boggess KA, Murtha AP, Jared HL, Lieff S, McKaig RG, Mauriello SM, Moss KL, Beck JD. Progressive periodontal disease and risk of very preterm delivery. *Obstet Gynecol.* 2006; 107: 29-36
- [16] Offenbacher S, Beck JD, Jared HL, Mauriello SM, Mendoza LC, Couper DJ, Stewart DD, Murtha AP, Cochran DL, Dudley DJ, et al. Effects of periodontal therapy on rate of preterm delivery: a randomized controlled trial. *Obstet Gynecol.* 2009; 114: 551-559

- [17] Opacic J, Maldonado A, Ramseier CA, Laugisch O. Influence of periodontitis on pregnancy and childbirth. *Swiss Dent J*. 2019; 129: 581-589
- [18] Sanz M, Kornman K. Periodontitis and adverse pregnancy outcomes: consensus report of the Joint EFP/AAP Workshop in Periodontitis and Systematic Diseases. *J Periodontol*. 2013; 84: S164-169

1. Arabaci T, Çiçek Y, Çanakçı CF. Sonic and ultrasonic scalers in periodontal treatment: a review. *Int J Dent Hyg* 2007; **5**: 2–12.
2. Badersten A, Nilvéus R, Egelberg J. Effect of nonsurgical periodontal therapy. I. Moderately advanced periodontitis. *J Clin Periodontol* 1981; **8**: 57–72.
3. Badersten A, Nilveus R, Egelberg J. Effect of nonsurgical periodontal therapy. II. Severely advanced periodontitis. *J Clin Periodontol* 1984; **11**: 63–76.
4. Badersten A, Nilveus R, Egelberg J. Effect of nonsurgical periodontal therapy. III. Single versus repeated instrumentation. *J Clin Periodontol* 1984; **11**: 114–124.
5. Bühler J, Amato M, Weiger R, Walter C. A systematic review on the patient perception of periodontal treatment using air polishing devices. *Int J Dent Hyg* 2015; **14**: 4–14.
6. Caton JG, Armitage G, Berglundh T, Chapple ILC, Jepsen S, Kornman KS, Mealey BL, Papapanou PN, Sanz M, Tonetti MS. A new classification scheme for periodontal and peri-implant diseases and conditions – Introduction and key changes from the 1999 classification. *J Clin Periodontol*; **45**: S1–S8.
7. Chambrone L, Wang H-L, Romanos GE. Antimicrobial photodynamic therapy for the treatment of periodontitis and peri-implantitis: An American Academy of Periodontology best evidence review. *J Periodontol* 2018; **89**: 783–803.
8. Chapple ILC, Mealey BL, Dyke TEV, Bartold PM, Dommisch H, Eickholz P, Geisinger ML, Genco RJ, Glogauer M, Goldstein M, Griffin TJ, Holmstrup P, Johnson GK, Kapila Y, Lang NP, Meyle J, Murakami S, Plemons J, Romito GA, Shapira L, Tatakis DN, Teughels W, Trombelli L, Walter C, Wimmer G, Xenoudi P, Yoshie H. Periodontal health and gingival diseases and conditions on an intact and a reduced periodontium: Consensus report of workgroup 1 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. *J Clin Periodontol*; **45**: S68–S77.
9. Ciantar M. Time to shift: from scaling and root planing to root surface debridement. *Prim Dent J* 2014; **3**: 38–42.
10. Cobb CM. Lasers and the treatment of periodontitis: the essence and the noise. *Periodontol 2000* 2017; **75**: 205–295.
11. Cobb CM, Sottosanti JS. A re-evaluation of scaling and root planing. *J Periodontol* Published Online First: 4 March 2021. doi:10.1002/JPER.20-0839
12. Donos N, Calciolari E, Brusselaers N, Goldoni M, Bostanci N, Belibasakis GN. The adjunctive use of host modulators in non-surgical periodontal therapy. A systematic review of randomized, placebo-controlled clinical studies. *J Clin Periodontol* 2020; **47 Suppl 22**: 199–238.
13. Drago MR. A clinical evaluation of hand and ultrasonic instruments on subgingival debridement. 1. With unmodified and modified ultrasonic inserts. *Int J Periodontics Restorative Dent* 1992; **12**: 310–323.

14. Eberhard J, Jepsen S, Jervøe-Storm P-M, Needleman I, Worthington HV. Full-mouth treatment modalities (within 24 hours) for chronic periodontitis in adults. *Cochrane Database Syst Rev* 2015: : CD004622.
15. Fleischer HC, Mellonig JT, Brayer WK, Gray JL, Barnett JD. Scaling and root planing efficacy in multirooted teeth. *J Periodontol* 1989; **60**: 402–409.
16. Gellin RG, Miller MC, Javed T, Engler WO, Mishkin DJ. The effectiveness of the Titan-S sonic scaler versus curettes in the removal of subgingival calculus. A human surgical evaluation. *J Periodontol* 1986; **57**: 672–680.
17. Graetz C, Plaumann A, Rauschenbach S, Bielfeldt J, Dörfer CE, Schwendicke F. Removal of simulated biofilm: a preclinical ergonomic comparison of instruments and operators. *Clin Oral Investig* 2016; **20**: 1193–1201.
18. Graetz C, Schwendicke F, Plaumann A, Rauschenbach S, Springer C, Kahl M, Sälzer S, Dörfer CE. Subgingival instrumentation to remove simulated plaque in vitro: influence of operators' experience and type of instrument. *Clin Oral Investig* 2015; **19**: 987–995.
19. Graziani F, Cei S, Orlandi M, Gennai S, Gabriele M, Filice N, Nisi M, D'Aiuto F. Acute-phase response following full-mouth versus quadrant non-surgical periodontal treatment: A randomized clinical trial. *J Clin Periodontol* 2015; **42**: 843–852.
20. Heitz-Mayfield LJA, Lang NP. Surgical and nonsurgical periodontal therapy. Learned and unlearned concepts. *Periodontol 2000* 2013; **62**: 218–231.
21. Herrera D, Matesanz P, Martín C, Oud V, Feres M, Teughels W. Adjunctive effect of locally delivered antimicrobials in periodontitis therapy: A systematic review and meta-analysis. *J Clin Periodontol* 2020; **47 Suppl 22**: 239–256.
22. İnce G, Gürsoy H, İpçi ŞD, Cakar G, Emekli-Alturfan E, Yılmaz S. Clinical and Biochemical Evaluation of Lozenges Containing Lactobacillus reuteri as an Adjunct to Non-Surgical Periodontal Therapy in Chronic Periodontitis. *J Periodontol* 2015; **86**: 746–754.
23. Jentsch HFR, Roccuzzo M, Piloni A, Kasaj A, Fimmers R, Jepsen S. Flapless application of enamel matrix derivative in periodontal retreatment: A multicentre randomized feasibility trial. *J Clin Periodontol* 2021; **48**: 659–667.
24. Jepsen K, Jepsen S. Antibiotics/antimicrobials: systemic and local administration in the therapy of mild to moderately advanced periodontitis. *Periodontol 2000* 2016; **71**: 82–112.
25. Kaldahl WB, Kalkwarf KL, Patil KD, Molvar MP, Dyer JK. Long-term evaluation of periodontal therapy: I. Response to 4 therapeutic modalities. *J Periodontol* 1996; **67**: 93–102.
26. Kaldahl WB, Kalkwarf KL, Patil KD, Molvar MP, Dyer JK. Long-term evaluation of periodontal therapy: II. Incidence of sites breaking down. *J Periodontol* 1996; **67**: 103–108.
27. Kebschull M, Dörfer C, Jepsen S, Eickholz P, Kocher T, Jentsch H, Sälzer S, Dannewitz B, Arweiler N. S3-Leitlinie 'Die Behandlung von Parodontitis Stadium I bis III - Die deutsche Implementierung der S3-Leitlinie „Treatment of Stage I–III Periodontitis“ der European Federation of Periodontology (EFP)' (Langversion):

https://www.awmf.org/uploads/tx_szleitlinien/083-043l_S3_Behandlung-von-Parodontitis-Stadium-I-III_2021-02_2.pdf, letzter Zugriff am 30.09.2021.

28. Krishna R, Stefano JAD. Ultrasonic vs. hand instrumentation in periodontal therapy: clinical outcomes. *Periodontol 2000* 2016: **71**: 113–127.
29. Laleman I, Cortellini S, Winter SD, Herrero ER, Dekeyser C, Quirynen M, Teughels W. Subgingival debridement: end point, methods and how often? *Periodontol 2000* 2017: **75**: 189–204.
30. Lin Z, Strauss FJ, Lang NP, Sculean A, Salvi GE, Stähli A. Efficacy of laser monotherapy or non-surgical mechanical instrumentation in the management of untreated periodontitis patients. A systematic review and meta-analysis. *Clin Oral Investig* 2021: **25**: 375–391.
31. Matulienė G, Pjetursson BE, Salvi GE, Schmidlin K, Brägger U, Zwahlen M, Lang NP. Influence of residual pockets on progression of periodontitis and tooth loss: results after 11 years of maintenance. *J Clin Periodontol* 2008: **35**: 685–695.
32. Meisel P. Mangelnde Evidenz für die photodynamische Therapie (PDT) der Parodontitis? *ZMK* 2021: **37**: 223–228.
33. Mellonig JT, Valderrama P, Gregory HJ, Cochran DL. Clinical and histologic evaluation of non-surgical periodontal therapy with enamel matrix derivative: a report of four cases. *J Periodontol* 2009: **80**: 1534–1540.
34. Mongardini C, van Steenberghe D, Dekeyser C, Quirynen M. One stage full- versus partial-mouth disinfection in the treatment of chronic adult or generalized early-onset periodontitis. I. Long-term clinical observations. *J Periodontol* 1999: **70**: 632–645.
35. Muhney KA, Dechow PC. Patients' perception of pain during ultrasonic debridement: a comparison between piezoelectric and magnetostrictive scalers. *J Dent Hyg JDH* 2010: **84**: 185–189.
36. Passanezi E, Damante CA, de Rezende MLR, Gregghi SLA. Lasers in periodontal therapy. *Periodontol 2000* 2015: **67**: 268–291.
37. Ramseier CA, Nydegger M, Walter C, Fischer G, Sculean A, Lang NP, Salvi GE. Time between recall visits and residual probing depths predict long-term stability in patients enrolled in supportive periodontal therapy. *J Clin Periodontol* 2019: **46**: 218–230.
38. Ramseier CA, Woelber JP, Kitzmann J, Detzen L, Carra MC, Bouchard P. Impact of risk factor control interventions for smoking cessation and promotion of healthy lifestyles in patients with periodontitis: A systematic review. *J Clin Periodontol* 2020: **47 Suppl 22**: 90–106.
39. Rateitschak-Plüss EM, Schwarz JP, Guggenheim R, Düggelin M, Rateitschak KH. Non-surgical periodontal treatment: where are the limits? An SEM study. *J Clin Periodontol* 1992: **19**: 240–244.
40. Robertson PB. The residual calculus paradox. *J Periodontol* 1990: **61**: 65–66.
41. Salvi GE, Stähli A, Schmidt JC, Ramseier CA, Sculean A, Walter C. Adjunctive laser or antimicrobial photodynamic therapy to non-surgical mechanical instrumentation in patients with untreated periodontitis: A systematic review and meta-analysis. *J Clin Periodontol* 2020: **47**: 176–198.

42. Sanz M, Teughels W, Group A of European Workshop on Periodontology. Innovations in non-surgical periodontal therapy: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol* 2008; **35**: 3–7.
43. Sgolastra F, Petrucci A, Gatto R, Monaco A. Efficacy of Er:YAG laser in the treatment of chronic periodontitis: systematic review and meta-analysis. *Lasers Med Sci* 2012; **27**: 661–673.
44. Soukos NS, Goodson JM. Photodynamic therapy in the control of oral biofilms. *Periodontol 2000* 2011; **55**: 143–166.
45. Suvan J, Leira Y, Moreno Sancho FM, Graziani F, Derks J, Tomasi C. Subgingival instrumentation for treatment of periodontitis. A systematic review. *J Clin Periodontol* 2020; **47 Suppl 22**: 155–175.
46. Takasaki AA, Aoki A, Mizutani K, Schwarz F, Sculean A, Wang C-Y, Koshy G, Romanos G, Ishikawa I, Izumi Y. Application of antimicrobial photodynamic therapy in periodontal and peri-implant diseases. *Periodontol 2000* 2009; **51**: 109–140.
47. Tekce M, Ince G, GURSOY H, DIRIKAN Ipci S, Cakar G, Kadir T, Yılmaz S. Clinical and microbiological effects of probiotic lozenges in the treatment of chronic periodontitis: a 1-year follow-up study. *J Clin Periodontol* 2015; **42**: 363–372.
48. Teughels W, Feres M, Oud V, Martín C, Matesanz P, Herrera D. Adjunctive effect of systemic antimicrobials in periodontitis therapy: A systematic review and meta-analysis. *J Clin Periodontol* 2020; **47**: 257–281.
49. Xue D, Tang L, Bai Y, Ding Q, Wang P, Zhao Y. Clinical efficacy of photodynamic therapy adjunctive to scaling and root planing in the treatment of chronic periodontitis: A systematic review and meta-analysis. *Photodiagnosis Photodyn Ther* 2017; **18**: 119–127.

- [1] Sanz M, et al. Treatment of stage I-III periodontitis-The EFP S3 level clinical practice guideline. J Clin Periodontol, 2020; 47 Suppl 22: p. 4-60.
- [2] Haffajee AD, Teles RP, Socransky SS. The effect of periodontal therapy on the composition of the subgingival microbiota. Periodontol 2000. 2006; 42: p. 219-58.
- [3] AWMF. Die Behandlung von Parodontitis Stadium I bis III - Die deutsche Implementierung der S3-Leitlinie „Treatment of Stage I–III Periodontitis“ der European Federation of Periodontology (EFP). Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF), 2020.
- [4] Graetz C, Kerschull M, Dannewitz B. Die vierte Therapiestufe – Sicherung des Therapieerfolgs. Zahnärztliche Mitteilungen 2021; (9): p. 48-54.
- [5] Sanz-Sanchez I, et al. Efficacy of access flap procedures compared to subgingival debridement in the treatment of periodontitis. A systematic review and meta-analysis. J Clin Periodontol, 2020; 47 Suppl 22: p. 282-302.
- [6] Polak D, et al. The efficacy of pocket elimination/reduction compared to access flap surgery: A systematic review and meta-analysis. J Clin Periodontol. 2020; 47 Suppl 22: p. 303-319.
- [7] Nibali L, et al. Regenerative surgery versus access flap for the treatment of intra-bony periodontal defects: A systematic review and meta-analysis. J Clin Periodontol. 2020; 47 Suppl 22: p. 320-351.
- [8] Graziani F, et al. Clinical performance of access flap surgery in the treatment of the intrabony defect. A systematic review and meta-analysis of randomized clinical trials. J Clin Periodontol. 2012; 39 (2): p. 145-56.
- [9] Jepsen S, et al. Regenerative surgical treatment of furcation defects: A systematic review and Bayesian network meta-analysis of randomized clinical trials. J Clin Periodontol. 2020; 47 Suppl 22: p. 352-374.
- [10] Dommisch H. et al. Resective surgery for the treatment of furcation involvement: A systematic review. J Clin Periodontol. 2020; 47 Suppl 22: p. 375-391.
- [11] Hamp SE, Nyman S, Lindhe J. Periodontal treatment of multirooted teeth. Results after 5 years. J Clin Periodontol. 1975; 2 (3): p. 126-35.
- [12] Tarnow D, Fletcher P. Classification of the vertical component of furcation involvement. J Periodontol. 1984; 55 (5): p. 283-4.
- [13] Horwitz J, et al. Radiographic parameters as prognostic indicators for healing of class II furcation defects. J Clin Periodontol. 2004; 31 (2): p. 105-11.
- [14] Graetz C, Plaumann A, Gomer K, Kahl M, Springer C, Sälzer S, Dörfer C. Aggressive und chronische Parodontitis. Jahrbuch Prävention & Mundhygiene 2017; 3: p. 51-55.
- [15] Loos B, et al. Clinical effects of root debridement in molar and non-molar teeth. A 2-year follow-up. J Clin Periodontol. 1989; 16 (8): p. 498-504.
- [16] Nordland P, et al. The effect of plaque control and root debridement in molar teeth. J Clin Periodontol. 1987; 14 (4): p. 231-6.
- [17] Wang HL, et al. The influence of molar furcation involvement and mobility on future clinical periodontal attachment loss. J Periodontol. 1994; 65 (1): p. 25-9.
- [18] Graetz C, et al. Prognostic factors for the loss of molars--an 18-years retrospective cohort study. J Clin Periodontol. 2015; 42 (10): p. 943-50.
- [19] Helal O, et al. Predictors for tooth loss in periodontitis patients: Systematic review and

meta-analysis. J Clin Periodontol. 2019; 46 (7): p. 699-712.

[20] Dannewitz B, et al. Loss of molars in periodontally treated patients: a retrospective analysis five years or more after active periodontal treatment. J Clin Periodontol. 2006; 33 (1): p. 53-61.

[21] Walter C, et al. Three-dimensional imaging as a pre-operative tool in decision making for furcation surgery. J Clin Periodontol. 2009; 36 (3): p. 250-7.

[22] Graetz C, et al. Periodontal probing versus radiographs for the diagnosis of furcation involvement. J Periodontol. 2014; 85 (10): p. 1371-9.

[23] Feres M, et al. Clinical evaluation of tunneled molars: a retrospective study. J Int Acad Periodontol. 2006; 8 (3): p. 96-103.

[24] Rudiger SG, Dahlen G, Emilson CG. The furcation tunnel preparation: A prospective 5-year follow-up study. J Clin Periodontol. 2019; 46 (6): p. 659-668.

[25] Graetz C, et al. Oral health-related quality of life impacts are low 27 years after periodontal therapy. J Clin Periodontol. 2020; 47 (8): p. 952-961.

- [1] Frese C, Wolff D, Staehle HJ. Proximal box elevation with resin composite and the dogma of biological width: clinical R2-technique and critical review. *Oper Dent.* 2014; 39 (1): 22-31. doi: 10.2341/13-052-T. Epub 2013 Jun 20. PMID: 23786609.
- [2] Dietschi D, Spreafico R. Current clinical concepts for adhesive cementation of tooth-colored posterior restorations. *Pract Periodontics Aesthet Dent.* 1998; 10 (1): 47-54; quiz 56. PMID: 9582662.
- [3] Ilgenstein I, Zitzmann NU, Bühler J, Wegehaupt FJ, Attin T, Weiger R, Krastl G. Influence of proximal box elevation on the marginal quality and fracture behavior of root-filled molars restored with CAD/CAM ceramic or composite onlays. *Clin Oral Investig.* 2015; 19 (5): 1021-8. doi: 10.1007/s00784-014-1325-z.
- [4] Zaruba M, Göhring TN, Wegehaupt FJ, Attin T. Influence of a proximal margin elevation technique on marginal adaptation of ceramic inlays. *Acta Odontol Scand.* 2013; 71 (2): 317-24. doi: 10.3109/00016357.2012.680905.
- [5] Bertoldi C, Monari E, Cortellini P, Generali L, Lucchi A, Spinato S, Zaffe D. Clinical and histological reaction of periodontal tissues to subgingival resin composite restorations. *Clin Oral Investig.* 2020; 24 (2): 1001-1011. doi: 10.1007/s00784-019-02998-7.
- [6] Attin T, Tauböck TT. Direkte adhäsive Kompositrestaurationen zur Rekonstruktion erosiver Zahnhartsubstanzdefekte. *Swiss Dent J.* 2017; 127 (2): 131-143. German, French. PMID: 28266686.
- [7] El-Badrawy WA, Leung BW, El-Mowafy O, Rubo JH, Rubo MH. Evaluation of proximal contacts of posterior composite restorations with 4 placement techniques. *J Can Dent Assoc.* 2003; 69 (3): 162-7. PMID: 12622881.
- [8] Eissmann HF, Radke RA, Noble WH. Physiologic design criteria for fixed dental restorations. *Dent Clin North Am.* 1971; 15 (3): 543-68.
- [9] Linkow LI. Contact areas in natural dentitions and fixed prosthodontic. *J Prosthet Dent.* 1962; 12 (1): 132-137.
- [10] Loomans BA, Roeters FJ, Opdam NJ, Kuijs RH. The effect of proximal contour on marginal ridge fracture of Class II composite resin restorations. *J Dent.* 2008; 36 (10): 828-32. doi: 10.1016/j.jdent.2008.06.001.
- [11] Raghu R, Srinivasan R. Optimizing tooth form with direct posterior composite restorations. *J Conserv Dent.* 2011; 14 (4): 330-6. doi: 10.4103/0972-0707.87192.
- [12] Liebenberg WH. Controlling contacts and contours using preformed ceramic inserts. *Compend Contin Educ Dent.* 2000; 21 (2): 147-50, 152, 154-6 PMID: 11199695.
- [13] de la Peña VA, García RP, García RP. Sectional matrix: Step-by-step directions for their clinical use. *Br Dent J.* 2016; 220 (1): 11-4. doi: 10.1038/sj.bdj.2016.18.
- [14] Tepper SA, Schmidlin PR. Technik der direkten Bisshöhenrekonstruktion mit Komposit und einer Schiene als Formhilfe. *Schweiz Monatsschr Zahnmed.* 2005; 115 (1): 35-47. French, German. PMID: 15702710.
- [15] Schmidlin PR, Filli T, Imfeld C, Tepper S, Attin T. Three-year evaluation of posterior vertical bite reconstruction using direct resin composite--a case series. *Oper Dent.* 2009; 34 (1): 102-8. doi: 10.2341/08-11.
- [16] Loomans B, Opdam N. A guide to managing tooth wear: the Radboud philosophy. *Br*

- Dent J. 2018; 224 (5): 348-356. doi: 10.1038/sj.bdj.2018.164.
- [17] Vailati F, Belser UC. Full-mouth adhesive rehabilitation of a severely eroded dentition: the three-step technique. Part 1. Eur J Esthet Dent. 2008; 3 (1): 30-44. PMID: 19655557.
 - [18] Perrin P, Zimmerli B, Jacky D, Lussi A, Helbling C, Ramseyer S. Die Stempeltechnik für direkte Kompositversorgungen [The stamp technique for direct composite restoration]. Schweiz Monatsschr Zahnmed. 2013; 123 (2): 111-29. French, German. PMID: 23512289.
 - [19] Manhart J. Temporäre Anhebung der Vertikaldimension mit Komposit in einem vereinfachten direkten Spritzgussverfahren. Swiss Dent J. 2017; 127 (5): 413-444. German, French. PMID: 28639686.
 - [20] Ypei Gia NR, Sampaio CS, Higashi C, Sakamoto A Jr, Hirata R. The injectable resin composite restorative technique: A case report. J Esthet Restor Dent. 2021; 33 (3): 404-414. doi: 10.1111/jerd.12650.
 - [21] Tauböck, T, Schmidlin PR, Attin T. Vertical Bite Rehabilitation of Severely Worn Dentitions with Direct Composite Restorations: Clinical Performance up to 11 Years J Clin Med. 2021; 10 (8): 1732. doi: 10.3390/jcm10081732.
 - [22] Loomans B, Opdam N, Attin T, Bartlett D, Edelhoff D, Frankenberger R, Benic G, Ramseyer S, Wetselaar P, Sterenborg B, Hickel R, Pallesen U, Mehta S, Banerji S, Lussi A, Wilson N. Severe Tooth Wear: European Consensus Statement ^{SEP} on Management Guidelines. J Adhes Dent. 2017; 19 (2): 111-119. doi: 10.3290/j.jad.a38102.
 - [23] Dietschi D, Fahl N Jr. Shading concepts and layering techniques to master direct anterior composite restorations: an update. Br Dent J. 2016; 221 (12): 765-771. doi: 10.1038/sj.bdj.2016.944.
 - [24] Peumans M, Politano G, Bazos P, Severino D, Van Meerbeek B. Effective Protocol for Daily High-quality Direct Posterior Composite Restorations: Layering and Finishing. J Adhes Dent. 2020; 22 (6): 597-613. doi: 10.3290/j.jad.a45516. PMID: 33491404.
 - [25] Schmidlin PR, Sahrman P. Current management of dentin hypersensitivity. Clin Oral Investig. 2013; 17 (Suppl 1): S55-9. doi: 10.1007/s00784-012-0912-0.
 - [26] Wiegand A, Schmid M, Schmidlin PR. Ästhetische Kronenrandkorrektur mit Komposit. Ein Fallbericht [Esthetic repair of crown margins with composite. A case report]. Schweiz Monatsschr Zahnmed. 2008; 118 (5): 427-35. French, German. PMID: 18578208.
 - [27] Kanzow P, Piecha L, Biermann J, Wiegand A. Repair Surface Conditioning Measures Affect Enamel and Dentin Bond Strength. Oper Dent. 2020; 45 (6): 643-654. doi: 10.2341/19-270-L.
 - [28] Kanzow P, Baxter S, Rizk M, Wassmann T, Wiegand A. Effectiveness of a universal adhesive for repair bonding to composite and amalgam. J Oral Sci. 2019; 61 (2): 343-350. doi: 10.2334/josnurd.18-0301.
 - [29] Kanzow P, Wiegand A. Teaching of composite restoration repair: Trends and quality of teaching over the past 20 years. J Dent. 2020; 95: 103303. doi: 10.1016/j.jdent.2020.103303.
 - [30] Kern M, Strub JR. Bonding to alumina ceramic in restorative dentistry: clinical results over up to 5 years. J Dent. 1998; 26 (3): 245-9. doi: 10.1016/s0300-5712(97)00009-2.
 - [31] Kern M. Clinical long-term survival of two-retainer and single-retainer all-ceramic resin-bonded fixed partial dentures. Quintessence Int. 2005; 36 (2): 141-7. PMID: 15732550.

- [32] Kern M, Gläser R. Cantilevered all-ceramic, resin-bonded fixed partial dentures: a new treatment modality. *J Esthet Dent.* 1997; 9 (5): 255-64. doi: 10.1111/j.1708-8240.1997.tb00951.x.
- [33] Staehle, H. Lückenschluss im Seitenzahnbereich durch direkte Zahnverbreiterungen als Alternative zu prothetischen und implantologischen Eingriffen. *Stomatologie* 2012; 109: 103–110 doi.org/10.1007/s00715-012-0192-y
- [34] Staehle HJ. Erweiterte Anwendungsgebiete für Komposite. *Wissen kompakt* 2007; 1: 29–38.
- [35] Staehle HJ. Eine neue Methode zum Lückenschluss im Seitenzahnbereich durch direkt vorgenommene Zahnverbreiterungen. *Quintessenz* 2009; 60: 145–154.
- [36] Staehle HJ, Wohlrab T, Saure D, Wolff D, Frese C. A 6.5-year clinical follow-up of direct resin composite buildups in the posterior dentition: Introduction of a new minimally invasive restorative method. *J Dent.* 2015; 43 (10): 1211-7. doi: 10.1016/j.jdent.2015.07.007.
- [37] Frese C, Wohlrab T, Soliman S, Hahn B, Büsch C, Babai A, Krastl G, Wolff D. A Multicenter Trial on the Long-term Performance of Direct Composite Buildups in the Anterior Dentition - Survival and Quality Outcome. *J Adhes Dent.* 2020; 22 (6): 573-580. doi: 10.3290/j.jad.a45514.
- [38] Jung RE, Heitz-Mayfield L, Schwarz F; Groups of the 2nd Osteology Foundation Consensus Meeting. Evidence-based knowledge on the aesthetics and maintenance of peri-implant soft tissues: Osteology Foundation Consensus Report Part 3- Aesthetics of peri-implant soft tissues. *Clin Oral Implants Res.* 2018; 29 Suppl 15: 14-17. doi: 10.1111/clr.13113.
- [39] Tarnow DP, Magner AW, Fletcher P. The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla. *J Periodontol.* 1992; 63 (12): 995-6. doi: 10.1902/jop.1992.63.12.995.
- [40] Schmidlin PR. Der Interdentalraum: Klinische Aspekte, Diagnostik und Prävention. *Plaque N Care* 2020; 14 (2): 66-71.
- [41] Schmidlin PR, Hauri D, Krähenmann MA, Puhan MA, Attin T. Resttaschentiefe nach parodontaler Regenerationstherapie. Klinische Relevanz und Interpretation von Meta-Analyse-Daten. *Schweiz Monatsschr Zahnmed.* 2009; 119 (3): 224-31. PMID: 19408526.
- [42] Schmidlin PR. Risiken und Nebenwirkungen der Parodontitis-Therapie. Restaurative Möglichkeiten zur Verbesserung ästhetischer Defizite im Fokus. *Schweiz Monatsschr Zahnmed.* 2012; 122 (5): 427-37. French, German. PMID: 22684997.
- [43] Frese C, Schiller P, Staehle HJ, Wolff D. Recontouring teeth and closing diastemas with direct composite buildups: a 5-year follow-up. *J Dent.* 2013; 41 (11): 979-85. doi: 10.1016/j.jdent.2013.08.009.