ZMK (36) 12/2020, 758-765

Dr. Isabell von Gymnich

Die zahnärztliche Behandlung kleiner Patienten: Muss es immer gleich Narkose sein?

[1] Savanheimo N, Vehkalahti MM (2008): Preventive aspects in children's caries treatments preceding dental care under general anaesthesia. Int J Paediatr Dent 18: 117–123

[2] Basner R, Santamaria RM, Schmoeckel J et al. Epidemiologische Begleituntersuchung zur Gruppenprophylaxe 2016. Deutsche Arbeitsgemeinschaft für Jugendzahnpflege e.V. (DAJ) https://www.daj.de/fileadmin/user_upload/PDF_Downloads/Epi_2016/Epi_final_BB1801_final.pdf; Stand Juli 2020

[3] Schorer-Jensma MA, Veerkamp JS. A comparison of paediatric dentists and general practicioners care patterns in paediatric dentistry. Eur Arch Paediatr Dent. 2010; 11: 93-96

[4] Schmoeckel J, Basner R, Santamaria RM, Schüler E, Splieth CH. Aktuelle Karieserfahrung bei Kleinkindern in Deutschland. Quintessenz Team-Journal 2018; 48: 501-503

[5] Winter J, Schneller T. Wissensstand der Eltern über die Möglichkeiten der Kariesprophylaxe. Oralprophylaxe und Kinderzahnheilkunde 2010; 32: 18-25

[6] Mendoza-Mendoza A, Perea MB, Yañez-Vico RM, Iglesias-Linares A. Dental fear in children: the role of previous negative dental experiences. Clin Oral Investig 2015; 19: 745-751

[7] Glas T, Fokus Phobie: krankhafte Angstphänomene in der Zahnarztpraxis- Aspekte zu Intervention und Prävention (Teil1). Zahnärzteblatt Sachsen 2018; 12: 23-27

[8] D'Alessandro G, Alkhamis N, Mattarozzi K, Mazzetti M, Piana G. Fear of dental pain in Italian children: child personality traits and parental dental fear. J Public Health Dent 2016; 67: 179-183

[9] Daubländer M. Schmerzausschaltung bei Kindern und Jugendlichen. zm 2005; 15: 34–39

[10] Daubländer M. Schmerzausschaltung und Sedierung. In: Einwag J, Pieper K, Hrsg. Kinderzahnheilkunde. München: Urban und Fischer; 2008: 233-248

[11] Roberts G J. Management of pain and anxiety. In: Welbury R, Hrsg. Paediatric Dentistry. Oxford: University Press; 2001: 53-74

[12] Klingberg G, Broberg AG. Dental fear/anxiety and dental behaviour management problems in children and adolescents: a review of prevalence and concomitant psychological factors. Int J Paediatr Dent. 2007; 17: 391-406

[13] Klingberg G, Raadal M. Behavior management problems in children and adolescents. In: Koch G, Poulsen S, Hrsg. Pediatric Dentistry, a clinical approach. Copenhagen: Munksgaard; 2001: 53-70

[14] Ten Berge M, Veerkamp J, Hoogstraten J. The etiology of childhood dental fear: the role of dental and conditioning experiences. J Anxiety Discord. 2002; 16: 321-329

[15] Ten Berge M. Dental fear in children: clinical consequences. Suggested behavior management strategies in treating children with dental fear. Eur Arch Paediatr Dent. 2008; 9: 41-46

[16] Keltner JR, Furst A, Fan C, Redfern R, Inglis B, Fields HL. Isolating the modulatory effect of expectation on pain transmission: a functional magnetic resonance imaging study. J Neurosci 2006; 26: 4437-4443

[17] Hansen E, Hansen M. Worte wie Medizin – Kommunikation mit ängstlichen Patienten. Deutsche Zeitschrift für zahnärztliche Hypnose 2011; 17(2): 20-25

[18] Lang EV, Hatsiopoulou O, Koch T et al. Can words hurt? Patient-provider interactions during invasive procedures. Pain 2005; 114: 303-309

[19] Liossi C, White P, Franck L, Hatira P (2007) Parental pain expectancy as a mediator between child expected and experienced procedure-related pain intensity during painful medical procedures. Clin J Pain 23: 392–399

[20] Lipp M. Die zahnärztliche Behandlung von Kindern in Intubationsnarkose, Wissenschaftliche Stellungnahme der DGZMK 6/95, Stand 11/94, DZZ 50 (95); im Internet: https://www.dgzmk.de/uploads/tx_szdgzmkdocuments/Die_zahnaerztliche_Behandlung_von_Kindern_in_Intubationsnarkose.pdf; Stand Juli 2020

[21] Dental Caries: The Disease and its Clinical Management. Edited by Fejerskov O, Nyvad B, Kidd E, 2015 3rd edition, Wiley Blackwell

[22] Broschüre „ich will Süßes!“ https://www.zahnmaennchen.de/wp-content/uploads/KidsInfo-Altarfalz-8_Seiten_web-7-2018.pdf Stand Juli 2020

[23] Broschüre: „Eltern putzen Kinderzähne sauber“ unter www.zahnhygiene.de

[24] https://www.dzw.de/neue-fluorid-empfehlungen-fuer-kinderzahnpasten ,Stand Juli2020

[25] Petersson LG, Twetman S, Pakhomov GN. Fluoride varnish for a community-based caries prevention in children. WHO 1997; 1: 1-18

[26] Marinho VC, Higgins JP, Logan S, Sheiham A. Fluoride varnishes for preventing dental caries in children and adolescents. Cochrane Database Syst Rev; 2002: 1-31

[27] Häusliches chemisches Biofilmmanagement in der Prävention und Therapie der Gingivitis“ s3-Leitlinie der Deutsche Gesellschaft für Parodontologie (DG PARO)Deutsche Gesellschaft für Zahn-, Mund-und Kieferheilkunde (DGZMK) https://www.dgzmk.de/uploads/tx_szdgzmkdocuments/LL_2__083-016__Final_Kurzversion_11_2018_20181129.pdf Stand Juli2020

[28] https://www.zm-online.de/archiv/2018/06/zahnmedizin/die-kariesprophylaxe-leitlinie-und-ihre-empfehlungen/ Stand Juli2020

[29] Hansen NV, Nyvad B. Non-Operative Control of Cavitated Approximal Caries Lesions in Primary Molars: A Prospective Evaluation of Cases. J Oral Rehabil. 2017 Jul; 44(7): 537-544 doi: 10.1111/joor.12508. Epub 2017 Apr 20

[30] Review: Sharma G, Puranik MP, Sowmya KR: Approaches to Arresting Dental Caries: An Update. J Clin Diag Res 2015; Vol-9(5): ZE08-ZE11

[31] Ekstrand KR, Bakhshandeh A, Martignon S. Treatment of proximal superficial caries lesions on primary molar teeth with resin infiltration and fluoride varnish versus fluoride varnish only: efficacy after 1 year. Caries Res 2010; 44(1): 41-46. Epub 2010 Jan

[32] American Academy of Pediatric Dentistry. Guideline on behavior guidance for the pediatric dental patient. Reference manual. Pediatr Dent 2011; 36: 179-191

[33] Pinkham JR. Personality development. Managing behavior of the precooperative preschool child. Dent Clin North Am 1995; 39: 771-787

[34] https://www.aapd.org/globalassets/media/policies_guidelines/bp_behavguide.pdf Stand Juli2020

[35] Marzo G, Campanella V, Albani F, Gallusi G. Psychological aspects in pediatric dentistry: parental presence. Eur J Paediatr Dent 2003; 4: 177-18[43] Hansen E. Hypnotische Kommunikation – Eine Bereicherung im Umgang mit Patienten. Zeitschrift für Hypnose und Hypnotherapie 2010; 5: 51-67

[36] Hansen E. Hypnotische Kommunikation – Eine Bereicherung im Umgang mit Patienten. Zeitschrift für Hypnose und Hypnotherapie 2010; 5: 51-67

[37] Beckers-Lingener B, Beckers L. Die „ritualisierte Verhaltensführung“ Ein Konzept zur erfolgreichen Behandlung von Kindern in der Zahnarztpraxis. DZzH 2011; 2: 6-13

[38] Schmierer G. Techniken der Kinderhypnose. In: Schmierer A, Hrsg. Kinderhypnose. Stuttgart: Hypnos Verlag; 2002

[39] Lyratzopopulos G, Blain KM. Inhalation sedation with nitrous oxide as an alternative to dental general anaesthesia for children. J Public Health Med 2003; 25: 303–312

[40] Lüpertz M, Paters A, Martini M. Sedierung in der Zahnmedizin. Der junge Zahnarzt 2014; 3: 8-11

[41] Deutsch E, Mathers FG. Rechtliche und fachliche Voraussetzungen für die dentale Lachgassedierung ZWR 2012; 121: 502-506

[42] Esch J. Anxiolyse und Sedierung mit Lachgas in der Kinderzahnheilkunde. Quintessenz 2009; 10: 2015–2023

[43] Esch J. Lachgas in der Kinderzahnheilkunde. DZZ 2013; 68: 464 – 470

[44] von Gymnich I. Lachgas und Verhaltensführung- eine Kinderfreundliche Kombination. Plaque N Care 2019; 03: 144-150

[45] Philippi-Höhne C, Daubländer M, Becke K et al. Einsatz von Lachgas zur minimalen Sedierung von Kindern in der Zahnheilkunde. Anästh Intensivmed 2013; 54: 323–326

[46] European Society of Anaesthesiology (ESA). The current place of nitrous oxide in clinical practice, an expert opinion-based task force consensus statement of the European Society of Anaesthesiology. Special article. Eur J Anaesthesiol 2015; 32: 1 – 4

[47] Council of European Dentists (CED). Entschliessung Anwendung der inhalativen Lachgassedierung in der Zahnmedizin 2012. Im Internet: www.lachgas-lehrbuch.de/Literatur/CED%202012-05%20DE.pdf; Stand Juli 2020

[48] American Academy of Pediatric Dentistry (AAPD). Clinical guideline on the elective use of minimal, moderate, and deep Sedation and general anesthesia for pediatric dental patients. Reference Manual 2004-2005: 95–103

[49] American Adacemy of Pediatric Dentistry. Guideline on appropriate use of nitrous oxide for pediatric dental patients. Pediatr Dent. 2008; 30: 140-142

[50] von Gymnich I. Lachgassedierung in der Kinderzahnheilkunde. Zahnmedizin up2date; 2016: 441-456

[51] American Academy of Pediatric Dentistry (AAPD). Guideline on behaviour guidance for the pediatric dental patient. Clinical Guidelines Reference manual 2015; 36: 179–191 https://www.aapd.org/research/oral-health-policies--recommendations/behavior-guidance-for-the-pediatric-dental-patient/; Stand Juli 2020

[52] Veerkamp JS, Gruythuysen RJ, Hoogstraten J et al. Anxiety reduction using nitrous oxide: a permanent solution? ASDCJ Dent Child 1995; 62: 44–48

[53] Arch LM, Humphfris GM, Lee GTR. Children choosing between general anaesthesia or inhalation sedation for dental extractions: the effect on dental anxiety. Int J Paediatr Dent. 2011; 11: 41-48

[54] American Academy of Pediatric Dentistry (AAPD). Clinical guideline on the elektive usee of minimal, moderate and deep sedation and general anesthesia for pediatric dental patients. Reference manual 2001-2005: 95-103

[55] American Society of Anesthesiologists (ASA) Task Force on Sedation and Analgesia by Non-Anesthesiologists: Practice guidelines for sedation and analgesia by non-anesthesiologists. Anesthesiology 2002; 96: 1004-1017

[56] Coté CJ, Wilson S. Guidelines for Monitoring and Management of Pediatric Patients Before, During, and After Sedation for Diagnostic and Therapeutic Procedures American Academy of Pediatric Dentistry, American Academy of Pediatrics, PEDIATRIC DENTISTRY V 41 / NO 4 JUL / AUG 19 E26-E52 https://www.aapd.org/globalassets/media/policies_guidelines/bp_monitoringsedation.pdf; Stand Juli2020

[57] Rienhoff S, Rienhoff J. Midazolamsedierung zur Unterstützung der Zahnbehandlung bei ängstlichen Kindern Quintessenz Zahnmedizin 2019; 70: 78-86

[58] Philippi-Höhne C, Becke K, Wulff B et al. Analgosedierung für diagnostische und therapeutische Maßnahmen im Kindesalter. Anästh Intensivmed. 2010; 51: 603-614

[59] Hallonsten AL, Jensen B, Raadal M et al. EAPD Guidelines on Sedation in Paediatric Dentistry. Im Internet: https://www.eapd.eu/uploads/5CF03741_file.pdf#page=6&zoom=auto,-107,66; Stand Juli2020

[60] https://de.wikipedia.org/wiki/Narkose; Stand Juli 2020

[61] Cichon P, Grimm W-D. Die zahnärztliche Betreuung von Kindern mit Behinderungen: aus Kinderzahnheilkunde, Hrsg. Einwag J, Pieper K. Urban & Fischer Verlag München, Jena 2. Auflage: 348-358

[62] https://flexikon.doccheck.com/de/Intubationsnarkose; Stand Juli 2020

[63] Viergutz G, Rüder S. Therapie der frühkindlichen Karies in Sedierung oder Allgemeinanästhesie. Quintessenz Zahnmedizin 2019; 5: 544-551

[64] Krämer N, Kraft T: Schmerzausschaltung und Sedierung. Aus: Kinderzahnheikunde PdZ spezial, Hrsg Einwag J, Pieper K, Urban und Schwarzenberg, München-Wien-Baltimore 1997: 280-297

[65] Chadwick BL, Hosey M T. Kinderbehandlung in der Zahnarztpraxis ohne Heulen und Zähneklappern. Berlin: Quintessenz; 2007: 1-107

[66] Medical Dictionary, © 2009 Farlex and Partners, best interest standard. (n.d.) *Medical Dictionary*. (2009). Retrieved August 25 2019 from https://medical-dictionary.thefreedictionary.com/best+interest+standard Stand Juli2020

[67] DGKiZ-Stellungnahme. „Klinische-ethische Falldiskussion-Sedierung ist nicht gleich Vollnarkose“ zm 109; 4: 11

[68] Kakaounaki E, Thamassebi JF, Fayle SA. Repeat general anaesthesia, a 6-year follow up. Int J Paediatr Dent. 2011; 21: 126-31

[69] Klaassen MA, Veerkamp JS, Hoogstraten J. Young children’s Oral Health-Related Quality of Life and dental fear after treatment under general anaesthesia: a randomized controlled trial. Eur J Oral Sci. 2009; 117: 273-278

[70] Tab.1: American Academy of Pediatric Dentistry (AAPD). Clinical guideline on the elektive use of minimal, moderate and deep sadation and general anesthesia for pediatric dental patients. Reference manual 2001-2005: 95-103

[71] Tab.1: American Society of Anesthesiologists (ASA) Task Force on Sedation and Analgesia by Non-Anesthesiologists: Practice guidelines for sedation and analgesia by non-anesthesiologists. Anesthesiology 2002; 96: 1004-1017

ZMK (36) 12/2020, 776-780

Neu: Perfekte Farbanpassung mit einer einzelnen Farbe eines etablierten Komposits mit geringer Schrumpfungskraft und hoher Bruchfestigkeit.

C.-P. Ernst

References:
1. Aleixo AR, Guiraldo RD, Fugolin AP, Berger SB, Consani RL, Correr AB, Gonini-Júnior A, Lopes MB. Evaluation of contraction stress, conversion degree, and cross-link density in low-shrinkage composites. Photomed Laser Surg 2014; 32: 267-273.
2. Barreto BC, Van Meerbeek B, Van Ende A, Sousa SJ, Silva GR, Soares PV, Soares CJ. Biomechanical Behavior of Extensively Restored Premolars: Cusp Deformation, Marginal Integrity, and Fracture Resistance. J Adhes Dent 2015; 17: 213-218.
3. Boaro LC, Gonçalves F, Guimarães TC, Ferracane JL, Versluis A, Braga RR. Polymerization stress, shrinkage and elastic modulus of current low-shrinkage restorative composites. Dent Mater 2010; 26: 1144-1150.
4. Boaro LC, Fróes-Salgado NR, Gajewski VE, Bicalho AA, Valdivia AD, Soares CJ, Miranda Júnior WG, Braga RR. Correlation between polymerization stress and interfacial integrity of composites restorations assessed by different in vitro tests. Dent Mater 2014; 30: 984-992.
5. Da Rosa Rodolpho PA, Donassollo TA, Cenci MS, Loguércio AD, Moraes RR, Bronkhorst EM, Opdam NJ, Demarco FF. 22 year clinical evaluation of the performance of two posterior composites with different filler characteristics. Dent Mater 2011; 27: 955-963.
6. de Oliveira DC, Rovaris K, Hass V, Souza-Júnior EJ, Haiter-Neto F, Sinhoreti MA. Effect of low shrinkage monomers on physicochemical properties of dental resin composites. Braz Dent J 2015; 26: 272-276.
7. Ernst CP. Neuversorgung eines insuffizienten Goldinlays. ZMK 2016; 32 (12); 846–848.
8. Ernst CP, Sebus, A., Briseño, B.: Direkte adhäsive Versorgungen wurzelkanalbehandelter Zähne. ZMK 2016; 32 (9); 562-570.
9. Ernst CP. Vom Gold-Standard zur Gold-Alternative. ZMK 2015; 31 (4), 214-226.
10. Ernst CP. Verschalungstechnik - einmal anders. ZMK 2012; 28 (5); 318-324.
11. Gandolfi MG, Siboni F, Prati C. Chemical-physical properties of TheraCal LC, a novel light-curable MTA-like material for pulp capping. International Endodontic Journal 2012; 45: 571–579.
12. Han SH, Sadr A, Tagami J, Park SH. Internal adaptation of resin composites at two configurations: Influence of polymerization shrinkage and stress. Dent Mater 2016; 32: 1085-1094.
13. Koplin, da Silva Rodrigues G, Jaeger R. Calculating internal stress during curing of dental composites. J Dent Res 88 (Spec Iss B): 145, 2009 (www.dentalresearch.org).
14. Lynch CD, Opdam NJ, Hickel R, Brunton PA, Gurgan S, Kakaboura A, Shearer AC, Vanherle G, Wilson NH. Guidance on posterior resin composites: Academy of Operative Dentistry - European Section. J Dent 2014; 42: 377-383.
15. Marchesi G, Breschi L, Antoniolli F, Di Lenarda R, Ferracane J, Cadenaro M. Contraction stress of low-shrinkage composite materials assessed with different testing systems. Dent Mater 2010; 26: 947-953.
16. Opdam NJM, van de Sande FH, Bronkhorst E, Cenci MS, Bottenberg P, Pallesen U, Gaengler P, Lindberg A, M.C.D.N.J.M. Huysmans MCDNJM, van Dijken JW. Longevity of Posterior composite restorations: A systematic review and Metaanalysis. J Dent Res 2014; 93: 943-949.

17. Pallesen U, van Dijken JW. A randomized controlled 30 years follow up of three conventional resin composites in Class II restorations. Dent Mater 2015; 31: 1232-1244.
18. Rosentritt M, Behr M, Kolbeck C, Handel G. Flexural strength of restorative composites after different aging conditions. Abstract # 1559. 2013 IADR/AADR/CADR General Session (Seattle, WA, USA. https://iadr.abstractarchives.com/abstract/13iags-171330/flexural-strength-ofrestorative-composites-after-different-aging-conditions.
19. Rullmann I, Schattenberg A, Marx M, Willershausen B, Ernst C-P. Photo- elastic determination of polymerization shrinkage stress in low-shrinkage resin composites. Schweiz Monatsschr Zahnmed 2012; 22: 294-299.
20. Schmidt C, Illie N. The mechanical stability of nano-hybrid composites with new methacrylate monomers for matrix compositions. Dent Mater 2012; 28: 152-159.
21. Takahashi H, Finger WJ, Wegner K, Utterodt A, Komatsu M, Wöstmann B, Balkenhol M. Factors influencing marginal cavity adaptation of nanofiller containing resin composite restorations. Dent Mater 2010; 26: 1166-1175.
22. Takahashi H, Finger WJ, Endo T, Kanehira M, Koottathape N, Balkenhol M, Komatsu M. Comparative evaluation of mechanical characteristics of nanofiller containing resin composites. American Journal of Dentistry 2011; 24: 264-70.
23. Watts DC, Alnazzawi A. Temperature-dependent polymerization shrinkage stress kinetics of resin-composites. Dent Mater 2014; 30: 654-660.

ZMK (36) 12/2020, 752-756

Welchen Stellenwert haben Fluoride in der Ernährung für die Kariesprophylaxe?

Univ.-Prof. Dr. Stefan Zimmer, Isabel Becker

Literatur

[1] Guth S, Hüser S, Roth A et al. Toxicity of fluoride: critical evaluation of evidence for human developmental neurotoxicity in epidemiological studies, animal experiments and in vitro analyses. Arch Toxicol. 2020;94:1375–1415.

[2] Deutsche Gesellschaft für Ernährung (Hrsg.), Referenzwerte für die Nährstoffzufuhr: Fluorid, 1. Ausgabe 2015.

[3] Thumeyer A, Freund U. So viel Fluorid enthält Mineralwasser, 2017, online abrufbar unter: https://www.zm-online.de/news/nachrichten/so-viel-fluorid-enthaelt-mineralwasser/

[4] Chan JT, Koh SH. Fluoride content in caffeinated, decaffeinated and herbal teas. Caries Res. 1996;30(1):88–92.

[5] Schmidt C, Funke U. Renale Fluoridausscheidung nach Belastung mit schwarzem Tee. Z Aerztl Fortbild. 1984;78:364–367.

[6] Bundeszentrum für Ernährung. Tee: Gesund trinken: Beliebtes Getränk mit gesundem Genuss, online abrufbar unter: https://www.bzfe.de/inhalt/tee-gesund-trinken-28491.html

[7] Schulte AG. Speisesalzfluoridierung: Aktuelle wissenschaftliche Erkenntnisse – praktische Umsetzung. Das Gesundheitswesen. 2007;69(3):V58.

[8] Informationsstelle für Kariesprophylaxe, FAQ, online abrufbar unter: https://www.kariesvorbeugung.de/faq/

[9] Schulte AG. Fluoridiertes Speisesalz für Grossküchen. ZahnärztlMitt 2003;93(11):1370–1373.

[10] Schulte AG. Salt fluoridation in Germany since 1991, Schweiz Monatsschr Zahnmed. 2005;115:659–662. Online abrufbar unter: https://www.swissdentaljournal.org/fileadmin/upload_sso/2_Zahnaerzte/2_SDJ/SMfZ_2005/SMfZ_08_2005/smfz-08-forschung-4.pdf

[11] Hetzer G. Speisesalzfluoridierung – Ergebnisse, Erfahrungen, Anwendungsempfehlungen. Prophylaxeimpuls. 1997(3):110–116.

[12] Bergmann KE, Manz F. Jodmangel- und Kariesprophylaxe bei Einführung von fluoridiertem und jodiertem Speisesalz. Kinderarzt. 1994;25:1561–1562.

[13] Hellwig E. Salzfluoridierung – ein effektiver und sicherer Weg der Kariesprophylaxe. Oralprophylaxe. 1998;20:182–189.

[14] Schulte AG, Rossbach R, Tramini P. Assocation of caries experience in 12-year-old children from Heidelberg, Germany, and Montpellier, France, with different preventive measures. Community Dent Oral Epidemiol. 2001;29:354–361.

[15] Schulte AG et al. Fluoridausscheidung im Urin von in Deutschland lebenden Erwachsenen. Erste Ergebnisse drei Monate nach Einführung von fluoridiertem Speisesalz in einer Gemeinschaftsverpflegung. Dtsch Zahnärztl Z. 2001;56:549–553.

[16] Hellwig E, Schiffner U, Schulte AG. S2k-Leitlinie Fluoridierungsmaßnahmen zur Kariesprophylaxe, 2013. Online abrufbar unter: https://www.awmf.org/uploads/tx_szleitlinien/083-001l_S2k_Fluoridierungsma%C3%9Fnahmen_zur_Kariesprophylaxe_2013-01-abgelaufen.pdf

[17] Jordan RA, Schulte AG, Bockelbrink AC, Puetz S, Naumova E, Warn LG, Zimmer S. Caries-Preventive Effect of Salt Fluoridation in Preschool Children in The Gambia: A Prospective, Controlled, Interventional Study. Caries Res. 2018;51(6):596–604.

[18] Hellwig E, Hetzer G (DGZMK), Stellungnahme der DGZMK: Salzfluoridierung. Dtsch Zahnärztl Z. 2001;56:133.

[19] Informationsstelle für Kariesprophylaxe, Stärkende Fluoride. Online abrufbar unter: https://www.kariesvorbeugung.de/die-4-saeulen-der-kariesprophylaxe/staerkende-fluoride/

[20] Marthaler T, Pollak G. Salt fluoridation in Central and Eastern Europe, Schweiz Monatsschr Zahnmed. 2005;115:670–674.

[21] Whitford GM et al. Fluoride Metabolism When Added to Salt, Schweiz Monatsschr Zahnmed. 2005;115(8):675–8.

[22] Ten Cate JM, Duijsters PPE, Influence of Fluoride in Solution on Tooth Demineralization. Caries Research. 1983;17(6):513–519.

[23] Lima CV et al. Fluoride Increase in Saliva and Dental Biofilm Due to a Meal Prepared with Fluoridated Water or Salt: A Crossover Clinical Study. Caries Res. 2019;53(1):41–48.

[24] Björnström H et al. Fluoride Levels in Saliva and Dental Plaque after Consumption of Snacks Prepared with Fluoridated Salt. Eur J Paediatr Dent. 2004 Mar;5(1):41–5.

[25] Hedman J et al. Fluoride Concentration in Saliva after Consumption of a Dinner Meal Prepared with Fluoridated Salt, Caries Res. 2006;40(2):158–62.

[26] Amjad Z, Nancollas GH. Effect of Fluoride on the Growth of Hydroxyapatite and Human Dental Enamel. Caries Res. 1979;13:250–258.

[27] Bundeszahnärztekammer, Kinder- und Jugendzahnmedizin, Empfehlungen zu Fluoridkonzentration in Kinderzahnpasten 2018. Online abrufbar unter: https://www.bzaek.de/praevention/kinder-und-jugendzahnmedizin.html

[28] Bergmann KE, Bergmann RL, Salt Fluoridation and General Health, Adv Dent Res. 1995;9(2):138–43.

[29] Mühlendahl KE, Oberdisse U, Bunjes R, Ritter S, Vergiftungen im Kindesalter, 3. edn. Stuttgart: Ferdinand Enke, 1995.

[30] Informationsstelle für Kariesprophylaxe. Fluoridsalz ist eine bewährte und sichere Basisprophylaxe, 2018. Online abrufbar unter: https://www.kariesvorbeugung.de/kariesprophylaxe-aktuell/kariesvorbeugung-fluoridsalz-ist-eine-bewaehrte-und-sichere-basisprophylaxe/

[31] Villa AE, Salazar G, Anabalon M, Cabezas L. Estimation of the fraction of an ingested dose of fluoride excreted through urine in pre-school children. Community Dent Oral Epidemiol. 1999;27(4):305–312.

ZMK (36) 12/2020, 742-748

Kontrolle und Reduktion der Kariesaktivität bei Kindern

Prof. Dr. Christian H. Splieth, OÄ Dr. Ruth M. Santamaria, OA Dr. Julian Schmoeckel

LITERATURVERZEICHNIS

1. Badar SB, Tabassum S, Khan FR, Ghafoor R: Effectiveness of Hall Technique for Primary Carious Molars: A Systematic Review and Meta-analysis. International journal of clinical pediatric dentistry 2019; 12: 445-452.
2. Boyd DH, Thomson WM, Leon, de la Barra S et al.: A Primary Care Randomized Controlled Trial of Hall and Conventional Restorative Techniques. JDR clinical and translational research 2020; 2:, 287-294.
3. Deutsche Gesellschaft für Präventivzahnmedizin: Neue Empfehlungen für Kinderzahnpasten mit Fluorid. https://www.dgpzm.de/neue-empfehlungen-fuer-kinderzahnpasten-mit-fluorid-0
4. Ebrahimi M, Shirazi AS, Afshari E: Success and Behavior During Atraumatic Restorative Treatment, the Hall Technique, and the Stainless Steel Crown Technique for Primary Molar Teeth. Pediatr Dent 2020; 42: 187-192
5. Elamin F, Abdelazeem N, Salah I, Mirghani Y, Wong F: A randomized clinical trial comparing Hall vs conventional technique in placing preformed metal crowns from Sudan. PLoS ONE 2019; 14: e0217740
6. Fejerskov O (Hrsg): Dental caries. The disease and its clinical management. Wiley, Chichester 2015
7. Gemeinsamer Bundesausschuss: Richtlinien des Bundesausschusses der Zahnärzte und Krankenkassen über die Früherkennungsuntersuchungen auf Zahn-, Mund- und Kieferkrankheiten. Zahnärztliche Früherkennung gemäß § 26 Absatz 1 Satz 2 des Fünften Buches Sozialgesetzbuch - SGB V. Neufassung; BAnz AT 28.05.2019 B2 2019
8. Gruythuysen RJM, van Strijp AJPG, van Palestein Helderman WH, Frankenmolen FW: Niet-restauratieve behandeling van cariës in het melkgebit: doelmatig en kindvriendelijk. Ned Tijdschr Geneeskd 2011; 155: A3489
9. Horst JA: Silver Fluoride as a Treatment for Dental Caries. Adv Dent Res 2018; 29: 135-140
10. IDZ: Fünfte Deutsche Mundgesundheitsstudie (DMS V). Deutscher Zahnärzte Verlag DÄV, Köln 2016

11. Innes NPT, Ricketts D, Chong LY, Keightley AJ, Lamont T, Santamaria RM: Preformed crowns for decayed primary molar teeth. Cochrane Database Syst Rev 2015: CD005512
12. Innes NPT, Ricketts DNJ, Evans DJP: Preformed metal crowns for decayed primary molar teeth. Cochrane Database Syst Rev 2007: CD005512
13. Kassebaum NJ, Bernabé E, Dahiya M, Bhandari B, Murray CJL, Marcenes W: Global burden of untreated caries: a systematic review and metaregression. J Dent Res 2015; 94: 650-658
14. Kidd E: Should deciduous teeth be restored? Reflections of a cariologist. Dent Update 2012; 39: 159-62, 165-6
15. Mei ML, Ito L, Cao Y, Li QL, Lo ECM, Chu CH: Inhibitory effect of silver diamine fluoride on dentine demineralisation and collagen degradation. J Dent 2013; 41: 809-817
16. Mei ML, Li Q-l, Chu C-H, Lo EC-M, Samaranayake LP: Antibacterial effects of silver diamine fluoride on multi-species cariogenic biofilm on caries. Ann Clin Microbiol Antimicrob 2013; 12: 4
17. Mei ML, Lo ECM, Chu CH: Arresting Dentine Caries with Silver Diamine Fluoride: What's Behind It? J Dent Res 2018; 97: 751-758
18. Rosenblatt A, Stamford TCM, Niederman R: Silver diamine fluoride: a caries "silver-fluoride bullet". J Dent Res 2009; 88: 116-125
19. Santamaria RM, Innes NPT, Machiulskiene V, Evans DJP, Alkilzy M, Splieth CH: Acceptability of different caries management methods for primary molars in a RCT. Int J Paediatr Dent 2015; 25: 9-17
20. Santamaría RM, Innes NPT, Machiulskiene V, Schmoeckel J, Alkilzy M, Splieth CH: Alternative Caries Management Options for Primary Molars: 2.5-Year Outcomes of a Randomised Clinical Trial. Caries Res 2018; 51: 605-614
21. Santamaría RM, Schmoeckel J, Innes NPT, Alkilzy M, Machiulskiene V, Splieth CH: Kariesmanagementoptionen für Milchmolaren: Ergebnisse einer randomisierten klinischen 2-Jahresstudie. Deutsche Zahnärztliche Zeitschrift 2020, 2: 88-96
22. Schwendicke F, Splieth CH, Bottenberg P et al.: How to intervene in the caries process in adults: proximal and secondary caries? An EFCD-ORCA-DGZ expert Delphi consensus statement. Clin Oral Investig 2020; 24: 3315-3321
23. Slayton RL, Urquhart O, Araujo MWB et al.: Evidence-based clinical practice guideline on nonrestorative treatments for carious lesions: A report from the American Dental Association. J Am Dent Assoc 2018; 149: 837-849.e19
24. Splieth C: Revolutions in pediatric dentistry. Quintessence Publ, London 2011

25. Splieth CH, Banerjee A, Bottenberg P et al.: How to Intervene in the Caries Process in Children: A Joint ORCA and EFCD Expert Delphi Consensus Statement. Caries Res 2020 Jul 1: 1-9
26. Team DAJ: Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2016. Deutsche Arb.-Gemeinsch. f. Jugendzahnpflege, Bonn 2017
27. Toumba KJ, Twetman S, Splieth C, Parnell C, van Loveren C, Lygidakis NA: Guidelines on the use of fluoride for caries prevention in children: an updated EAPD policy document. Eur Arch Paediatr Dent 2019; 20: 507-516
28. US food and drug administration: Diammine silver fluoride dental hypersensitivity varnish. [510(k) premarket notification]. https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpmn/pmn.cfm?ID=K102973 , 25.01.2019
29. Zhao IS, Gao SS, Hiraishi N et al.: Mechanisms of silver diamine fluoride on arresting caries: a literature review. Int Dent J 2018; 68: 67-76

ZMK (36) 12/2020, 738-740

Frühkindliche Karies – Aktuelle Prävalenzdaten und neue Präventionsansätze

Univ-Prof. Dr. Katrin Bekes

1. Deutsche Arbeitsgemeinschaft für Jugendzahnpflege: Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2016. Bonn 2017.
2. Borutta A, Wagner M, Kneist S: Bedingungsgefüge der frühkindlichen Karies Oralprophylaxe & Kinderzahnheilkunde 32: 58-63 (2010).
3. Nies SM, Schauß SS, Siahi-Benlarbi R, Schulz-Weidner N, Wetzel WE: Häufigkeit und ECC-Typisierung der Milchzahnkaries bei Kindergartenkindern in Mittelhessen. Oralprophylaxe & Kinderzahnheilkunde 30: 106–111 (2008).
4. American Academy of Pediatric Dentistry (AAPD): Policy on Early Childhood Caries (ECC): Classifications, Consequences, and Preventive Strategies. (2011).
5. Kühnisch J, Bücher K, Tautz A, Hickel R: Frühkindliche Karies. Klinik, Epidemiologie, Ätiologie und Therapiestrategien. wissen kompakt 8: 3-12 (2014).
6. Tinanoff N: Introduction to the Early Childhood Caries Conference: initial description and current understanding. Community Dent Oral Epidemiol 26: 5-7 (1998).
7. Wagner Y, Heinrich-Weltzien R: Frühkindliche Karies muss nicht sein! Pädiatrie & Pädologie 5: 12-16 (2012).
8. Anil S, Anand PS: Early Childhood Caries: Prevalence, Risk Factors, and Prevention. Front Pediatr 5: 157 (2017).
9. Congiu G, Campus G, Luglie PF: Early Childhood Caries (ECC) Prevalence and Background Factors: A Review. Oral Health Prev Dent 12: 71-76 (2014).
10. Behrendt A, Sziegoleit F, Müller-Lessmann V, Ipek-Ozdemir G, Wetzel WE: Nursing-bottle syndrom caused by prolonged drinking from vessels with bill-shaped extensions. ASDC J Dent Child 68: 47–50 (2001).
11. Wyne AH: Early childhood caries: nomenclature and case definition. Community Dent Oral Epidemiol 27: 313-315 (1999).

ZMK (36) 12/2020, S. 766-772

G. Reichardt, M. Greven

Gezielte Okklusionstherapie – integrativer, patentierter Behandlungsansatz mittels funktionellen Positionierungselementen (Functional Positioning Overlays, FPO)

[1] Wolford LM, Schendel SA, Epker BN: Surgical-orthodontic correction of mandibular deficiency in growing children. J Maxillofac Surg 7, 61–72 (1979).

[2] Wolford LM, Karras SC, Mehra P: Considerations for orthognathic surgery during growth, part 1: mandibular deformities. Am J Orthod Dentofac Orthop 119, 95–101 (2001).

[3] Wolford LM, Karras SC, Mehra P: Considerations for orthognathic surgery during growth, part 2: maxillary deformities. Am J Orthod Dentofac Orthop 119, 102–105 (2001).

[4] Wolford LM: TMJ surgery revisited. Journal of Craniomandibular and Sleep Practice 23, 242–243 (2005).

[5] Greven M, Landry A, Carmignani A: Comprehensive dental diagnosis and treatment planning for occlusal rehabilitation: a perspective. Journal of Craniomandibular and Sleep Practice 34 (4), 215–217 (2016).

[6] Greven M, Reichardt G: Orthodontic early treatment during „Mixed Dentition“ taking into consideration functional aspects avoiding removable orthodontic appliances. MasterThesis Danube University, Austria/Kanagavwa Dental University, Japan/Tufts University, USA (2003). (Dt.Verfahrenspatent No.: 10 2005 052 068/2005).

[7] Greven M, Reichardt G: Preventive treatment of temporomandibular disorders and occlusion in adolescence. In: Sato S. Early Treatment. Tôkyô Rinshô Shuppan (Klinischer Verlag Tôkyô), 109–142 (2007).

[8] Enlow D: Handbook of facial growth. Philadelphia: Saunders (1975).

[9] Graber TM: Current orthodontic concepts and techniques. Vol I&II. Philadelphia: Saunders (1977).

[10] McNamara JA: Components of class II malocclusion in children 8–10 years of age. Angle Orthodont 51, 177ff. (1981).

[11] McNamara JA: Determinants of mandibular form and growth. Center of Human Growth and Development. Monograph No.4, Ann-Arbor (1976).

[12] McNamara JA: Factors affecting the growth of the midface. Center of human growth and development. Monograph No. 6, Ann-Arbor (1976).

[13] McNamara JA: The biology of occlusal development. Center of human growth and development. Monograph No. 7, Ann-Arbor (1977).

[14] Moss ML: A theoretical analysis of the functional matrix. Acta biotheoretica 18, 195 (1968).

[15] Petrovic A: Controle de la croissance post-natale du squelette facial donnees experimentales et modele cybernetiques. Actualites odonto-stomat 128, 811–841 (1979).

[16] Richardson ER: Atlas of Craniofacial Growth. Craniofacial Growth Monograph (1991).

[17] Ricketts RM: Planning treatment on the basis of facial pattern and an estimation of its growth. Angle Orthodont 27, 14 (1957).

[18] Ricketts RM: Cephalometric synthesis. Am J Orthodont 64, 330 (1960).

[19] Ricketts RM: Esthetic, environment and the law of lip relation. Am J Orthodont 54, 272 (1968).

[20] Sato H, Fujii T, Uetani M, Kitamori H: Anterior mandibular repositioning in a subject with temporomandibular disorders: a clinical and tomographic follow-up case report. Cranio 15 (1), 84–88 (1997).

[21] Sato S: A treatment approach to malocclusions under the consideration of craniofacial dynamics. Grace Printing Press (1991).

[22] Sato S, Suzuki N, Suzuli Y: Longitudinal study of the cant of occlusal plane and denture frame in cases with congenitally missing 3rd molars. J Jpn Orthod Soc 47, 517–525 (1988).

[23] Schudy FF: The rotation of the mandible resulting from growth: its implications in orthodontic treatment. Angle Orthodont 35: 36–50 (1965).

[23a] Cuccia A, Caradonna C. The relationship between the stomatognathic system and body posture. Clinics 64 (1), 61–66 (2009).

[24] Costen JB: A syndrome of ear and sinus symptoms dependent upon disturbed function of the temporomandibular joint. Ann Otol Rhinol Laryngol 106 (10), 805–819 (1997).

[25] Costen JB: Neuralgias and ear symptoms associated with disturbed function of the temporomandibular joint. JAMA 107, 252 (1936).

[26] Fimiani A: Adult scoliosis. In: 10th Congress SIRER Lyon. The Vertebral Spine-European Resonances (French) 41, 1707–1708 (2005).

[27] Bricot B: Total postural reprogramming. 3rd ed. Statipro (2011).

[28] Ludwig O, Schmitt E: Neurocybernetics of body posture. Posture and Mobility (German) 26, 5–14 (2006).

[29] Sato S, Slavicek R: The masticatory organ and stress management. Inter J Stoma Occl Med 1 (1), 51–57 (2009).

[30] Christiansen G: Computer-aided measurement of the functional joint space of the temporomandibular joint. J Craniomand Func 2 (4), 329–343 (2014).

[31] Otsuka T, Watanabe K, Hirano Y, Kubo K, Miyake S, Sato S: Effects of mandibular deviation on brain activation during clenching: an fMRI preliminary study. J Craniomand Func 27 (2), 88–93 (2009).

[32] Otsuka T, Sasaguri K, Watanabe K, Hirano Y, Niwa M, Kubo K: Influence of the TMJ position on limbic system activation – an fMRI study. J Craniomand Func 3 (1), 29–39 (2011).

[33] Greven M, Otsuka T, Zutz L, Weber B, Elger C, Sato S: The amount of TMJ displacement correlates with brain activity. Cranio 29 (4), 291–2896 (2011).

[34] Tamaki K, Hori N, Fujiwara M, Yoshino T, Toyoda M, Sato S: A pilot study on masticatory muscle activities during grinding movements in occlusion with different guiding areas on working side. Bull Kanagawa Dental Coll 29, 26–27 (2001).

[35] Pittschieler E, Wolz S, von Rolbeck H, Medlitsch A: Maxillo-mandibular relationship. Information from Orthodontic and Craniofacial Orthopedics (German) 44 (4), 260–275 (2012).

[36] Plato G, Kopp S: The jaw and chronic pain syndromes. Manual Medicine (German) 37, 143–151 (1999).

[37] Sugimoto K, Yoshimi H, Sasaguri K, Sato S: Occlusion factors influencing the magnitude of sleep bruxism activity. Cranio 29 (2), 127–137 (2011).

[38] Park BK, Tokiwa O, Takezawa Y, Takahashi Y, Sasaguri K, Sato S: Relationship of tooth grinding pattern during sleep bruxism and temporomandibular joint status. Cran21

Tokiwa O, Park BK, Takezawa Y, Takahashi Y, Sasaguri K, Sato S. Relationship of tooth grinding pattern during sleep bruxism and dental status. Cranio 26 (4), 287–293 (2008).

[39] Fushima K, Kitamura Y, Mita H, Sato S, Suzuki Y, Kim YH: Signi cance of the cant of the posterior occlusal plane in Class II division 1 malocclusions. Eur J Orthod 18 (1), 27–40 (1996). io. 2008; 26 (1):8–15.

[40] Carlsson GE: Some dogmas related to prosthodontics, temporomandibular disorders, and occlusion. Acta Odont Scand 68 (6), 313–322 (2010).

[41] Santos J, Blackman RB, Nelson SJ: Vectorial analysis of the static equilibrium of forces generated in the mandible in centric occlusion, group function, and balanced occlusion relationships. J Prosthet Dent 65 (4), 557–567 (1991).

[42] Weinberg LA: The role of stress, occlusion, and condyle position in TMJ dysfunction-pain. J Prosthet Dent 49 (4), 532–545 (1983).

[43] Celić R, Jerolimov V, Pandurić J: A study of the influence of occlusal factors and parafunctional habits on the prevalence of signs and symptoms of TMD. Int J Prosthodont 15 (1), 43–48 (2002).

[44] Slavicek R: The masticatory organ. Gamma Medical-Scientic Education, Inc (2002).

[45] Takei J, Akimoto S, Sato S: Occlusal guidance and occlusal planes at different ages and different occlusion groups follow the sequential occlusion concept. Bull Kanagawa

Dent Coll 29, 26–27 (2009).

[46] Ahlers MO, Bernhardt O, Jakstat HA, Kordaß B, Türp JC, Schindler HJ, et al: Motion analysis of the mandible: guidelines for standardized analysis of computer-assisted recording of condylar movements. Int J Comput Dent 18 (3), 201–223 (2015).

[47] Olgiari F, Greven M: Occlusal plane dictated skeletal and dental malocclusion with concomitant postural diagnostic findings. A pilot study using Functional Positioning Overlays (FPO). MDSc Thesis MedUni Vienna 2016–2019. Accepted and defended November 2019. Scientific Presentation Int. Conference of Occlusion Medicine. University Dental School MedUni Vienna. July 2019. (submitted for Publication)