

**Ätherische Öle: wichtige Substanzen bei der täglichen Mundhygiene
Thymol & Co. wirken effektiv gegen Plaquebakterien**

- [1] Kerr WJ, Kelly J, Geddes DA. The areas of various surfaces in the human mouth from nine years to adulthood. J Dent Res 1991; 70: 1528–1530.
- [2] Fine DH, Markowitz K, Furgang D, Goldsmith D, Ricci-Nittel D, Charles CH, Peng P, Lynch MC. Effect of rinsing with an essential oil-containing mouthrinse on subgingival periodontopathogens. J Periodontol 2007; 78: 1936–1942.
- [3] Fine DH et al., Effect of an essential oil-containing antiseptic mouthrinse on plaque and salivary Streptococcus mutans levels. J Clin Periodontol 2000; 27(3): 157–61.
- [4] http://www.zahnwissen.de/frameset_lexi.htm?lexikon_mn-mz.htm
- [5] Fine DH et al. Effect of rinsing with an essential oil-containing mouthrinse on subgingival periodontopathogens. J Periodontol 2007; 78: 1935–1942.
- [6] Sharma NC et al. Adjunctive benefit of an essential oil containing mouthrinse in reducing plaque and gingivitis in patients who brush and floss regularly. A six-month study. J Am Dent Assoc 2004; 135: 496–504.
- [7] Minah GE et al. Effects of 6 months use of an antiseptic mouth rinse on supragingival dental plaque microflora. J Clin Periodontol 1989; 16:347–352.
- [8] Stoeken JE, Paraskevas S, van der Weijden GA. The long-term effect of a mouthrinse containing essential oils on dental plaque and gingivitis: a systematic review. J Periodontol 2007; 78: 1218–1228.
- [9] Interne Studie
- [10] Duckworth RM et al. Effect of rinsing with mouthwashes after brushing with a fluoridated toothpaste on salivary fluoride concentration. Caries Res 2009; 43: 391–396.
- [11] Friberger et al. The effect of pH upon fluoride uptake in intact enamel Scand. J. Dent. Res. 1975; 1975: 83: 339–344.
- [12] Delbem et al. Anticariogenic potential of acidulate solutions with low fluoride concentration. J Appl Oral Sci. 2006; 14(4):233–7.

Zahnerhalt versus Zahnentfernung – Entscheidungsfindung in der Parodontologie

- [1] Avila, G, Galindo-Moreno, P, Soehren, S, Misch, CE, Morelli, T & Wang, HL. A novel decision-making process for tooth retention or extraction. *J Periodontol* 2009;80:476-491. doi:10.1902/jop.2009.080454.
- [2] Axelsson, P & Lindhe, J. The significance of maintenance care in the treatment of periodontal disease. *J Clin Periodontol* 1981;8:281–294.
- [3] Bäumer, A, El Sayed, N, Kim, TS, Reitmeir, P., Eickholz, P & Pretzl, B. Patient-related risk factors for tooth loss in aggressive periodontitis after active periodontal therapy. *J Clin Periodontol* 2011a;38:347–354. doi:10.1111/j.1600-051X.2011.01698.x.
- [4] Bäumer, A, Pretzl, B, Cosgarea, R, Kim, TS, Reitmeir, P, Eickholz, P & Dannewitz, B. Tooth loss in aggressive periodontitis after active periodontal therapy: patient-related and tooth-related prognostic factors. *J Clin Periodontol* 2011b;38:644–651. doi:10.1111/j.1600-051X.2011.01733.x.
- [5] Bragger, U, Hirt-Steiner, S, Schnell, N, Schmidlin, K, Salvi, GE, Pjetursson, B, Matuliene, G, Zwahlen, M & Lang, NP. Complication and failure rates of fixed dental prostheses in patients treated for periodontal disease. *Clin Oral Implants Res* 2011;22:70-77. doi:10.1111/j.1600-0501.2010.02095.x.
- [6] Chambrone, L, Chambrone, D, Lima, LA. & Chambrone, LA. Predictors of tooth loss during long-term periodontal maintenance: a systematic review of observational studies. *J Clin Periodontol* 2010;37:675-684. doi:10.1111/j.1600-051X.2010.01587.x.
- [7] Eickholz, P. Glossar der Grundbegriffe für die Praxis: Unterstützende Parodontitistherapie (UPT). Teil 2: Individuelles Parodontitisrisiko und Bestimmung der UPT-Intervalle. *Parodontologie* 2007;18:239–245.
- [8] Eickholz, P, Kaltschmitt, J, Berbig, J, Reitmeir, P & Pretzl, B. Tooth loss after active periodontal therapy. 1: patient-related factors for risk, prognosis, and quality of outcome. *J Clin Periodontol* 2008;35:165–174. doi:10.1111/j.1600-051X.2007.01184.x.
- [9] Faggion, CM, Jr., Petersilka, G, Lange, DE, Gerst, J & Flemmig, TF. Prognostic model for tooth survival in patients treated for periodontitis. *J Clin Periodontol* 2007;34:226-231. doi:10.1111/j.1600-051X.2006.01045.x.
- [10] Fardal, O, Grytten, J, Martin, J, Houlihan, C & Heasman, P. Using prognostic factors from case series and cohort studies to identify individuals with poor long-term outcomes during periodontal maintenance. *J Clin Periodontol* 2016;43:789–796. doi:10.1111/jcpe.12573.
- [11] Genco, R. J. & Borgnakke, W. S. (2013) Risk factors for periodontal disease. *Periodontol* 2000 62, 59-94. doi:10.1111/j.1600-0757.2012.00457.x.
- [12] Graetz, C, Dörfer, CE, Kahl, M, Kocher, T, Fawzy El-Sayed, K, Wiebe, JF, Gomer, K & Rühling, A. (2011) Retention of questionable and hopeless teeth in compliant patients treated for aggressive periodontitis. *J Clin Periodontol* 2011;38:707–714. doi:10.1111/j.1600-051X.2011.01743.x.
- [13] Graetz, C, Ehrenthal, JC, Senf, D, Semar, K, Herzog, W & Dörfer, CE. Influence of psychological attachment patterns on periodontal disease – a pilot study with 310 compliant patients. *J Clin Periodontol* 2013a;40:1087-1094. doi:10.1111/jcpe.12159.
- [14] Graetz, C, Plaumann, A, Schlattmann, P, Kahl, M, Springer, C, Sälzer, S, Gomer, K, Dörfer, C & Schwendicke, F. (2016) Long-term tooth retention in chronic periodontitis – results after 18 years of a conservative periodontal treatment regimen in a university setting. *J Clin Periodontol*, n/a-n/a. doi:10.1111/jcpe.12680.
- [15] Graetz, C, Schutzhold, S, Plaumann, A, Kahl, M, Springer, C, Salzer, S, Holtfreter, B, Kocher, T, Dorfer, CE & Schwendicke, F. Prognostic factors for the loss of molars – an 18-years retrospective cohort study. *J Clin Periodontol* 2015;42:943–950. doi:10.1111/jcpe.12460.

- [16] Graetz, C, Schwendicke, F, Kahl, M, Dörfer, CE, Sälzer, S, Springer, C, Schützhold, S, Kocher, T, König, J & Rühling, A. Prosthetic rehabilitation of patients with history of moderate to severe periodontitis: a long-term evaluation. *J Clin Periodontol* 2013b;40:799–806. doi:10.1111/jcpe.12124.
- [17] Holtfreter, B, Schwahn, C, Biffar, R & Kocher, T. Epidemiology of periodontal diseases in the Study of Health in Pomerania. *J Clin Periodontol* 2009;36:114–123. doi:10.1111/j.1600-051X.2008.01361.x.
- [18] Kamma, JJ & Baehni, PC. Five-year maintenance follow-up of early-onset periodontitis patients. *J Clin Periodontol* 2003;30:562–572.
- [19] Karoussis, IK, Salvi, GE, Heitz-Mayfield, LJ, Bragger, U, Hammerle, CH & Lang, N. P. Long-term implant prognosis in patients with and without a history of chronic periodontitis: a 10-year prospective cohort study of the ITI Dental Implant System. *Clin Oral Implants Res* 2003;14:329–339.
- [20] Kassebaum, NJ, Bernabe, E, Dahiya, M, Bhandari, B, Murray, CJ & Marcenes, W. Global Burden of Severe Periodontitis in 1990–2010: A Systematic Review and Meta-regression. *J Dent Res* 2014;93:1045–1053. doi:10.1177/0022034514552491.
- [21] Kerschull, M, Guarnieri, P, Demmer, RT, Boulesteix, AL, Pavlidis, P & Papapanou, PN (2013) Molecular differences between chronic and aggressive periodontitis. *J Dent Res* 2013;92:1081–1088. doi:10.1177/0022034513506011.
- [22] Khader, YS, Dauod, AS, El-Qaderi, SS, Alkafajei, A. & Batayha, W. Q. Periodontal status of diabetics compared with nondiabetics: a meta-analysis. *J Diabetes Complications* 2006;20:59–68. doi:10.1016/j.jdiacomp.2005.05.006.
- [23] Kocher, T. Risiko und Prognose. In: Parodontitis 2010. Das Risikokompandium. Berlin: Deutsche Gesellschaft für Parodontologie e.V. Quintessenz Verlag.
- [24] König, J, Plagmann, HC, Langenfeld, N & Kocher, T. Retrospective comparison of clinical variables between compliant and non-compliant patients. *J Clin Periodontol* 2001;28:227–232.
- [25] König, J, Plagmann, HC, Rühling, A & Kocher, T. Tooth loss and pocket probing depths in compliant periodontally treated patients: a retrospective analysis. *J Clin Periodontol* 2002;29:1092–1100. doi:cpe291208 [pii].
- [26] Lang, NP & Tonetti, MS. Periodontal risk assessment (PRA) for patients in supportive periodontal therapy (SPT). *Oral Health Prev Dent* 2003;1:7–16.
- [27] Laurell, L, Lundgren, D, Falk, H & Hugoson, A. Long-term prognosis of extensive polyunit cantilevered fixed partial dentures. *J Prosthet Dent* 1991;66: 545–552.
- [28] Machtei, EE & Hirsch, I. Retention of hopeless teeth: the effect on the adjacent proximal bone following periodontal surgery. *J Periodontol* 2007;78:2246–2252. doi:10.1902/jop.2007.070125.
- [29] Matarasso, S, Rasperini, G, Iorio Siciliano, V, Salvi, GE, Lang, NP & Aglietta, M. A 10-year retrospective analysis of radiographic bone-level changes of implants supporting single-unit crowns in periodontally compromised vs. periodontally healthy patients. *Clin Oral Implants Res* 2010;21:898–903. doi:10.1111/j.1600-0501.2010.01945.x.
- [30] Matulienė, G, Pjetursson, BE, Salvi, GE, Schmidlin, K, Bragger, U, Zwahlen, M. & Lang, NP. Influence of residual pockets on progression of periodontitis and tooth loss: results after 11 years of maintenance. *J Clin Periodontol* 2008;35:685–695. doi:10.1111/j.1600-051X.2008.01245.x.
- [31] McGuire, MK & Nunn, ME. Prognosis versus actual outcome. II. The effectiveness of clinical parameters in developing an accurate prognosis. *J Periodontol* 1996;67:658–665.
- [32] Merchant, SN, Vovk, A, Kalash, D, Hovencamp, N, Aukhil, I, Harrison, P, Zapert, E, Bidwell, J, Varnado, P & Shaddox, LM. Localized aggressive periodontitis treatment response in primary and permanent dentitions. *J Periodontol* 2014;85:1722–1729. doi:10.1902/jop.2014.140171.
- [33] Mros, ST & Berglundh, T. Aggressive periodontitis in children: a 14-19-year follow-up. *J Clin Periodontol* 2010;37:283-287. doi:10.1111/j.1600-051X.2009.01526.x.

- [34] Nibali, L, Farias, BC, Vajgel, A, Tu, YK & Donos, N (2013) Tooth loss in aggressive periodontitis: a systematic review. *J Dent Res* 2013;92:868–875. doi:10.1177/0022034513501878.
- [35] Nyman, S & Lindhe, J. Prosthetic rehabilitation of patients with advanced periodontal disease. *J Clin Periodontol* 1976;3:135–147.
- [36] Ong, CT, Ivanovski, S, Needleman, IG, Retzepi, M, Moles, DR, Tonetti, MS & Donos, N. Systematic review of implant outcomes in treated periodontitis subjects. *J Clin Periodontol* 2008;35:438–462. doi:10.1111/j.1600-051X.2008.01207.x.
- [37] Pjetursson, BE, Tan, K, Lang, NP, Bragger, U, Egger, M & Zwahlen, M (2004) A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res* 2004;15:667-676. doi:10.1111/j.1600-0501.2004.01120.x.
- [38] Preshaw, PM, Alba, AL, Herrera, D, Jepsen, S, Konstantinidis, A, Makrilakis, K & Taylor, R (2012) Periodontitis and diabetes: a two-way relationship. *Diabetologia* 2012;55:21-31. doi:10.1007/s00125-011-2342-y.
- [39] Pretzl, B, Kaltschmitt, J, Kim, TS, Reitmeir, P & Eickholz, P. Tooth loss after active periodontal therapy. 2: tooth-related factors. *J Clin Periodontol* 2008;35:175-182. doi:10.1111/j.1600-051X.2007.01182.x.
- [40] Roos-Jansaker, AM, Lindahl, C, Renvert, H & Renvert, S. Nine- to fourteen-year follow-up of implant treatment. Part I: implant loss and associations to various factors. *J Clin Periodontol* 2006a;33:283-289. doi:10.1111/j.1600-051X.2006.00907.x.
- [41] Roos-Jansaker, AM, Lindahl, C, Renvert, H & Renvert, S. Nine- to fourteen-year follow-up of implant treatment. Part II: presence of peri-implant lesions. *J Clin Periodontol* 2006b;33, 290–295. doi:10.1111/j.1600-051X.2006.00906.x.
- [42] Roos-Jansaker, AM, Renvert, H, Lindahl, C & Renvert, S. Nine- to fourteen-year follow-up of implant treatment. Part III: factors associated with peri-implant lesions. *J Clin Periodontol* 2006c;33, 296–301. doi:10.1111/j.1600-051X.2006.00908.x.
- [43] Saxby, MS. Juvenile periodontitis: an epidemiological study in the west Midlands of the United Kingdom. *J Clin Periodontol* 1987;14:594–598.
- [44] Saxen, L. Prevalence of juvenile periodontitis in Finland. *J Clin Periodontol* 1980;7:177–186.
- [45] Schaefer, AS, Bochenek, G, Manke, T, Nothnagel, M, Graetz, C, Thien, A, Jockel-Schneider, Y, Harks, I, Staufienbiel, I, Wijmenga, C, Eberhard, J, Guzeldemir-Akcanat, E., Cine, N., Folwaczny, M., Noack, B., Meyle, J., Eickholz, P., Trombelli, L., Scapoli, C., Nohutcu, R., Bruckmann, C., Doerfer, C., Jepsen, S., Loos, B. G. & Schreiber, S. (2013) Validation of reported genetic risk factors for periodontitis in a large-scale replication study. *J Clin Periodontol* 40, 563–572. doi:10.1111/jcpe.12092.
- [46] Schaller, D. Adjuvante systemische Antibiotika in der Parodontistherapie. Das Konzept Göteborg. *Parodontologie* 2016;27:141–148.
- [47] Schlagenhauf, U. Parodontal hoffnungslose Zähne – stimmen die alten Konzepte noch? *Dtsch Zahnärztl Z* 2013;68:405–410.
- [48] Schmidlin, K, Schnell, N, Steiner, S, Salvi, GE, Pjetursson, B, Matuliene, G, Zwahlen, M, Bragger, U & Lang, NP. Complication and failure rates in patients treated for chronic periodontitis and restored with single crowns on teeth and/or implants. *Clin Oral Implants Res* 2010;21:550-557. doi:10.1111/j.1600-0501.2009.01907.x.
- [49] Schweizerische Zahnärzte-Gesellschaft (2000) Qualitätsleitlinien in der Zahnmedizin. Bern: Schweizerische Zahnärzte-Gesellschaft.
- [50] Schwendicke, F, Graetz, C, Stolpe, M & Dorfer, CE (2014) Retaining or replacing molars with furcation involvement: a cost-effectiveness comparison of different strategies. *J Clin Periodontol* 2014;41:1090-1097. doi:10.1111/jcpe.12315.
- [51] Schwendicke, F, Plaumann, A, Stolpe, M, Dorfer, CE & Graetz, C (2016a) Retention costs of periodontally compromised molars in a German population. *J Clin Periodontol* 2016a;43:261–270. doi:10.1111/jcpe.12509.
- [52] Schwendicke, F, Stolpe, M, Plaumann, A & Graetz, C. (2016b) Cost-effectiveness of regular versus irregular supportive periodontal therapy or tooth removal. *J Clin Periodontol*. doi:10.1111/jcpe.12595.

- [53] Tan, K, Pjetursson, BE, Lang, NP & Chan, ES. A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res* 2004;15, 654–666. doi:10.1111/j.1600-0501.2004.01119.x.
- [54] Taylor, GW, Burt, BA, Becker, MP, Genco, RJ, Shlossman, M, Knowler, WC & Pettitt, DJ. Severe periodontitis and risk for poor glycemic control in patients with non-insulin-dependent diabetes mellitus. *J Periodontol* 1996;67:, 1085–1093. doi:10.1902/jop.1996.67.10s.1085.
- [55] Trombelli, L, Franceschetti, G & Farina, R. (2015) Effect of professional mechanical plaque removal performed on a long-term, routine basis in the secondary prevention of periodontitis: a systematic review. *J Clin Periodontol* 42 Suppl 16, S221–236. doi:10.1111/jcpe.12339.
- [56] Yi, S. W., Ericsson, I., Carlsson, G. E. & Wennstrom, J. L. (1995) Long-term follow-up of cross-arch fixed partial dentures in patients with advanced periodontal destruction. Evaluation of the supporting tissues. *Acta Odontol Scand* 53, 242–248.

Adhäsive Versorgung der Einzelzahn­lücke – Die einflügelige Adhäsivbrücke

- [1] Kern M, Sasse M. Ten-year survival of anterior all-ceramic resin-bonded fixed dental prostheses. *J Adhes Dent* 2011;13(5):407–10.
- [2] Sasse M, Kern M. CAD/CAM single retainer zirconia-ceramic resin-bonded fixed dental prostheses: clinical outcome after 5 years. *Int J Comput Dent* 2013;16(2):109–18.
- [3] Sailer I, Hämmerle CH. Zirconia ceramic single-retainer resin-bonded fixed dental prostheses (RBFDPs) after 4 years of clinical service: a retrospective clinical and volumetric study. *Int J Periodontics Restorative Dent* 2014;34(3):333–43.
- [4] Brägger U, Krenander P, Lang NP. Economic aspects of single-tooth replacement. *Clin Oral Implants Res* 2005;16(3):335–341.
- [5] Edelhoff D, Sorensen JA. Tooth structure removal associated with various preparation designs for anterior teeth. *J Prosthet Dent* 2002;87(5):503–9.
- [6] B., T., Dentoalveolar development in subjects with normal occlusion. A longitudinal study between the ages of 5 and 31 years. *Eur J Orthod* 2009;31(2):109–20.
- [7] Strub JR, Kern M, Türp JC, Witkowski S, Heydecke G, Wolfart S. Curriculum Prothetik Quintessenz Verlag 2010; I-III, 4. Auflage.
- [8] Kern M, Kerschbaum T. Gemeinsame Stellungnahme der Deutscheng Gesellschaft für Zahnärztliche Prothetik und Werkstoffkunde (DGZPW) und der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde (DGZMK): Adhäsivbrücken. *DZZ* 2007;62 (9).
- [9] Sasse M, Kern M. Vollkeramische Adhäsivbrücken heute. *ZMK* 2009;Oktober:21–28.
- [10] Kern M, Kohal RJ, Mehl A, Pospiech P, Frankenberger R, Reiss B, Wiedhahn K, Kunzelmann KH. Vollkeramik auf einen Blick. 2012; 5. Auflage.
- [11] M., K., Controlled airborne-particle abrasion of zirconia ceramic restorations. *J Prosthet Dent* 2010;103(2):127–8.
- [12] Attia A, Kern M: Effect of cleaning methods after reduced-pressure air abrasion on bonding to zirconia ceramic. *J Adhes Dent* 2011;13(6):561–7.
- [13] Kern M, Eschbach S. Kleben: Neue Wege in der Prothetik. *Zahnärztl Mitt* 2008;98:3392–98.

[1] Busemann, I., Lipke, C., Schattenberg, A., Willershausen, B., Ernst, CP.: Shortest exposure time possible with LED curing lights. American Journal of Dentistry 24(1), 37-44 (2011)

[2] Dickens, S.H., Stansbury, J.W., Choi, K.M., Floyd, C.J.E.: Photopolymerization Kinetics of Methacrylate Dental Resins. Macromolecules 36, 6043-6053 (2003)

[3] Facher, A., Vogel, K., Heintze, S.: Ivoclar Vivadent AG Report 20. (2015)

[4] Gebrauchsanweisungen der Hersteller.

[5] Gergs, M.: Einfluss des Inhibitorgehaltes auf die Eigenschaften von Reaktivharzen zur Herstellung von Zahnfüllungskompositen. Fachhochschule Osnabrück, Diplomarbeit (2007).

[6] Gonçalves, F., Kawano, Y., Pfeifer, C., Stansbury J.W., Braga, R.R.: Influence of BisGMA, TEGDMA, and BisEMA contents on viscosity, conversion, and flexural strength of experimental resins and composites. European Journal of Oral Sciences 117, 442-446 (2009).

[7] Haenel, T., Hausnerová, B., Steinhaus, J., Price, R.B.T., Sullivan, B., Möglinger, B.: Effect of the irradiance distribution from light curing units on the local micro-hardness of the surface of dental resins. Dental Materials 31, 93-104 (2015).

[8] Iliea, N., Fleming, G.: In vitro comparison of polymerisation kinetics and the micro-mechanical properties of low and high viscosity comonomers and RBC. Journal of Dentistry, 43, 814–822 (2015).

[9] Randolph, L.D., Steinhaus, J., Möglinger, B., Gallez, B., Stansbury, J., Palin, W.M., Leloup, G., Leprince, J.G.: Photopolymerization of highly filled dimethacrylate-based composites using Type I or Type II photoinitiators and varying co-monomer ratios. Dental Materials 32, 136-148 (2016).

[10] Rosentritt, M., Shortall, A.C., Palin, W.M.: Dynamic monitoring of curing photoactive resins: a methods comparison. Dental Materials 26, 565-570 (2010)

[11] Roulet, J.-F., Moszner, N., Vogel, K., Burtscher, P., Heintze, S., Peschke, A.: Ivoclar Vivadent AG Report Nr. 18. (2007).

[12] Schattenberg, A., Lichtenberg, D., Stender, E., Willershausen, B., Ernst, C.-P.: Minimal exposure time of different LED-curing devices. Dental materials 24, 1043–1049 (2008).

[13] Schiesl, C.: Thermische Analyse, Möglichkeiten zur Untersuchung von dentalen Kunststoffen. Universität Regensburg, Dissertation (2008).

- [14] Silikas, N., Watts, D.C.: Rheology of urethane dimethacrylate and diluent formulations. *Dental Materials* 15, 257-261 (1999).
- [15] Steinhaus, J., Hausnerová, B., Haenel, T., Großgarten, M., Möglinger, B.: Curing kinetics of visible light curing dental resin composites investigated by dielectric analysis (DEA). *Dental Materials* 30, 372-380 (2014).
- [16] Steinhaus, J., Möglinger, B., Großgarten, M., Rosentritt, M., Hausnerová, B.: Dielectric analysis of depth dependent curing behavior of dental resin composites. *Dental Materials* 30, 679-687 (2014).
- [17] Steinhaus, J., Wieland, M., Haenel, T., Hausnerova, B., Moeginger, M.: Real-time investigation of the curing kinetics of visible light-curing resin based composites (VLC RBC) available on the European market. CED-IADR meeting in Antalya, Turkey, Oral Presentation (2015).
- [18] Steinhaus, J.: Real-time Investigation of Curing Mechanisms of Thermoset Resins for Medical and Technical Applications. Tomas Bata University in Zlin, Dissertation (2015).
- [19] Steinhaus, J., Möglinger, B., Großgarten, M., Meurer, M., Frentzen, M., Rosentritt, M., Hausnerová, B.: Thickness Dependent Dielectric Monitoring of Light-Curing Composite Samples. Meeting of CED-IADR, Poster Presentation (2011).
- [20] Todd, J-C., Wanner, M.: Wissenschaftliche Dokumentation Tetric EvoCeram® Bulk Fill. (2014).