

1. Landeszahnärztekammer Hessen:
https://www.lzkh.de/fileadmin/user_upload/Praxisfuehrung/Strahlenschutz/Broschuere_Roentgen_2.pdf
(Abruf am 11.03.2020).
2. ¹Arbeitsanweisung gemäß § 121(1) StrlSchV für intraorale Aufnahmeverfahren. BuS-
HANDBUCH ZÄK M-V.
https://www.zaekmv.de/fileadmin/Redaktion/Downloads_BuS/Formularsammlung/10_form_roentgen_arbeitsanweisung_gemaess_paragraf_18_2_RoeV_fuer_intraorale_aufnahmeverfahren_10_16.pdf
(Abruf am 11.03.2020).
3. ¹Muster-Arbeitsanweisung gemäß § 121 Absatz 1 StrSchV am Dentaltubusgerät.
Zahnärztekammer Niedersachsen. https://zkn.de/fileadmin/user_upload/praxis-und-team/roentgen/zahnaerztliche_Stelle/Arbeitsanweisungen/Muster-Arbeitsanweisung_Dentaltubusger%C3%A4t_121_Abs.1_StrSchV.pdf (Abruf am 11.03.2020).
4. ¹Kompendium Abschlussprüfung ZFA im Fachgebiet Röntgen und Strahlenschutz. Aufgaben,
Lösungen und praktische Demonstrationen. Band 8 der Schriftenreihe der
Landeszahnärztekammer Hessen.
https://www.lzkh.de/fileadmin/user_upload/Downloads/LZKH_-_Broschuere_Band_8_Fragen_Roentgen_2018_12_low.pdf (Abruf am 11.03.2020).

Bewertung einer Zahnarztpraxis unter besonderer Berücksichtigung verschiedener Spezialfälle

- [1] BGH Urteil vom 09.02.2011; BGH Urteil vom 02.02.2011; LG Ellwangen Urteil vom 22.12.2010; OLG Hamm Urteil vom 15.01.2009.
- [2] BGH Urteil vom 02.02.2011, Az.: XII ZR 185/08.
- [3] BGH Urteil vom 09.02.2011, Az.: XII ZR 40/09.
- [4] Vgl. auch Kupsch, BZB 2, 14 ff. (1994), Anlage 1 zum Protokoll der BZÄK-Vorstandssitzung 6/93 vom 02.10.1993; Boos: MedR, 203–208 (2005); Zur Mühlen/Witte/Rohner/Boos: Praxisbewertung. Deutscher Ärzte-Verlag ISBN: 987-3-7691-3439-1.
- [5] MüKo/Koch § 1376 Rn. 25; JH/Jaeger § 1376 Rn. 18, 23.
- [6] BGH FamRZ 2011, 622 Rn. 21.
- [7] BGH FamRZ 2011, 622 Rn. 25; 2008, 761 Rn. 20; 1999, 361, 362.
- [8] BGH FamRZ 2011, 1367 Rn. 29; 2011, 622 Rn. 25.
- [9] WP Handbuch 2002, Band II, Tz. 246 ff., vgl. ebenso IDW S1 6.1 Tz. 91.
- [10] WP Handbuch 2002, Band II, Tz. 217–223 und 282, vgl. ebenso IDW S1 6.3Tz. 99.
- [11] BGH FamRZ 2014, 98 Rn. 37.
- [12] Boos/Siewert: Objektivierter Ergebniszeitraum bei der Bewertung nach dem modifizierten Ertragswertverfahren, Betriebswirtschaft im Blickpunkt 9, 220 ff. (2011) und 9, 239 ff. (2012); Kremer/Wittmann: Vertragsärztliche Zulassungsverfahren, 154 (2012); Wehmeier: Praxisbewertung: Praxiswert durch Klonen verdoppelt. Die Steuerberatung (Stbg) 1, 26–35 (2012).
- [13] BGH FamRZ 2011, 1367 Rn. 29; 2011, 622 Rn. 25, 27; 2008, 761 Rn. 23.
- [14] BGH FamRZ 2011, 1367 Rn. 34.
- [15] BGH FamRZ 2011, 1367 Rn. 37; 2011, 622 Rn. 8.
- [16] BGH FamRZ 2011, 1367 Rn. 37, 38, 39.
- [17] BGH FamRZ 2014, 98 Rn. 37; 2011, 622 Rn. 19 m. A. Koch sowie Borth FamRZ 2011, 705; 2011, 1367 Rn. 28 m. Anm. Borth; 2008, 761 Rn. 18.
- [18] Boos F: Ausgleichsfähiges Betriebsvermögen bei Unternehmens-/Praxisbewertungen im Rahmen des Zugewinnausgleichs, NJW 14/2017 – Gutachter und Sachverständige Sonderveröffentlichung.
- [19] Boos/Siewert: DS 10, 266–267 (2018).

Literatur

Diastemaschluss mit einer einzigen Universalfarbe

Prof. Dr. Claus-Peter Ernst

ZMK 4 (36)/2020, S. 220-225

1. Allgeier S, Hahn B, Krastl G. Direkte Frontzahnrestorationen aus Komposit. Wissen Kompakt 2019; 13 (3): 1903-112.
2. Aristidis GA, Dimitra B. Five-year clinical performance of porcelain laminate veneers. Quintessence Int 2002; 33: 185-189.
3. Aykor A, Ozel E. Five-year clinical evaluation of 300 teeth restored with porcelain laminate veneers using total-etch and a modified self-etch adhesive system. Oper Dent 2009; 34: 516-523.
4. Báez Rosales A, De Nordenflycht Carvacho D, Schlieper Cacciutolo R, Gajardo Guineo M, Gandarillas Fuentes C. Conservative Approach for the Esthetic Management of Multiple Interdental Spaces: A Systematic Approach. J Esthet Restor Dent. 2015, 27: 344-354.
5. Barghi, N., McAlister, E.: Porcelain for Veneers. J Esth Dent 1998; 10, 191-197.
6. Collares K, Opdam NJM, Laske M, Bronkhorst EM, Demarco FF, Correa MB, Huysmans MCDNJM. Longevity of Anterior Composite Restorations in a General Dental Practice-Based Network. J Dent Res 2017; 96:1092-1099.
7. Demarco FF, Collares K, Coelho-de-Souza FH, Correa MB, Cenci MS, Moraes RR, Opdam NJ. Anterior composite restorations: A systematic review on long-term survival and reasons for failure. Dent Mater 2015; 31: 1214-1224.
8. Edelhoff D, Prandtner O, Saeidi Pour R, Liebermann A, Stimmelmayer M, Güth JF. Frontzahnrestorationen: Leistungsfähigkeit von Keramikveneers. Wissen Kompakt 2019; 13 (3): 115-1278.
9. Ernst CP. Woraus es bei einer individuellen Farbzusammenstellung wirklich ankommt. ZMK 2011; 27: 430-432.
10. Ernst CP. Verschalungstechnik - einmal anders. ZMK 2012; 28: 318-324.
11. Ernst CP. Schneidezähne in Form gebracht. ZMK 2014; 30: 636 – 647.
12. Ernst CP. Universaladhäsive – Universelle Problemlöser für alles? ZMK 2015; 31: 620–628.
13. Ernst CP. Nach Universaladhäsiv: Universalkomposit! ZMK 2016; 32: 364–371.
14. Ernst CP. Direkte Frontzahnrestorationen aus Komposit -aktuelle Studienlage und Fallbeispiele. ZMK 2017; 33; 2-8.
15. Ernst CP. Schichtkonzepte bei vereinfachten Frontzahnkompositsystemen. ZMK 2018; 34; 570-591.
16. Ferracane F, Watts DC, Barghi N, Ernst CP, Rueggeberg FA, Shortall A, Price R. Der effiziente Einsatz von Lichtpolymerisationsgeräten – ein Leitfaden für Zahnärzte. ZMK 2014; 30: 166-180.

17. Fradeani M, Redemagni M, Corrado M. Porcelain laminate veneers: 6- to 12-year clinical evaluation – a retrospective study. *Int J Periodontics Restorative Dent* 2005; 25:9-17.
18. Frese C, Schiller P, Staehle HJ, Wolff D. Recontouring teeth and closing diastemas with direct composite buildups: a 5-year follow-up. *J Dent* 2013; 41: 979-985.
19. Hahn B, Soliman S, Krastl G. Restaurative Maßnahmen zur Optimierung der Ästhetik bei Erwachsenen. Schnittstelle zwischen Kieferorthopädie und Zahnerhaltung. *Quintessenz* 2017; 68: 525-532.
20. Hajto J. Veneers Materialien und Methoden im Vergleich. *Teamwork* 2000; 3: 195-202.
21. Hajto J. Freud und Leid mit direktem Komposit. Teil 1: Adhäsive, Indikationsstellung und Chamäleoneffekt. *Teamwork* 2006; 9: 50-63.
22. Hajto J. Freud und Leid mit direktem Komposit. Teil 2: Schichttechnik, Versorgung multipler Füllungen im Frontzahnbereich. *Teamwork* 2006; 9: 86-97.
23. Hajto J. Frontzahnrestorationen: Sind Keramikveneers die beste Wahl? *Quintessenz* 2010; 61: 521–528.
24. Hajto J. Veneers – eine wertvolle Ergänzung für jede Praxis. *Cosmetic Dentistry* 2018; 16: 18-21.
25. Heintze SD, Rousson V, Hickel R. Clinical effectiveness of direct anterior restorations--a meta-analysis. *Dent Mater* 2015; 31: 481-495.
26. Hugo B: Optimale Approximalkontakte – Neue approximale Matrizen- und Aufbautechnik bei Frontzahnfüllungen. *Ästhetische Zahnmedizin* 2001; 3: 241-250.
27. Hugo B: Ästhetik mit Komposit. Quintessenz Verlags GmbH, Berlin, 2008 ISBN 978-3938947-55-5.
28. Klaiber B: Alles noninvasiv - Zahnformveränderung, Lückenschluss, Reduktion schwarzer Dreiecke. *zm* 2006; 96: 52-59.
29. Krastl, Gabriel & Weiger, Roland. Frontzahnrestorationen: Brauchen wir überhaupt Keramik?. *Die Quintessenz* 2010; 61. 511-520.
30. Krastl G. Composite – das Mittel der Wahl. *ZWP* 2011; 11: 74-78.
31. Kunzelmann KH. „Tenuia“-Veneers: dünn gepresst – Indikation auf „dünnem Eis“. *Dtsch Zahnärztl Z* 2009; 64: 587-588.
32. Kunzelmann KH, Kern M. Das Keramik Veneer. Substanzschonend und ästhetisch. *Dental Magazin* 2005; 4: 36-41.
33. Kup E, Tirlet G, Attal JP. The scalpel finishing technique: a tooth-friendly way to finish dental composites in anterior teeth. *Int J Esthet Dent* 2015; 10: 228-245.
34. Lenhard M. Diastemaschluss mit Kompositrestaurationen. *Eur J Esthet Dent* 2008; 3: 282-292.
35. Lenhard M. Ästhetische Frontzahnrestorationen mit Komposit. *Quintessenz* 2004; 55: 961-976.
36. Lührs AK: Diastemaschluss mittels direkter Technik im Frontzahnbereich. *Deutsch Zahnärztl Z* 2011;

66, 628-635.

37. Magne, P., Douglas, W.H.: Additive Contour of Porcelain Veneers: A Key Element in Enamel Preservation, Adhesion, and Esthetics for Aging Dentition. *J Adhesive Dent* 1999; 1, 81-92.
38. Romero MF. Esthetic anterior composite resin restorations using a single shade: Step-by-step technique. *J Prosthet Dent* 2015; 114: 9-12.
39. Sidharta JJ. Veneer-System: Ästhetische Korrekturen minimalinvasiv durchführen ZMK 2014; 30: 672-673.
40. Wiedhahn K, Kerschbaum T, Fasbinder DF. Clinical long-term results with 617 Cerec veneers: a nine-year report. *Int J Comput Dent* 2005; 8: 233-246.

- [1] Atkinson JC, Wu AJ: Salivary gland dysfunction: causes, symptoms, treatment. *Journal of the American Dental Association* 125 (4), 409-16 (1994).
- [2] Fischer D, Ship JA: The effect of dehydration on parotid salivary gland function. *Spec Care Dentist* 17 (2), 58-64 (1997).
- [3] Murray Thomson W, Chalmers JM, John Spencer A, Slade GD, Carter KD: A longitudinal study of medication exposure and xerostomia among older people. *Gerodontology* 23 (4), 205-13 (2006).
- [4] Barbe AG, Heinzler A, Derman S, Hellmich M, Timmermann L, Noack MJ: Hyposalivation and xerostomia among Parkinson's disease patients and its impact on quality of life. *Oral Dis*. 23 (4), 464-70 (2017).
- [5] Habbab KM, Moles DR, Porter SR: Potential oral manifestations of cardiovascular drugs. *Oral Dis* 16 (8), 769-73 (2010).
- [6] Nonzee V, Manopatanakul S, Khovidhunkit SO: Xerostomia, hyposalivation and oral microbiota in patients using antihypertensive medications. *J Med Assoc Thai* 95 (1), 96-104 (2012).
- [7] Hunter KD, Wilson WS: The effects of antidepressant drugs on salivary flow and content of sodium and potassium ions in human parotid saliva. *Arch Oral Biol* 40 (11), 983-9 (1995).
- [8] Villa A, Abati S: Risk factors and symptoms associated with xerostomia: a cross-sectional study. *Aust Dent J* 56 (3), 290-5 (2011).
- [9] Villa A, Wolff A, Aframian D, Vissink A, Ekstrom J, Proctor G, et al: World Workshop on Oral Medicine VI: a systematic review of medication-induced salivary gland dysfunction: prevalence, diagnosis, and treatment. *Clin Oral Investig* 19 (7), 1563-80 (2015).
- [10] Pedersen AM, Bardow A, Jensen SB, Nauntofte B: Saliva and gastrointestinal functions of taste, mastication, swallowing and digestion. *Oral Dis* 8 (3), 117-29 (2002).
- [11] Tabue-Teguo M, Simo N, Gonzalez-Colaco Harmand M, Cesari M, Avila-Funes JA, Feart C, et al: Frailty in elderly: a brief review. *Geriatr Psychol Neuropsychiatr Vieil* 15 (2), 127-37 (2017).
- [12] Lee L, Patel T, Hillier LM, Maulkhan N, Slonim K, Costa A: Identifying frailty in primary care: A systematic review. *Geriatr Gerontol Int* 17 (10), 1358-77 (2017).
- [13] Fried LP, Tangen CM, Walston J, Newman AB, Hirsch C, Gottdiener J, et al: Frailty in older adults: evidence for a phenotype. *J Gerontol A Biol Sci Med Sci* 56 (3), M146-56 (2001).
- [14] Hakeem FF, Bernabe E, Sabbah W: Association between oral health and frailty: A systematic review of longitudinal studies. *Gerodontology* 36 (3), 205-15 (2019).
- [15] Kamdem B, Seematter-Bagnoud L, Botrugno F, Santos-Eggimann B: Relationship between oral health and Fried's frailty criteria in community-dwelling older persons. *BMC Geriatr* 17 (1), 174 (2017).
- [16] Tavares M, Lindefjeld Calabi KA, San Martin L: Systemic diseases and oral health. *Dent Clin North Am* 58 (4), 797-814 (2014).
- [17] Saedi AA, Feehan J, Phu S, Duque G: Current and emerging biomarkers of frailty in the elderly. *Clin Interv Aging* 14, 389-98 (2019).

- [18] Theou O, Andrew M, Ahip SS, Squires E, McGarrigle L, Blodgett JM, et al: The Pictorial Fit-Frail Scale: Developing a Visual Scale to Assess Frailty. *Can Geriatr J* 22 (2), 64-74 (2019).
- [19] Lorenzo-Lopez L, Maseda A, de Labra C, Regueiro-Folgueira L, Rodriguez-Villamil JL, Millan-Calenti JC: Nutritional determinants of frailty in older adults: A systematic review. *BMC Geriatr* 17 (1), 108 (2017).
- [20] van der Putten GJ, de Baat C, De Visschere L, Schols J: Poor oral health, a potential new geriatric syndrome. *Gerodontology* 31 Suppl 1, 17-24 (2014).
- [21] Tonetti MS, Bottenberg P, Conrads G, Eickholz P, Heasman P, Huysmans MC, et al: Dental caries and periodontal diseases in the ageing population: call to action to protect and enhance oral health and well-being as an essential component of healthy ageing - Consensus report of group 4 of the joint EFP/ORCA workshop on the boundaries between caries and periodontal diseases. *J Clin Periodontol* 44 Suppl 18, S135-S44 (2017).
- [22] Smidt D, Torpet LA, Nauntofte B, Heegaard KM, Pedersen AM: Associations between labial and whole salivary flow rates, systemic diseases and medications in a sample of older people. *Community Dent Oral Epidemiol* 38 (5), 422-35 (2010).
- [23] Semba RD, Blaum CS, Bartali B, Xue QL, Ricks MO, Guralnik JM, et al: Denture use, malnutrition, frailty, and mortality among older women living in the community. *J Nutr Health Aging* 10 (2), 161-7 (2006).
- [24] Hatch JP, Shinkai RS, Sakai S, Rugh JD, Paunovich ED: Determinants of masticatory performance in dentate adults. *Arch Oral Biol* 46 (7), 641-8 (2001).
- [25] Samnieng P, Ueno M, Shinada K, Zaitzu T, Wright FA, Kawaguchi Y: Association of hyposalivation with oral function, nutrition and oral health in community-dwelling elderly Thai. *Community Dent Health* 29 (1), 117-23 (2012).
- [26] Rogus-Pulia NM, Gangnon R, Kind A, Connor NP, Asthana S: A Pilot Study of Perceived Mouth Dryness, Perceived Swallowing Effort, and Saliva Substitute Effects in Healthy Adults Across the Age Range. *Dysphagia* (2017).
- [27] Brochier CW, Hugo FN, Rech RS, Baumgarten A, Hilgert JB: Influence of dental factors on oropharyngeal dysphagia among recipients of long-term care. *Gerodontology* (2018).
- [28] Kikutani T, Yoshida M, Enoki H, Yamashita Y, Akifusa S, Shimazaki Y, et al: Relationship between nutrition status and dental occlusion in community-dwelling frail elderly people. *Geriatr Gerontol Int* 13 (1), 50-4 (2013).
- [29] van der Maarel-Wierink CD, Meijers JM, De Visschere LM, de Baat C, Halfens RJ, Schols JM: Subjective dysphagia in older care home residents: a cross-sectional, multi-centre point prevalence measurement. *Int J Nurs Stud* 51 (6), 875-81 (2014).
- [30] van der Maarel-Wierink CD, Vanobbergen JN, Bronkhorst EM, Schols JM, de Baat C: Meta-analysis of dysphagia and aspiration pneumonia in frail elders. *J Dent Res* 90 (12), 1398-404 (2011).
- [31] Nadig SD, Ashwathappa DT, Manjunath M, Krishna S, Annaji AG, Shivaprakash PK: A relationship between salivary flow rates and *Candida* counts in patients with xerostomia. *J Oral Maxillofac Pathol* 21 (2), 316 (2017).
- [32] Adachi M, Ishihara K, Abe S, Okuda K, Ishikawa T: Effect of professional oral health care on the elderly living in nursing homes. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 94 (2), 191-5 (2002).
- [33] Koshimune S, Awano S, Gohara K, Kurihara E, Ansai T, Takehara T: Low salivary flow and volatile sulfur compounds in mouth air. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 96 (1), 38-41 (2003).
- [34] Boyce JM, Shone GR: Effects of ageing on smell and taste. *Postgrad Med J* 82 (966), 239-41 (2006).

[35] Rawal S, Hoffman HJ, Bainbridge KE, Huedo-Medina TB, Duffy VB: Prevalence and Risk Factors of Self-Reported Smell and Taste Alterations: Results from the 2011-2012 US National Health and Nutrition Examination Survey (NHANES). *Chem Senses* 41 (1), 69-76 (2016).

[36] Dawes C, Macpherson LM: Effects of nine different chewing-gums and lozenges on salivary flow rate and pH. *Caries Res* 26 (3),176-82 (1992).

- [1] Humphrey SP, Williamson RT: A review of saliva: normal composition, flow, and function. *J Prosthet Dent* 85 (2), 162–169 (2001).
- [2] Spirk C et al.: Comprehensive investigation of saliva replacement liquids for the treatment of xerostomia. *Int J Pharm* 571, 118759 (2019).
- [3] Xu F, Laguna L, Sarkar A: Aging-related changes in quantity and quality of saliva: Where do we stand in our understanding? *J Texture Stud* 50 (1), 27–35 (2019).
- [4] Dawes C: How much saliva is enough for avoidance of xerostomia? *Caries Res* 38 (3), 236–240 (2004).
- [5] Ohara Y et al.: Prevalence and factors associated with xerostomia and hyposalivation among community-dwelling older people in Japan. *Gerodontology* 33 (1), 20–27 (2016).
- [6] Ship JA, Pillemer SR, Baum BJ: Xerostomia and the geriatric patient. *J Am Geriatr Soc* 50 (3), 535–543 (2002).
- [7] Statistisches Bundesamt. Demografischer Wandel. 2019. Aus: https://www.destatis.de/DE/ZahlenFakten/_Querschnitt/DemografischerWandel/DemografischerWandel.html.
- [8] Imfeld T: [Oligosialia and xerostomia. I. Basic principles, epidemiology, etiology, pathology]. *Schweiz Monatsschr Zahnmed* 94 (8), 741–754 (1984).
- [9] Imfeld T: [Oligosialia and xerostomia. II: Diagnosis, prevention and treatment]. *Schweiz Monatsschr Zahnmed* 94 (10), 1083–1096 (1984).
- [10] Groetz KA: Die trockene Mundhöhle: Ätiologie, Klinik, Diagnostik, Therapie. 2002. Aus: <https://www.zm-online.de/archiv/2002/22/titel/die-trockene-mundhoehle-aetiologie-klinik-diagnostik-therapie/>.
- [11] Johansson AK et al.: Self-reported dry mouth in 50- to 80-year-old Swedes: Longitudinal and cross-sectional population studies. *J Oral Rehabil* 47 (1) (2019).
- [12] Moßhammer D et al.: Polypharmazie – Tendenz steigend, Folgen schwer kalkulierbar, Polypharmacy – an upward trend with unpredictable effects. *Dtsch Arztebl Int* 113 (38), 627–633 (2016).
- [13] Laroche ML et al.: Inappropriate medications in the elderly. *Clin Pharmacol Ther* 85 (1), 94–97 (2009).
- [14] Schein OD et al.: Dry eye and dry mouth in the elderly: a population-based assessment. *Arch Intern Med* 159 (12), 1359–1363 (1999).
- [15] Herrmann G et al.: [Xerostomia and its impact on oral health-related quality of life]. *Z Gerontol Geriatr* 50 (2), 145–150 (2017).
- [16] Wolff A et al.: A guide to medications inducing salivary gland dysfunction, xerostomia, and subjective sialorrhea: a systematic review sponsored by the World Workshop on Oral Medicine VI. *Drugs R D* 17 (1), 1–28 (2017).
- [17] Tan ECK et al.: Medications that cause dry mouth as an adverse effect in older people: a systematic review and metaanalysis. *J Am Geriatr Soc* 66 (1), 76–84 (2018).
- [18] Groetz KA, Schiegnitz E, Wolff TF: Handbuch MKG 2019: MKG-Update 2019 Kompromittierte Patienten. Wiesbaden: Groetz, Knut A., Wiesbaden; Haßfeld, Stefan, Dortmund; Schmidt-Westhausen, Andrea M, Berlin (2019).
- [19] S3-Leitlinie „Supportive Therapie bei onkologischen PatientInnen“. 2017. AWMF-Registernummer 032/054OL. Herausgeber: Leitlinienprogramm Onkologie der

Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften e.V. (AWMF), Deutschen Krebsgesellschaft e.V. (DKG) und Deutschen Krebshilfe (DKH). 2017. Aus: http://www.awmf.org/uploads/tx_szleitlinien/032-054OLI_S3_Supportiv_2017-05.pdf.

- [20] Stefanski AL et al.: Diagnostik und Therapie des Sjögren-Syndroms. Dtsch Arztebl Int 114 (20), 354–361 (2017).
- [21] Lopez-Pintor RM et al.: Xerostomia, hyposalivation, and salivary flow in diabetes patients. J Diabetes Res 4372852 (2016).
- [22] Dörr W, Groetz KA, Riesenbeck D: 15.2 Supportive Maßnahmen in der Strahlentherapie im Kopf-Hals-Bereich: Radioxerostomie. 2012. Aus: <https://www.onkodin.de/e6/e95624/e99292/e99326/>.
- [23] Krüger M et al.: S2k-Leitlinie „Infizierte Osteoradionekrose (IORN) der Kiefer“. 2018. Aus: <https://www.awmf.org/leitlinien/detail/II/007-046.html>.

Der Interdentalraum: Klinische Aspekte, Diagnostik und Prävention

ZMK 4 (36) 2020, Seite 189-196

Prof. Dr Patrick R. Schmidlin, Prof. Dr. Adrian Lussi

1. Albandar JM. Epidemiology and risk factors of periodontal diseases. Dent Clin North Am. 2005 Jul;49(3):517-32.
2. Newton JT, Asimakopoulou K. Managing oral hygiene as a risk factor for periodontal disease: a systematic review of psychological approaches to behaviour change for improved plaque control in periodontal management. J Clin Periodontol. 2015 Apr;42 Suppl 16:S36-46.
3. Worthington HV, MacDonald L, Poklepovic Pericic T, Sambunjak D, Johnson TM, Imai P, Clarkson JE. Home use of interdental cleaning devices, in addition to toothbrushing, for preventing and controlling periodontal diseases and dental caries. Cochrane Database Syst Rev. 2019 Apr 10;4:CD012018.
4. Vogel M, Sener B, Roos M, Attin T, Schmidlin PR. Interdental cleaning and gingival injury potential of interdental toothbrushes. Swiss Dent J. 2014;124(12):1290-301.
5. Schmidlin PR. Risks and side effects of periodontitis therapy. Focus on restorative possibilities for improving esthetic defects. Schweiz Monatsschr Zahnmed. 2012;122(5):427-37.
6. Montevecchi M, Checchi V, Piana L, Checchi L. Variables Affecting the Gingival Embrasure Space in Aesthetically Important Regions: Differences between Central and Lateral Papillae. Open Dent J. 2011;5:126-35.
7. Takei HH. The interdental space. Dent Clin North Am. 1980 Apr;24(2):169-76.
8. Lindhe J, Berglundh T. The interface between the mucosa and the implant. Periodontol 2000. 1998 Jun;17:47-54.
9. Berglundh T, Lindhe J, Ericsson I, Marinello CP, Liljenberg B, Thomsen P. The soft barrier at implants and teeth. Clin Oral Implants Res. 1991 Apr-Jun;2(2):81-90.
10. Klinge B, Hultin M, Berglundh T. Peri-implantitis. Dent Clin North Am. 2005 Jul;49(3):661-76
11. Berglundh T, Zitzmann NU, Donati M. Are peri-implantitis lesions different from lesions? J Clin Periodontol. 2011 Mar;38 Suppl 11:188-202.

12. Lang NP, Wetzel AC, Stich H, Caffesse RG. Histologic probe penetration in healthy and inflamed peri-implant tissues. *Clin Oral Implants Res.* 1994 Dec;5(4):191-201.
13. Ramanauskaite A, Roccuzzo A, Schwarz F. A systematic review on the influence of the horizontal distance between two adjacent implants inserted in the anterior maxilla on the inter-implant mucosa fill. *Clin Oral Implants Res.* 2018 Mar;29 Suppl 15:62-70.
14. Jung RE, Heitz-Mayfield L, Schwarz F; Groups of the 2nd Osteology Foundation Consensus Meeting. Evidence-based knowledge on the aesthetics and maintenance of peri-implant soft tissues: Osteology Foundation Consensus Report Part 3 - Aesthetics of peri-implant soft tissues. *Clin Oral Implants Res.* 2018 Mar;29 Suppl 15:14-17.
15. Tarnow DP, Cho SC, Wallace SS. The effect of inter-implant distance on the height of inter-implant bone crest. *J Periodontol.* 2000 Apr;71(4):546-9.
16. Tarnow DP1, Magner AW, Fletcher P. The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla. *J Periodontol.* 1992 Dec;63(12):995-6.
17. Bergström J. The topography of papillary gingiva in health and early gingivitis. *J Clin Periodontol.* 1984 Aug;11(7):423-31.
18. Weidlich P1, Lopes de Souza MA, Oppermann RV. Evaluation of the dentogingival area during early plaque formation. *J Periodontol.* 2001 Jul;72(7):901-10.
19. Tungare S, Paranjpe AG. Drug Induced Gingival Overgrowth (DIGO). StatPearls Publishing; 2019-2019 Dec 13.
20. Kaufmann ME, Wiedemeier DB, Zellweger U, Solderer A, Attin T, Schmidlin PR. Gingival recession after scaling and root planing with or without systemic metronidazole and amoxicillin: a re-review. *Clin Oral Investig.* 2020 Jan 15.
21. Duffy J, Gkrantias N, Donos N. Necrotising Ulcerative Gingivitis: A Literature Review. *Oral Health Prev Dent.* 2017;15(4):321-327.
22. Cobb CM, Ferguson BL, Keselyak NT, Holt LA, MacNeill SR, Rapley JW. A TEM/SEM of the microbial plaque overlying the necrotic gingival papillae of HIV-seropositive, necrotizing ulcerative periodontitis. *J Periodontal Res.* 2003 Apr;38(2):147-55.

23. L  e H, Morrison E. Periodontal health and disease in young people: screening for priority care. *Int Dent J*. 1986 Sep;36(3):162-7.
24. Beltr  n-Aguilar ED, Eke PI, Thornton-Evans G, Petersen PE. Recording and surveillance systems for periodontal diseases. *Periodontol 2000*. 2012 Oct;60(1):40-53.
25. Ekstrand KR, Bruun G, Bruun M. Plaque and gingival status as indicators for caries progression on approximal surfaces. *Caries Res*. 1998;32(1):41-5.
26. Omar AA, Newman HN, Bulman J, Osborn J. Associations between subgingival plaque bacterial morphotypes and clinical indices? *J Clin Periodontol*. 1991 Aug;18(7):555-66.
27. Hofer D, Sahrman P, Attin T, Schmidlin PR. Comparison of marginal bleeding using a periodontal probe or an interdental brush as indicators of gingivitis. *Int J Dent Hyg*. 2011 Aug;9(3):211-5.
28. Hirooka H, Renvert S. Diagnosis of Periimplant Disease. *Implant Dent*. 2019 Apr;28(2):144-149.
29. Chu SJ, Kan JY, Lee EA, Lin GH, Jahangiri L, Nevins M, Wang HL. Restorative Emergence Profile for Single-Tooth Implants in Healthy Periodontal Patients: Clinical Guidelines and Decision-Making Strategies. *Int J Periodontics Restorative Dent*. 2019 Jan/Feb;40(1):19-29.
30. Coli P, Sennerby L. Is Peri-Implant Probing Causing Over-Diagnosis and Over-Treatment of Dental Implants? *J Clin Med*. 2019 Jul 29;8(8). pii: E1123.
31. Gallie A. Home use of interdental cleaning devices and toothbrushing and their role in disease prevention. *Evid Based Dent*. 2019 Dec;20(4):103-104.
32. Baumgartner G, Wiedemeier DB, Hofer D, Sener B, Attin T, Schmidlin PR. In vitro cleaning potential of waist-shaped interdental brushes. *Swiss Dent J*. 2019 May 12;129(5):360-367.
33. Jaeggi T, Lussi A. Interdental brushes. *Swiss Dent J*. 2019 Nov 11;129(11):944-945.