

Literaturverzeichnis

ZTM 4 2023 (27), 206-210

Verblendete Zirkonoxid-Restaurationen – wie oft darf ich (nach-)brennen?

Dr. Justine Hensel, Prof. Dr. Bogna Stawarczyk M.Sc.

- [1] Fehmer, V., Mühlmann, S., Hä默le, C. H., & Sailer, I. (2014). Criteria for the selection of restoration materials. *Quintessence International*, 45(9), 723-730.
- [2] Stawarczyk, B., Keul, C., Eichberger, M., Figge, D., Edelhoff, D., & Lümkemann, N. (2017). Three generations of zirconia: From veneered to monolithic. Part I. *Quintessence International*, 48(5), 369-380.
- [3] Lümkemann, N., & Stawarczyk, B. (2021). Impact of hydrothermal aging on the light transmittance and flexural strength of colored yttria-stabilized zirconia materials of different formulations. *The Journal of Prosthetic Dentistry*, 125(3), 518-526.
- [4] Stawarczyk, B., Özcan, M., Trottman, A., Hä默le, C. H., & Roos, M. (2012). Evaluation of flexural strength of hipped and presintered zirconia using different estimation methods of Weibull statistics. *Journal of the Mechanical Behavior of Biomedical Materials*, 10, 227-234.
- [5] Zadeh, P. N., Lümkemann, N., Sener, B., Eichberger, M., & Stawarczyk, B. (2018). Flexural strength, fracture toughness, and translucency of cubic/tetragonal zirconia materials. *The Journal of Prosthetic Dentistry*, 120(6), 948-954.
- [6] Guazzato, M., Albakry, M., Ringer, S. P., & Swain, M. V. (2004). Strength, fracture toughness and microstructure of a selection of all-ceramic materials. Part II. Zirconia-based dental ceramics. *Dental Materials*, 20(5), 449-456.
- [7] Turon-Vinas, M., & Anglada, M. (2018). Strength and fracture toughness of zirconia dental ceramics. *Dental Materials*, 34(3), 365-375.
- [8] Babu, P. J., Alla, R. K., Alluri, V. R., Datla, S. R., & Konakanchi, A. (2015). Dental ceramics: Part I—An overview of composition, structure and properties. *American Journal of Materials Engineering and Technologies*, 3(1), 13-18.
- [9] Piconi, C., & Maccauro, G. (1999). Zirconia as a ceramic biomaterial. *Biomaterials*, 20(1), 1-25.
- [10] Vichi, A., Louca, C., Corciolani, G., & Ferrari, M. (2011). Color related to ceramic and zirconia restorations: a review. *Dental Materials*, 27(1), 97-108.
- [11] Fischer, J., Stawarczyk, B., & Hä默le, C. (2008). Flexural strength of veneering ceramics for zirconia. *Journal of Dentistry*, 36(5), 316-321.
- [12] Kelly, J. R. (1997). Ceramics in restorative and prosthetic dentistry. *Annual Review of Materials Science*, 27(1), 443-468.
- [13] Reise, M. (2004). Das kleine ABC der Verblendkeramik. *Materialkunde. ZWP spezial*, 22-25.
- [14] Babu, P. J., Alla, R. K., Alluri, V. R., Datla, S. R., & Konakanchi, A. (2015). Dental ceramics: Part I—An overview of composition, structure and properties. *American Journal of Materials Engineering and Technologies*, 3(1), 13-18.
- [15] Cesar, P. F., Yoshimura, H. N., Júnior, W. G. M., & Okada, C. Y. (2005). Correlation between fracture toughness and leucite content in dental porcelains. *Journal of Dentistry*, 33(9), 721-729.

- [16] McLaren, E., & Giordano, R. (2010). Ceramics overview: classification by microstructure and processing methods. *Compendium of Continuing Education in Dentistry*, 31, 682-684.
- [17] Heintze, S. D., & Rousson, V. (2010). Survival of zirconia-and metal-supported fixed dental prostheses: a systematic review. *International Journal of Prosthodontics*, 23(6), 493-502.
- [18] Baldassarri, M., Stappert, C. F., Wolff, M. S., Thompson, V. P., & Zhang, Y. (2012). Residual stresses in porcelain veneered zirconia prostheses. *Dental Materials*, 28(8), 873-879.
- [19] Guess, P. C., Kuliš, A., Witkowski, S., Wolkewitz, M., Zhang, Y., & Strub, J. R. (2008). Shear bond strengths between different zirconia cores and veneering ceramics and their susceptibility to thermocycling. *Dental Materials*, 24(11), 1556-1567.
- [20] Swain, M. V. (2009). Unstable cracking (chipping) of veneering porcelain on all-ceramic dental crowns and fixed partial dentures. *Acta Biomaterialia*, 5(5), 1668-1677.
- [21] Benetti, P., Kelly, J. R., Sanchez, M., & Della Bona, A. (2014). Influence of thermal gradients on stress state of veneered restorations. *Dental Materials*, 30(5), 554-563.
- [22] Tholey, M. J., Swain, M. V., & Thiel, N. (2011). Thermal gradients and residual stresses in veneered Y-TZP frameworks. *Dental Materials*, 27(11), 1102-1110.
- [23] Rodrigues, C. D. S., Aurélio, I. L., Kaizer, M. D. R., Zhang, Y., & May, L. G. (2019). Do thermal treatments affect the mechanical behavior of porcelain-veneered zirconia? A systematic review and meta-analysis. *Dental Materials*, 35(5), 807-817.
- [24] Anusavice, K., DeHoff, P., Hojjatie, B., & Gray, A. (1989). Influence of tempering and contraction mismatch on crack development in ceramic surfaces. *Journal of Dental Research*, 68(7), 1182-1187.
- [25] Fischer, J., Stawarczyk, B., Tomic, M., Strub, J. R., & Haemmerle, C. H. (2007). Effect of thermal misfit between different veneering ceramics and zirconia frameworks on in vitro fracture load of single crowns. *Dental Materials Journal*, 26(6), 766-772.
- [26] Göstemeyer, G., Jendras, M., Borchers, L., Bach, F.-W., Stiesch, M., & Kohorst, P. (2012). Effect of thermal expansion mismatch on the Y-TZP/veneer interfacial adhesion determined by strain energy release rate. *Journal of Prosthodontic Research*, 56(2), 93-101.
- [27] Juntavee, N., & Dangsuwan, C. (2018). Role of coefficient of thermal expansion on bond strength of ceramic veneered yttrium-stabilized zirconia. *Journal of Clinical and Experimental Dentistry*, 10(3), e279-e286.
- [28] DIN ISO 6872:2019-01. Dentistry – Ceramic Materials.
- [29] Al-Zarea, B. K. (2015). Maximum bite force following unilateral fixed prosthetic treatment: a within-subject comparison to the dentate side. *Medical principles and practice : International Journal of the Kuwait University, Health Science Centre*, 24(2), 142-146.

Literaturverzeichnis

ZTM 4 2023 (27), 200-205

Schienenwerkstoffe für die digitale Fertigung

Prof. Dr. Martin Rosentritt, Dr. Michael Schmidt, Dr. Johann-Philip Wulff, PD. Dr. Angelika Rauch

- [1] Friction J, Look JO, Wright E, Alencar FGP, Chen H, Lang M et al. Systematic review and meta-analysis of randomized controlled trials evaluating intraoral orthopedic appliances for temporomandibular disorders. *J Orofac Pain* 2010;24:237–54.
- [2] Riley P, Glenny A-M, Worthington HV, Jacobsen E, Robertson C, Durham J et al. Oral splints for patients with temporomandibular disorders or bruxism: a systematic review and economic evaluation. *Health Technol Assess* 2020;24:1–224. <https://doi.org/10.3310/hta24070>.
- [3] Behr M, Stebner K, Kolbeck C, Faltermeier A, Driemel O, Handel G. Outcomes of temporomandibular joint disorder therapy: observations over 13 years. *Acta Odontol Scand* 2007;65:249–53. <https://doi.org/10.1080/00016350701408206>.
- [4] Jokubauskas L, Baltrušaitytė A, Pileičikienė G. Oral appliances for managing sleep bruxism in adults: a systematic review from 2007 to 2017. *J Oral Rehabil* 2018;45:81–95. <https://doi.org/10.1111/joor.12558>.
- [5] Macedo CR, Silva AB, Machado MA, Saconato H, Prado GF. Occlusal splints for treating sleep bruxism (tooth grinding). *Cochrane Database Syst Rev* 2007;2007:CD005514. <https://doi.org/10.1002/14651858.CD005514.pub2>.
- [6] Jagger R. The effectiveness of occlusal splints for sleep bruxism. *Evid Based Dent* 2008;9:23. <https://doi.org/10.1038/sj.ebd.6400569>.
- [7] Rosentritt M, Schmidt M, Wulff J, Rauch A. Material für digitale Schienen. *Quintessenz Zahntechnik* 2023;2023:482–90.
- [8] Benli M, Eker Gümüş B, Kahraman Y, Gökcen-Rohlig B, Evlioglu G, Huck O et al. Surface roughness and wear behavior of occlusal splint materials made of contemporary and high-performance polymers. *Odontology* 2020;108:240–50. <https://doi.org/10.1007/s10266-019-00463-1>.
- [9] Rosentritt M, Huber C, Strasser T, Schmid A. Investigating the mechanical and optical properties of novel Urethandimethacrylate (UDMA) and Urethanmethacrylate (UMA) based rapid prototyping materials. *Dent Mater* 2021;37:1584–91. <https://doi.org/10.1016/j.dental.2021.08.009>.
- [10] Wedekind L, Güth J-F, Schweiger J, Kollmuss M, Reichl F-X, Edelhoff D et al. Elution behavior of a 3D-printed, milled and conventional resin-based occlusal splint material. *Dent Mater* 2021;37:701–10. <https://doi.org/10.1016/j.dental.2021.01.024>.
- [11] Kim D, Shim J-S, Lee D, Shin S-H, Nam N-E, Park K-H et al. Effects of Post-Curing Time on the Mechanical and Color Properties of Three-Dimensional Printed Crown and Bridge Materials. *Polymers (Basel)* 2020;12. <https://doi.org/10.3390/polym12112762>.
- [12] Reymus M, Stawarczyk B. Influence of Different Postpolymerization Strategies and Artificial Aging on Hardness of 3D-Printed Resin Materials: An In Vitro Study. *Int J Prosthodont* 2020;33:634–40. <https://doi.org/10.11607/ijp.6634>.
- [13] Prpić V, Schauperl Z, Ćatić A, Dulčić N, Čimić S. Comparison of Mechanical Properties of 3D-Printed, CAD/CAM, and Conventional Denture Base Materials. *J Prosthodont* 2020;29:524–8. <https://doi.org/10.1111/jopr.13175>.
- [14] Wulff J, Schmid A, Huber C, Rosentritt M. Dynamic fatigue of 3D-printed splint materials. *J Mech Behav Biomed Mater* 2021;124:104885. <https://doi.org/10.1016/j.jmbbm.2021.104885>.

- [15] Berli C, Thieringer FM, Sharma N, Müller JA, Dedem P, Fischer J et al. Comparing the mechanical properties of pressed, milled, and 3D-printed resins for occlusal devices. *J Prosthet Dent* 2020; <https://doi.org/10.1016/j.prosdent.2019.10.024>.
- [16] Gibreel M, Pereira-Lowery L, Vallittu PK, Lassila L. Characterization of occlusal splint materials: CAD-CAM versus conventional resins. *J Mech Behav Biomed Mater* 2021;124:104813. <https://doi.org/10.1016/j.jmbbm.2021.104813>.
- [17] Rosentritt M, Behr M, Strasser T, Schmid A. Pilot in-vitro study on insertion/removal performance of hand-cast, milled and 3D printed splints. *J Mech Behav Biomed Mater* 2021;121:104612. <https://doi.org/10.1016/j.jmbbm.2021.104612>.
- [18] Alharbi N, Osman R, Wismeijer D. Effects of build direction on the mechanical properties of 3D-printed complete coverage interim dental restorations. *J Prosthet Dent* 2016;115:760–7. <https://doi.org/10.1016/j.prosdent.2015.12.002>.
- [19] Väyrynen VOE, Tanner J, Vallittu PK. The anisotropy of the flexural properties of an occlusal device material processed by stereolithography. *J Prosthet Dent* 2016;116:811–7. <https://doi.org/10.1016/j.prosdent.2016.03.018>.
- [20] Pereira-Lowery L, Gibreel M, Vallittu PK, Lassila L. Evaluation of the mechanical properties and degree of conversion of 3D printed splint material. *J Mech Behav Biomed Mater* 2021;115:104254. <https://doi.org/10.1016/j.jmbbm.2020.104254>.
- [21] Reymus M, Stawarczyk B. In vitro study on the influence of postpolymerization and aging on the Martens parameters of 3D-printed occlusal devices. *J Prosthet Dent* 2021;125:817–23. <https://doi.org/10.1016/j.prosdent.2019.12.026>.
- [22] Wada J, Wada K, Gibreel M, Wakabayashi N, Iwamoto T, Vallittu PK et al. Effect of 3D Printer Type and Use of Protection Gas during Post-Curing on Some Physical Properties of Soft Occlusal Splint Material. *Polymers (Basel)* 2022;14. <https://doi.org/10.3390/polym14214618>.
- [23] Grymak A, Aarts JM, Ma S, Waddell JN, Choi JJE. Comparison of hardness and polishability of various occlusal splint materials. *J Mech Behav Biomed Mater* 2021;115:104270. <https://doi.org/10.1016/j.jmbbm.2020.104270>.
- [24] Grymak A, Aarts JM, Ma S, Waddell JN, Choi JJE. Wear Behavior of Occlusal Splint Materials Manufactured By Various Methods: A Systematic Review. *J Prosthodont* 2021. <https://doi.org/10.1111/jopr.13432>.
- [25] Hickl V, Strasser T, Schmid A, Rosentritt M. Effects of storage and toothbrush simulation on color, gloss, and roughness of CAD/CAM, hand-cast, thermoforming, and 3D-printed splint materials. *Clin Oral Invest* 2022. <https://doi.org/10.1007/s00784-022-04391-3>.
- [26] Orgev A, Levon JA, Chu T-MG, Morton D, Lin W-S. The effects of manufacturing technologies on the surface accuracy of CAD-CAM occlusal splints. *J Prosthodont* 2022. <https://doi.org/10.1111/jopr.13610>.
- [27] Marcel R, Reinhard H, Andreas K. Accuracy of CAD/CAM-fabricated bite splints: milling vs 3D printing. *Clin Oral Invest* 2020;24:4607–15. <https://doi.org/10.1007/s00784-020-03329-x>.
- [28] Palazzo G, Ronivalle V, Oteri G, Lo Giudice A, Toro C, Campagna P et al. Comparison between Additive and Subtractive CAD-CAM Technique to Produce Orthognathic Surgical Splints: A Personalized Approach. *J Pers Med* 2020;10. <https://doi.org/10.3390/jpm10040273>.