

Zirkondioxid VITA YZ: ästhetisches und robustes Fundament für herausnehmbaren Zahnersatz

Dr. Jochen Mellinghoff M. Sc., Ph. D.,

ZTM Norbert Wichnalek, ZT Lukas Wichnalek, ZT Arbnor Saraci

- [1] Sen N, Isler S. Microstructural, physical, and optical characterization of high-translucency zirconia ceramics. *J Prosthet Dent.* 2020; 123 (5): 761-768.
- [2] Att W, Komine F, Gerds T, Strub JR. Marginal adaptation of three different zirconium dioxide three-unit fixed dental prostheses. *J Prosthet Dent.* 2009; 101 (4): 239-47.
- [3] Kohorst P, Brinkmann H, Dittmer MP, Borchers L, Stiesch M. Influence of the veneering process on the marginal fit of zirconia fixed dental prostheses. *J Oral Rehabil.* 2010; 37 (4): 283-91.
- [4] Devigus A, Lombardi G. Shading Vita YZ substructures: influence on value and chroma, part I. *Int J Comput Dent.* 2004; 7 (3): 293-301.
- [5] Devigus A, Lombardi G. Shading Vita In-ceram YZ substructures: influence on value and chroma, part II. *Int J Comput Dent.* 2004; 7 (4): 379-88.
- [6] Manziuc MM, Gasparik C, Burde AV, Dudea D. Color and masking properties of translucent monolithic zirconia before and after glazing. *J Prosthodont Res.* 2021; 65 (3): 303-310.
- [7] Kohorst P, Butzheinen LO, Dittmer MP, Heuer W, Borchers L, Stiesch M. Influence of preliminary damage on the load-bearing capacity of zirconia fixed dental prostheses. *J Prosthodont.* 2010; 19 (8): 606-13.
- [8] Rohr N, Balmer M, Müller JA, Martin S, Fischer J. Chewing simulation of zirconia implant supported restorations. *J Prosthodont Res.* 2019; 63 (3): 361-367.
- [9] Guilardi LF, Pereira GKR, Gündel A, Rippe MP, Valandro LF. Surface micro-morphology, phase transformation, and mechanical reliability of ground and aged monolithic zirconia ceramic. *J Mech Behav Biomed Mater.* 2017; 65: 849-856.
- [10] Guess PC, Bonfante EA, Silva NR, Coelho PG, Thompson VP. Effect of core design and veneering technique on damage and reliability of Y-TZP-supported crowns. *Dent Mater.* 2013; 29 (3): 307-16.
- [11] Chaar MS, Kern M. Five-year clinical outcome of posterior zirconia ceramic inlay-retained FDPs with a modified design. *J Dent.* 2015; 43 (12): 1411-5.
- [12] Rizo-Gorrita M, Luna-Oliva I, Serrera-Figallo MÁ, Gutiérrez-Pérez JL, Torres-Lagares D. Comparison of Cytomorphometry and Early Cell Response of Human Gingival Fibroblast (HGFs) between Zirconium and New Zirconia-Reinforced Lithium Silicate Ceramics (ZLS). *Int J Mol Sci.* 2018; 19 (9): 2718.
- [13] Brizuela-Velasco A, Chento-Valiente Y, Chávarri-Prado D, Pérez-Pevida E, Diéguez-Pereira M. Zirconia and radioactivity: An in vitro study to establish the presence of radionuclides in dental zirconia. *J Prosthet Dent.* 2021; 126 (1): 115-118.
- [14] Kurbad A. Microveneering technique for esthetic enhancement of monolithic zirconia restorations. *Int J Comput Dent.* 2016; 19 (2): 165-78.

- [1] <https://www.tummytimemethod.com/professional-training.html>; besucht am 31.08.2019.
- [2] Ingram J, et al. The development of a tongue assessment tool to assist with tongue-tie identification. Arch Dis Child Fetal Neonatal Ed. 2015; 100: F344-F348.
- [3] Ingram J, Copeland M, Johnsson D, Emond A. The development and evaluation of a picture tongue assessment tool for tongue-tie in breastfed babies. Int Breastfeed J. 2019; 14 (39).
- [4] Frenotomy Decision Tool for Breastfeeding Dyads © 2018 Carole Dobrich, based on Srinivasan A, Dobrich C, et al. Ankyloglossia in breastfeeding infants: the effect of frenotomy on maternal pain and latch. Breastfeed Med. 2006; 1 (4): 216-224.
- [5] Amir LH, James JP, Donath SM. Reliability of the Hazelbaker assessment tool for lingual frenulum function. Int Breastfeed J. 2006; 1 (1): 3.
- [6] Martinelli RLC, Queiroz Marchesan I, Berretin-Felix G. Posterior lingual frenulum in infants: occurrence and maneuver for visual inspection Rev. CEFAC. 2018; 20 (4): 478-483.
- [7] Elad et al. Biomechanics of milk extraction during breast-feeding. Proc Natl Acad Sci U S A. 2014; 8; 111 (14): 5230- 5.
- [8] Baxter R, et al. Tongue-tied. Alabama Tongue-Tie Center; 1. Auflage, 2018.
- [9] Guóth-Gumberger M. Gewichtsverlauf und Stillen – Dokumentieren, Beurteilen, Begleiten. Mabuse-Verlag, Frankfurt am Main, 2011, 2. überarbeitete Auflage, 2017.
- [10] Guóth-Gumberger M, Karall D. Das zu kurze Zungenband. Beurteilung und Begleitung. Laktation und Stillen 2/2016.
- [11] Kotlov L. SOS 4TOTS Tethered oral tissues. 2. Auflage, 2017.
- [12] Ghaheri BA, Cole M, Mace JC. Revision Lingual Frenotomy Improves Patient-Reported Breastfeeding Outcomes: A Prospective Cohort Study. J Hum Lact. 2018; 34 (3): 566-574.
- [13] Moghtader D. Schmerzfrei stillen – die frei bewegliche Zunge, Vor- und Nachsorge der Frenotomie. Die Hebamme. 2018; 31 (6): 393–399.
- [14] Billington J, Yardley I, Upadhyaya M. Long-term efficacy of a tongue tie service in improving breast feeding rates: A prospective study. J Pediatr Surg. 2018; 53 (2): 286-288.

- [1] Bartsch A. Compliance von Kindern und Jugendlichen. Studienreihe psychologische Forschungsergebnisse, Band 35; 1998. Dr. Kovac-Verlag, Hamburg: ISBN 978-3-86064-814-8
- [2] Lindhe J, Koch G. The effect of supervised oral hygiene on gingiva of children. J Periodont Res. 1967; 2 (3): 215-220.
- [3] Nikias MK, Budner NS, Breakstone RS. Maintenance of oral home care preventive practices. J Publ Health Dent. 1982; 42 (1): 7-27.
- [4] Axelsson P, Lindhe J. The effect of a preventive programme on dental plaque, gingivitis and caries on schoolchildren. J Clin Periodontol. 1974; 1: 126-138.
- [5] Axelsson P, Lindhe J. Effect on controlled oral hygiene procedures on caries and periodontal disease in adults. J Clin Periodontol. 1978; 5: 133-151.
- [6] Axelsson P, Lindhe J. Effect of controlled oral hygiene procedures on caries and periodontal disease in adults. Results after 6 years. J Clin Periodontol. 1981; 8: 239-248.
- [7] Saxer U. Neue Erkenntnisse zwingen zu Praxis-Recall-Systemen. DZW 2000; 5: 6-8.
- [8] Caton J, Proye M, Polson A. Maintenance of healed periodontal pockets after a single episode of root planing. J Periodontol. 1982; 53 (7): 420-424.
- [9] Demetriou N, Tsami-Pandi A, Parashis A Compliance with supportive periodontal treatment in private periodontal practice. J Periodontol. 1995; 66 (2): 145-149.
- [10] Bastendorf K-D. Oralprophylaktische Maßnahmen in der Allgemeinpraxis - Praxiskonzept und Effektivitätsprüfung. Prophylaxe impuls 1999; 1: 49-53.
- [11] KZBV. Einvernehmlich gefasster Beschluss des Bewertungsausschusses zu der systematischen Behandlung von Parodontitis und anderer Parodontalerkrankungen (PAR-Richtlinie). Pressegespräch. <https://www.kzbv.de/statement-esser-erstf-par-rl2021-05-12.download.9648e4123d1c10e39a86c76a98a42c47.pdf>, letzter Zugriff am 25.09.2021
- [12] Caton JG, Armitage G, Berglundh T, Chapple ILC, Jepsen S, Kornman KS, Mealey BL, Papapanou PN, Sanz M, Tonetti MS. A new classification scheme for periodontal and peri-implant diseases and conditions - Introduction and key changes from the 1999 classification. J Clin Periodontol. 2018; 45 (Suppl 20): S1-S8. doi: 10.1111/jcpe.12935. PMID: 29926489.
- [13] Sanz M, Herrera D, Kebschull M, Chapple I, Jepsen S, Berglundh T, Sculean A, Tonetti MS. EFP Workshop Participants and Methodological Consultants. Treatment of stage I-III periodontitis - The EFP S3 level clinical practice guideline. J Clin Periodontol. 2020;47 (Suppl 22): 4-60. doi: 10.1111/jcpe.13290.
- [14] S3-Leitlinie zur Behandlung von Parodontitis Stadium I bis III - Die deutsche Implementierung der S3-Leitlinie „Treatment of Stage I–III Periodontitis“ der

European Federation of Periodontology (EFP). AWMF Registernummer 083 – 043. (Langversion): https://www.awmf.org/uploads/tx_szleitlinien/083-043l_S3_Behandlung-von-Parodontitis-Stadium-I-III_2021-02_2.pdf, letzter Zugriff am 22.03.2021

[15] Strafela-Bastendorf N, Bastendorf KD. PZR-neugedacht. zm 2016; 106 (11A): 26-32

[16] Arefnia B, Koller M, Wimmer G, Lussi A, Haas M. In Vitro Study of Surface Changes Induced on Enamel and Cementum by Different Scaling and Polishing Techniques. Oral Health & Preventive Dentistry 2021; 19 (1), 85-92.

[17] Camboni S, Donnet M. Tooth surface comparison after Air Polishing and Rubber Cup: A Scanning Electron Microscopy Study. J Clin Dent. 2016; 27: 13-18.

[18] Wolgin M, Frankenhauser A, Shakavets N, Bastendorf KD, Lussi A, Kielbassa AM. A randomized controlled trial on the efficacy of a low-abrasive air-polishing system to improve oral health care. Quintessenz international 2021; doi.3290/j.qi.b1763661

[19] Bonettia GA, Parenti SI, Ippolito DR, Gatto MR, Luigi C. Effects of ultrasonic instrumentation with different scaler-tip angulations on the shear bond strength and bond failure mode of metallic orthodontic brackets. Korean J Orthod. 2014; 44 (1): 44-49.

[20] Wennström JL, Tomasi C, Bertelle A, Dellasega E. Full mouth ultrasonic debridement versus quadrant scaling and root planing as an initial approach in the treatment of chronic periodontitis. J Clin Periodontol. 2005; 32: 851-859.

[21] Wennström JL, Dahlen G, Ramberg P. Subgingival debridement of periodontal pockets by air polishing in comparison with ultrasonic instrumentation during maintenance therapy. J Clin Periodontol. 2011; 38: 820-827.

[22] Mittal A, Nichani AS, Venugopal R. The effect of various ultrasonic and hand instruments on the root surfaces of human single rooted teeth: a planimetric and profilometric study. Journal of Indian Society of Periodontology 2014; 18 (6): 710-717.

[23] Johansson L, Öster B, Hamp S. Evaluation of cause-related periodontal therapy and compliance with maintenance care recommendations. J Clin Periodontol. 1984; 11 (10): 68-699.

[24] Nikias MK, Budner NS, Breakstone, RS. Maintenance of oral home care preventive practices. J Publ Health Dent. 1982; 42: 7-28.

[25] Novaes AB, Novaes AB Jr, Moraas N, Campos GM, Grial M. Compliance with supportive periodontal therapy. J Periodontol. 1996; 67, 213.

[26] Ramfjord S, Morrison E, Burgett F, Nissle R, Shick R, Zann G, Knowles J. Oral hygiene and maintenance of periodontal support. J Periodontol. 1982; 53 (1), 26-30.

[27] Wang NJ, Aspelund GO. Preventive care and recall intervals. Targeting of services in child dental care in Norway. Community Dent Health 2010; 27 (1): 5-11.

- [28] Löken SY, Wigen TI, Wang NJ. Recall intervals in children are individualized and extended. *Acta Odontol Scand*. 2019; 77 (6): 468-473.
- [29] Amaechi BT. Remineralisation - the buzzword for early MI caries management. *Br Dent J*. 2017; 223 (3): 173-182.
- [30] Fee PA, Riley P, Worthington HV, Clarkson JE, Boyers D, Beirne PV. Recall intervals for oral health in primary care patients. *Cochrane Database Syst Rev*. 2020; 14 (10): CD004346. doi: 10.1002/14651858.CD004346.pub4
- [31] Haukka A, Heikkinen AM, Haukka J, Kaila K. Oral health indices predict individualised recall interval. *Clin Exp Dent Res*. 2020; 6 (6): 585-595.
- [32] Trombelli L, Simonelli A, Franceschetti G, Maietti E, Farina R. What periodontal recall interval is supported by evidence? *Review Periodontol*. 2020; 84 (1): 124-133.
- [33] Ramseier C. Die Bestimmung personalisierter Intervalle in der unterstützenden Parodontaltherapie (UPT). *zm* 2021; 111 (9): 66-73.
- [34] Tonetti M, Eickholz P, Loos BG, Papanou P, van der Velden U, Armitage G, Bouchard P, Deinzer R, Dietrich T, Hughes F, Kocher T, Lang NP, Lopez R, Needleman J, Newton T, Nibali L, Pretzl B, Ramseier C, Sanz-Sanchez I, Schlagenhauf U, Suvan JE. Principles in prevention of periodontal diseases: Consensus report of group 1 of the 11th European Workshop on Periodontology on effective prevention of periodontal and peri-implant diseases. *J Clin Periodontol*. 2015; 42 (16): 5-11.
- [35] Figuero E, Nobrega DF, Garcia-Gargallo M, Tenuta LMA, Herrera D, Carvalho JC. Mechanical and chemical plaque control in the simultaneous management of gingivitis and caries: a systematic review. *J Clin Periodontol*. 2017; 44 (18): 116-134.
- [36] Bastendorf KD. Recall in der Prophylaxepaxis. *Spitta-Buch: Aktueller Stand der Parodontologie* 2000.
- [37] Donnet M, Fournier M, Schmidlin PR and Lussi A. A Novel Method to Measure the Powder Consumption of Dental Air-Polishing Devices. *Appl. Sci*. 2021, 11(3), 1101.

Peri- und paraimplantologische Kompositrestaurationen

Prof. Dr. Claus-Peter Ernst

1. Aboushelib MN, Sleem D. Microtensile bond strength of lithium disilicate ceramics to resin adhesives. *J Adhes Dent* 2014; 16: 547-552.
2. Allgeier S, Hahn B, Krastl G. Direkte Frontzahnrestaurationen aus Komposit. *Wissen Kompakt* 2019; 13 (3): 1903-112.
3. Aristidis GA, Dimitra B. Five-year clinical performance of porcelain laminate veneers. *Quintessence Int* 2002; 33: 185-189.
4. Araujo E, Perdigao J. Anterior Veneer Restorations – An Evidence-based Minimal-Intervention Perspective. *J Adhes Dent* 2021; 23: 91-110.
5. Báez Rosales A, De Nordenflycht Carvacho D, Schlieper Cacciutolo R, Gajardo Guineo M, Gandarillas Fuentes C. Conservative Approach for the Esthetic Management of Multiple Interdental Spaces: A Systematic Approach. *J Esthet Restor Dent*. 2015, 27: 344-354.
6. Barghi N, McAlister E Porcelain for Veneers. *J Esth Dent* 1998; 10, 191-197.
7. Bavbek NC, Roulet JF, Özcan M. Evaluation of microshear bond strength of orthodontic resin cement to monolithic zirconium oxide as a function of surface conditioning method. *J Adhes Dent* 2014; 16: 473-480.
8. Bömicke W, Rammelsberg P, Krisam J, Rues S. The Effects of Surface Conditioning and Aging on the Bond Strength Between Composite Cement and Zirconia reinforced Lithium-Silicate Glass-Ceramics. *J Adhes Dent* 2019; 21: 567-576.
9. Bottino MA, Snellaert A, Bergoli CD, Özcan M, Bottino MC, Valandro LF. Effect of ceramic etching protocols on resin bond strength to a feldspar ceramic. *Oper Dent* 2015; 40: 40-46.
10. Demarco FF, Collares K, Coelho-de-Souza FH, Correa MB, Cenci MS, Moraes RR, Opdam NJ. Anterior composite restorations: A systematic review on long-term survival and reasons for failure. *Dent Mater* 2015; 31: 1214-1224.
11. Dimitriadi M, Panagiotopoulou A, Pelecanou M, Yannakapoulou K, Eliades G. Stability and reactivity of γ -MPTMS silane in some commercial primer and adhesive formulations. *Dent Mater* 2018; 34: 1089-1101.
12. Edelhoff D, Prandtner O, Saeidi Pour R, Liebermann A, Stimmelmayer M, Güth JF. Frontzahnrestaurationen: Leistungsfähigkeit von Keramikveneers. *Wissen Kompakt* 2019; 13 (3): 115-1278.
13. Ernst CP. Zervikaler Lückenschluss mit direkten Komposit-Anbauten nach PA-Behandlung. *Ästhetische Zahnmedizin* 2005; 8: 33-40.
14. Ernst CP. Schneidezähne in Form gebracht. *ZMK* 2014; 30: 636 – 647.
15. Ernst CP. Direkte Frontzahnrestaurationen aus Komposit - aktuelle Studienlage und Fallbeispiele. *ZMK* 2017; 33; 2-8.
16. Ernst CP. Die korrekte Vorbehandlung indirekter Restaurationen zur adhäsiven Befestigung. *ZMK* 2017; 33: 98-110.
17. Ernst CP. Ein einziges Komposit – eine Farbe für alles? *ZMK* 2019; 35: 783-785.
18. Ernst CP. Ein praxistaugliches neues Schichtkonzept für Ceram.x Spectra ST *ZMK* 2020; 36: 48-59.
19. Ernst CP. Diastemaschluss mit einer einzigen Universalfarbe. *ZMK* 2020; 36: 220-225.
20. Ernst CP. Zervikale Approximalanbauten. *ZMK* 2020; 36: 368-375.
21. Ernst CP. Fallbeispiele zum ästhetischen Indikationsspektrum von Tetric Prime im Frontzahnbereich *ZMK* 2021; 37: 542-552.

22. Ernst CP. Omnichroma Flow- die perfekte Ergänzung zum pastösen Original. ZMK 2022; 38: 176-179.
23. Frankenberger R, Hartmann VE, Krech M, Krämer N, Reich S, Braun A, Roggendorf. Adhesive luting of new CAD/CAM materials. Int J Comput Dent 2015; 18: 9-20.
24. Hajto J. Frontzahnrestaurationen: Sind Keramikveneers die beste Wahl? Quintessenz 2010; 61: 521–528.
25. Inokoshi M, Poitevin A, De Munck J, Minakuchi S, Van Meerbeek B. Bonding effectiveness to different chemically pre-treated dental zirconia. Clin Oral Investig 2014; 18: 1803-1812.
26. Kalavacharla VK, Lawson NC, Ramp LC, Burgess JO. Influence of Etching Protocol and Silane Treatment with a Universal Adhesive on Lithium Disilicate Bond Strength. Oper Dent 2015; 40: 372-378.
27. Kim NH, Kim YJ, Lee DY. Bond Strengths of Orthodontic Metal Brackets to Tribochemically Silica-coated Zirconia Surfaces Using Different 10-Methacryloyloxydecyl Dihydrogen Phosphate-containing Primers. J Adhes Dent 2017; 19: 21-29.
28. Klaiber B. Alles noninvasiv: Zahnformveränderung, Lückenschluss, Reduktion schwarzer Dreiecke. zm 2006; 96: 52-59.
29. Lise D, Perdigão J, Van Ende A, Zidan O, Lopes G. Microshear Bond Strength of Resin Cements to Lithium Disilicate Substrates as a Function of Surface Preparation. Oper Dent 2015; 40: 524-532.
30. Moro AFV, Ramos AB, Rocha GM, Perez CDR. Effect of prior silane application on the bond strength of a universal adhesive to a lithium disilicate ceramic. J Prosthet Dent 2017 ; 118: 666-671.
31. Neto DS, Naves LZ, Costa AR, Correr AB, Consani S, Borges GA, Correr-Sobrinho L. The Effect of Hydrofluoric Acid Concentration on the Bond Strength and Morphology of the Surface and Interface of Glass Ceramics to a Resin Cement. Oper Dent 2015; 40: 470-479.
32. Opdam NJ, Roeters JJ, de Boer T, Pesschier D, Bronkhorst E. Voids and porosities in class I micropreparations filled with various resin composites. Oper Dent 2003 ; 28: 9-14.
33. Passia N, Lehmann F, Freitag-Wolf S, Kern M. Tensile bond strength of different universal adhesive systems to lithium disilicate ceramic. J Am Dent Assoc 2015; 146: 729-734.
34. Romanini-Junior JC, Kumagai RY, Ortega LF, Rodrigues JA, Cassoni A, Hirata R, Reis AF. Adhesive/silane application effects on bond strength durability to a lithium disilicate ceramic. J Esthet Restor Dent 2018; 30: 346-351.
35. Song M, Shin Y, Park JW, Roh BD. A study on the compatibility between one-bottle dentin adhesives and composite resins using micro-shear bond strength. Restor Dent Endod. 2015; 40: 30-36.
36. Tian T, Tsoi JK, Matinlinna JP, Burrow MF. Aspects of bonding between resin luting cements and glass ceramic materials. Dent Mater 2014; 30:e 147-162.
37. Wicht MJ, Wolff D. Matrizentechnik – physiologische Gestaltung approximaler Kontaktflächen im Front- und Seitenzahnbereich. Quintessenz 2016; 67(4): 1-10.
38. Wirnharter B. „Schwarze Dreiecke“ behandeln – Kronen, Veneers oder Komposite? Cosmetic Dentistry 2016; 4: 6-8.
39. Yoshida F, Tsujimoto A, Ishii R, Nojiri K, Takamizawa T, Miyazaki M, Latta MA. Influence of surface treatment of contaminated lithium disilicate and leucite glass ceramics on surface free energy and bond strength of universal adhesives. Dent Mater J 2015; 34: 855-862.
40. Yoshihara k, Nagaoka N, Sonoda A Maruo y, Makita Y, Okihara T Irie M, Yoshida Y, V. Meerbeek B. Effectiveness and stability of silane coupling agent incorporated in 'universal' adhesives. Dent Mater 2016, 32: 1218-1125.

ZMK 6/2022 (38), 284-287

Dr. Paul Leonhard Schuh, PD Dr. Marcel Hanisch

Weichgewebsmanagement in der ästhetischen Zone

- [1] Cardaropoli G, Araújo M, Lindhe J. Dynamics of bone tissue formation in tooth extraction sites. An experimental study in dogs. J Clin Periodontol. 2003; 30 (9): 809-18.
- [2] Wang J, Wang L, Zhou Z, Lai H, Xu P, Liao L, Wei J. Biodegradable Polymer Membranes Applied in Guided Bone/Tissue Regeneration: A Review. Polymers 2016; 8, 115.
- [3] Atieh MA, Alsabeeha NHM. Soft tissue changes after connective tissue grafts around immediately placed and restored dental implants in the esthetic zone: A systematic review and meta-analysis. J Esthet Restor Dent. 2020; 32 (3): 280-290.
- [4] Cairo F, Barbato L, Selvaggi F, Baielli MG, Piattelli A, Chambrone L. Surgical procedures for soft tissue augmentation at implant sites. A systematic review and meta-analysis of randomized controlled trials. Clin Implant Dent Relat Res. 2019; 21 (6): 1262-1270.
- [5] Thoma DS, Buranawat B, Hammerle CH, Held U, Jung RE. Efficacy of soft tissue augmentation around dental implants and in partially edentulous areas: A systematic review. Journal of Clinical Periodontology, 2014; 41 (Suppl 15), S77–S91.
- [6] Puisys A, Linkevicius T. The influence of mucosal tissue thickening on crestal bone stability around bone-level implants. A prospective controlled clinical trial. Clin Oral Implants Res. 2015; 26 (2): 123-9.
- [7] Schuh PL, Wachte H, Bolz W, Maischberger C, Schenk A, Kühn M. „Teflon-Tape-Technique“: synergy between isolation and lucidity. Quintessenz International Volume 2019; 50 (1).

Bessere Ästhetik durch lappenlose Implantation?

Prof. Dr. Dr. Dr. Thomas Ziebart

- [1] Boardman N, Darby I, Chen S.: A retrospective evaluation of aesthetic outcomes for single-tooth implants in the anterior maxilla. Clin Oral Implants Res. 2016 Apr; 27(4): 443-51. doi: 10.1111/clr.12593. Epub 2015 Mar 29. PMID: 25818351.
- [2] Tjan, A.H., Miller, G.D. & The, J.G. (1984) Some esthetic factors in a smile. Journal of Prosthetic Dentistry 51:24–28.
- [3] Fürhauser, R., Florescu, D., Benesch, D., Haas, R., Mailath, G. & Watzek, G. (2005) Evaluation of soft tissue around single tooth implant crowns: the pink esthetic score. Clinical Oral Implants Research 16: 639–644.
- [4] Belser, U.C., Grütter, L., Vailati, F., Bronstein, M.M., Weber, H.P. & Buser, D. (2009) Outcome evaluation of early placed maxillary anterior single-tooth implants using objective esthetic criteria: a cross-sectional, retrospective study in 45 patients with a 2- to 4-year follow-up using pink and white esthetic scores. Journal of Periodontology 80: 140–151.
- [5] Kolerman R, Mijiritsky E, Barnea E, Dabaja A, Nissan J, Tal H. Esthetic Assessment of Implants Placed into Fresh Extraction Sockets for Single-Tooth Replacements Using a Flapless Approach. Clin Implant Dent Relat Res. 2017 Apr; 19(2): 351-364. doi: 10.1111/cid.12458. Epub 2016 Nov 2. PMID: 27807931.
- [6] Belser UC, Grütter L, Vailati F, Bornstein MM, Weber HP, Buser D. Outcome evaluation of early placed maxillary anterior single-tooth implants using objective esthetic criteria: a cross-sectional, retrospective study in 45 patients with a 2- to 4-year follow-up using pink and white esthetic scores. J Periodontol 2009; 80:140–151.
- [7] Sunitha RV1, Sapthagiri E. Flapless implant surgery: a 2-year follow-up study of 40 implants; Oral Surg Oral Med Oral Pathol Oral Radiol. 2013 Oct; 116(4): e237-43. doi: 10.1016/j.oooo.2011.12.027. Epub 2012 Jul 20.
- [8] Jemt T. Regeneration of gingival papillae after single-implant treatment. Int J Periodontics Restorative Dent 1997;17:326–33.
- [9] Salama H, Salama MA, Garber D, Adar P. The interproximal height of bone—a guide post to predictable esthetic strategies and soft tissue contours in anterior tooth replacement. Pract Periodontics Aesthet Dent. 1991; 10: 1131-1141.
- [10] Andrea Huber: Eine retrospektive Studie zur Evaluierung von Einzelzahnimplantaten in der ästhetischen Zone. Doktorarbeit, Universität Graz, 2014.
file:///C:/Users/ce/Downloads/DIPLOMARBEIT.pdf (Zugriff am 22.10.2021)
- [11] Peter Gehrke: Mythos Implantatästhetik.
file:///C:/Users/ce/Documents/champions/aaa_aesthetik/gehrke_aesthetische_bewertung.pdf (Zugriff am 22.10.2021)

- [12] Romanos, G.E.; Biltucci, M.T.; Kokaras, A.; Paster, B.J. Bacterial Composition at the Implant-Abutment Connection under Loading in vivo. *Clin. Implant Dent. Relat. Res.* 2016, 18, 138–145