

Zungenbrennen oder: Wie oft noch gleiche Fehler wiederholen? Eine Kasuistik

Lutz Höhne

Literatur

- [1] Eichner K, Kappert H (2005). Zahnärztliche Werkstoffe und ihre Verarbeitung. Bd.1: Grundlage und Verarbeitung. Thieme Verlag, Stuttgart.
- [2] Straub, Rainer H. Altern, Müdigkeit und Entzündungen verstehen. Wenn Immunsystem und Gehirn um die Energie im Körper ringen. Springer Medizin Verlag 2018.
- [3a] Müller WD.
https://www.umweltzahntechnik-ulm.de/files/Mueller_Stellenwert-der-Korrosion.pdf
- [3b] Müller WD. Vortrag anlässl. des Curriculums „Umwelt-ZahnTechnik, Berlin, 16.03.2019.
- [3c] Grundig M. Vergleichende elektrochemische Untersuchungen zur Korrosionsstabilität dentaler Legierungen an Proben eines ISO Round Robin Tests. Diss. 2013, HU Berlin.
- [4] Müller W D. Zum Stellenwert der Korrosion bei metallhaltigem Zahnersatz. Umwelt Medizin Gesellschaft. 2013;27(4):252–256.
- [5] Müller K E. Der Epikutantest – Indikation, Methodik, Möglichkeiten und Grenzen. umwelt medizin gesellschaft 2011;24(2):116–120.
- [6] Robert Koch-Institut. „Qualitätssicherung beim Lymphozytentransformationstest“ – Addendum zum LTT-Papier der RKI-Kommission „Methoden und Qualitätssicherung in der Umweltmedizin“ Mitteilung der Kommission „Methoden und Qualitätssicherung in der Umweltmedizin“. Bundesgesundheitsbl - Gesundheitsforsch – Gesundheitsschutz 2008;51:1070–1076. DOI 10.1007/s00103-008-0641-3. Online publiziert: 7. September 2008. Springer Medizin Verlag 2008.
www.rki.de/DE/Content/Kommissionen/UmweltKommission/Archiv/LTT_Addendum_BGBL.pdf?__blob=publicationFile
- [7] DAK-Gesundheitsreport 2018.
<https://www.dak.de/dak/download/gesundheitsreport-2018-pdf-2073702.pdf>

Die korrekte Vorbehandlung indirekter Restaurationen zur adhäsiven Befestigung

Prof. Dr. Claus-Peter Ernst

Literatur

- [1] Aboushelib MN, Sleem D: Microtensile bond strength of lithium disilicate ceramics to resin adhesives. *J Adhes Dent* 16, 547–552 (2014).
- [2] Bavbek NC, Roulet JF, Özcan M: Evaluation of microshear bond strength of orthodontic resin cement to monolithic zirconium oxide as a function of surface conditioning method. *J Adhes Dent* 16, 473–480 (2014).
- [3] Böhner R: Moderne CAD/CAM-Kompositmaterialien – deren Materialeigenschaften und Befestigungsstrategien. *ZMK* 32, 112–118 (2016).
- [4] Bock T, Özcan M: Protocol for removal of clinically relevant contaminants from glass ceramic-based restorations. *J Adhes Dent* 17, 474–475 (2015).
- [5] Bottino MA, Snellaert A, Bergoli CD, Özcan M, Bottino MC, Valandro LF: Effect of ceramic etching protocols on resin bond strength to a feldspar ceramic. *Oper Dent* 40, 40–46 (2015).
- [6] Bömicke W, Schürz A, Krisam J, Rammelsberg P, Rues S: Durability of resin-zirconia bonds produced using methods available in dental practice. *J Adhes Dent* 18, 17–27 (2016).
- [7] Frankenberger R, Hartmann VE, Krech M, Krämer N, Reich S, Braun A, Roggendorf M: Adhesive luting of new CAD/CAM materials. *Int J Comput Dent* 18, 9–20 (2015).
- [8] Elsaka SE: Bond strength of novel CAD/CAM restorative materials to self-adhesive resin cement: the effect of surface treatments. *J Adhes Dent* 16, 531–540 (2014).
- [9] Erdemir U, Sancakli HS, Sancakli E, Eren MM, Ozel S, Yucel T, Yildiz E: Shear bond strength of a new self-adhering flowable composite resin for lithium disilicate-reinforced CAD/CAM ceramic material. *J Adv Prosthodont* 6, 434–443 (2014).
- [10] Ernst CP: Innovatives Konzept zur adhäsiven Befestigung am Beispiel zweier IPS e.max-Kronen. *ZMK* 31, 833–839 (2015).
- [11] Ernst CP: Glaskeramik vorbehandeln ohne Flusssäure? *Dental Magazin* 34, 86–90 (2016).

- [12] Fraga S, Valandro LF, Bottino MA, May LG: Hard machining, glaze firing and hydrofluoric acid etching: Do these procedures affect the flexural strength of a leucite glass-ceramic? *Dent Mater* 31, 131–140 (2015).
- [13] Frankenberger R, Hartmann VE, Krech M, Krämer N, Reich S, Braun A, Roggendorf M: Adhesive luting of new CAD/CAM materials. *Int J Comput Dent* 18, 9–20 (2015).
- [14] Giraldo TC, Villada VR, Castillo MP, Gomes OM, Bittencourt BF, Dominguez JA: Active and passive application of the phosphoric acid on the bond strength of lithium disilicate. *Braz Dent J* 27, 90–94 (2016).
- [15] Guarda GB, Correr AB, Gonçalves LS, Costa AR, Borges GA, Sinhorette MA, CorrerSobrinho L: Effects of surface treatments, thermocycling, and cyclic loading on the bond strength of a resin cement bonded to a lithium disilicate glass ceramic. *Oper Dent* 38, 208–217 (2013).
- [16] Higashi M, Matsumoto M, Kawaguchi A, Miura J, Minamino T, Kabetani T, Takeshige F, Mine A, Yatani H: Bonding effectiveness of self-adhesive and conventional-type adhesive resin cements to CAD/CAM resin blocks. Part 1: Effects of sandblasting and silanization. *Dent Mater J* 35, 21–28 (2016).
- [17] Ishii R, Tsujimoto A, Takamizawa T, Tsubota K, Suzuki T, Shimamura Y, Miyazaki M: Influence of surface treatment of contaminated zirconia on surface free energy and resin cement bonding. *Dent Mater J* 34, 91–97 (2015).
- [18] Inokoshi M, De Munck J, Minakuchi S, Van Meerbeek B: Meta-analysis of bonding effectiveness to zirconia ceramics. *J Dent Res* 93, 329–334 (2014).
- [19] Inokoshi M, Van Meerbeek B: Adhesively luted zirconia restorations: why and how? *J Adhes Dent* 16, 294 (2014).
- [20] Inokoshi M, Poitevin A, De Munck J, Minakuchi S, Van Meerbeek B: Bonding effectiveness to different chemically pre-treated dental zirconia. *Clin Oral Investig* 18, 1803–1812 (2014).
- [21] Kalavacharla VK, Lawson NC, Ramp LC, Burgess JO: Influence of etching protocol and silane treatment with a universal adhesive on lithium disilicate bond strength. *Oper Dent* 40, 372–378 (2015).
- [22] Kawaguchi A, Matsumoto M, Higashi M, Miura J, Minamino T, Kabetani T, Takeshige F, Mine A, Yatani H: Bonding effectiveness of self-adhesive and conventional-type adhesive resin cements to CAD/CAM resin blocks. Part 2: Effect of ultrasonic and acid cleaning. *Dent Mater J* 35, 29–36 (2016).
- [23] Kim RJ, Woo JS, Lee IB, Yi YA, Hwang JY, Seo DG: Performance of universal adhesives on bonding to leucite-reinforced ceramic. *Biomater Res* 22 (19), 11 (2015).

- [24] Lambade DP, Gundawar SM, Radke UM: Evaluation of adhesive bonding of lithium disilicate ceramic material with dual cured resin luting agents. *J Clin Diagn Res* 9, ZC01–5 (2015).
- [25] Lise D, Perdigão J, Van Ende A, Zidan O, Lopes G: Microshear bond strength of resin cements to lithium disilicate substrates as a function of surface preparation. *Oper Dent* 40, 524–532 (2015).
- [26] Mainjot AK, Dupont NM, Oudkerk JC, Dewael TY, Sadoun MJ: From artisanal to CAD-CAM blocks: state of the art of indirect composites. *J Dent Res* 95, 487–495 (2016).
- [27] Mamanee T, Takahashi M, Nakajima M, Foxton RM, Tagami J: Initial and long-term bond strengths of one-step self-etch adhesives with silane coupling agent to enamel-dentin-composite in combined situation. *Dent Mater J* 3, 663–670 (2015).
- [28] Menees TS, Lawson NC, Beck PR, Burgess JO: Influence of particle abrasion or hydrofluoric acid etching on lithium disilicate flexural strength. *J Prosthet Dent* 112, 1164–1170 (2014).
- [29] Moravej-Salehi E, Moravej-Salehi E, Valian A: Surface topography and bond strengths of feldspathic porcelain prepared using various sandblasting pressures. *J Invest Clin Dent* 7, 347–354 (2016).
- [30] Neto DS, Naves LZ, Costa AR, Correr AB, Consani S, Borges GA, Correr-Sobrinho L: The effect of hydrofluoric acid concentration on the bond strength and morphology of the surface and interface of glass ceramics to a resin cement. *Oper Dent* 40, 470–479 (2015).
- [31] Özcan M, Allahbeickaraghi A, Dündar M: Possible hazardous effects of hydrofluoric acid and recommendations for treatment approach: a review. *Clin Oral Investig* 16, 15–23 (2012).
- [32] Özcan M, Volpato CA: Surface conditioning protocol for the adhesion of resin-based materials to glassy matrix ceramics: How to condition and why? *J Adhes Dent* 17, 292–293 (2015).
- [33] Özcan M, Bock T: Protocol for removal of clinically relevant contaminants from zirconium dioxide fixed dental prostheses. *J Adhes Dent* 17, 576–577 (2015).
- [34] Özcan M: Air abrasion of zirconia resin-bonded fixed dental prostheses prior to adhesive cementation: why and how? *J Adhes Dent* 15, 394 (2013).
- [35] Özcan M, Matinlinna J: Surface conditioning protocol for the adhesion of resin-based cements to base and noble alloys: How to condition and why? *J Adhes Dent* 17, 372–373 (2015).
- [36] Özcan M, Volpato CA: Surface conditioning and bonding protocol for nanocomposite indirect restorations: How and why? *J Adhes Dent* 18, 82 (2016).

- [37] Özcan M, Volpato CAM: Surface conditioning and bonding protocol for polymerinfiltrated ceramic: How and why? *J Adhes Dent* 18, 174–175 (2016).
- [38] Passia N, Lehmann F, Freitag-Wolf S, Kern M: Tensile bond strength of different universal adhesive systems to lithium disilicate ceramic. *J Am Dent Assoc* 146, 729– 734 (2015).
- [39] Prochnow C, Venturini AB, Grasel R, Bottino MC, Valandro LF: Effect of etching with distinct hydrofluoric acid concentrations on the flexural strength of a lithium disilicate- based glass ceramic. *J Biomed Mater Res B Appl Biomater* 2016 Feb 5. [Epub ahead of print]
- [40] Song M, Shin Y, Park JW, Roh BD: A study on the compatibility between one-bottle dentin adhesives and composite resins using micro-shear bond strength. *Restor Dent Endod* 40, 30–36 (2015).
- [41] Spitznagel FA, Horvath SD, Guess PC, Blatz MB: Resin bond to indirect composite and new ceramic/polymer materials: a review of the literature. *J Esthet Restor Dent* 26, 382–393 (2014).
- [42] Staxrud F, Dahl JE: Silanising agents promote resin-composite repair. *Int Dent J* 65, 311–315 (2015).
- [43] Tian T, Tsoi JK, Matinlinna JP, Burrow MF: Aspects of bonding between resin luting cements and glass ceramic materials. *Dent Mater* 30, e147–162 (2014).
- [44] Venturini AB, Prochnow C, May LG, Bottino MC, Felipe Valandro L: Influence of hydrofluoric acid concentration on the flexural strength of a feldspathic ceramic. *J Mech Behav Biomed Mater* 48, 241–248 (2015).
- [45] Vohra R, Velez LI, Rivera W, Benitez FL, Delaney KA: Recurrent life-threatening ventricular dysrhythmias associated with acute hydrofluoric acid ingestion: observations in one case and implications for mechanism of toxicity. *Clin Toxicol (Phila)* 46, 79–84 (2008).
- [46] Xiaoping L, Dongfeng R, Silikas N: Effect of etching time and resin bond on the flexural strength of IPS e.max Press glass ceramic. *Dent Mater* 30, e330–336 (2014).
- [47] Yang B, Barloi A, Kern M: Influence of air-abrasion on zirconia ceramic bonding using an adhesive composite resin. *Dent Mater* 26, 44–50 (2010).
- [48] Yoshida F, Tsujimoto A, Ishii R, Nojiri K, Takamizawa T, Miyazaki M, Latta MA: Influence of surface treatment of contaminated lithium disilicate and leucite glass ceramics on surface free energy and bond strength of universal adhesives. *Dent Mater J* 34, 855–862 (2015).