

Patientenzufriedenheit in der Prophylaxe – ein wichtiges Element des Qualitätsmanagements

- [1] Axelsson P, Lindhe J: The effect of a preventive programme on dental plaque, gingivitis and caries on schoolchildren. *J Clin Periodontol* 1, 126-138 (1974).
- [2] Axelsson P, Lindhe J: Effect on controlled oral hygiene procedures on caries and periodontal disease in adults. *J Clin Periodontol* 5, 133-151 (1978).
- [3] Axelsson P, Lindhe J: Effect of controlled oral hygiene procedures on caries and periodontal disease in adults. Results after 6 years. *J Clin Periodontol* 8, 239-248 (1981).
- [4] Bastendorf K-D, Bartsch A: Langzeiterfolge der Prophylaxe nach 30 Jahren *Recall.Prophylaxe impuls* 16, 62-69 (2012).
- [5] Strafela-Bastendorf N, Bastendorf KD: PZR-neu gedacht! *zm* 106 (11A), 26-30 (2016).
- [6] Strafela-Bastendorf N, Bastendorf KD: Professionelle Biofilmentfernung-Tipps für den Praxisalltag. *Quintessenz* 67, 1069-1075 (2016).
- [7] Wennström JL, Tomasi C, Bertelle A, Dellasega E: Full mouth ultrasonic debridement versus quadrant scaling and root planing as an initial approach in the treatment of chronic periodontitis *J Clin Periodontol* 32, 851-859 (2005).doi:10.1111/j.1600-051X.2005.00776.x.
- [8] M. Aslund, Suvan J, Moles DR, Dàluto F, Tonetti MS: Effects of Two Different Methods of Non-Surgical Periodontal Therapy on Patient Perception of Pain and Quality of Life: A Randomized Controlled Clinical Trial. *J Periodontol* (2008). doi: 10.1902/jop.2008.070394
- [9] Wennström JL, Dahlen G, Ramberg P: Subgingival debridement of periodontal pockets by air polishing in comparison with ultrasonic instrumentation during maintenance therapy. *J Clin Periodontol* 38, 820-827 (2011). doi:10.1111/j.1600-051X
- [10] Bühler J, Amato M, Weiger R, Walter C.: A systematic review on the effects of airpolishing devices on oral tissues. *Int J Dent Hygiene* (2015). doi:10.1111/idh.12120
- [11] Sultan DA, Hill RG, Gillam DG: Air-Polishing in Subgingival Root Debridement: A Critical Literature Review. *Journal of Dentistry and Oral Biology* 2 (10), Article 1065 (2017).
- [12] Ethan N, Roy B, Spahr A, Tihana DR: The efficacy of air polishing devices in supportive periodontal therapy: A systematic review and meta-analysis. *Quintessenz International* (2018). doi:10.3290/j.qi.a40341
- [13] Moëne R, Décaillet F, Andersen E, Mombelli A: Subgingival plaque removal using a new air-polishing device. *Journal of Periodontology* 81, 79-88 (2010).
- [14] Kim MJ, Noh H, Oh HY: Efficiency of professional tooth brushing before ultrasonic scaling (2015). doi: 10.1111/idh.12127
- [15] Baehni, P.: Anwendung von Mundspülungen im Dentalbereich, *Prophylaxedialog* 2/1, 17-22 (2008/2009).
- [16] Sawhney A, Venugopol S, Babu G, Garg A, Mathew M, Yadav M, Gupta B, Tripathi S: Aerosols how dangerous they are in clinicalpractice. doi: 10.7860/JCDR/2015/12038.5835
- [17] Bastendorf-Strafela N, Bastendorf KD, Mann P. Kann die Qualität der Professionellen Zahnreinigung durch ein strenges Ablaufprotokoll (Guided Biofilm Therapy) mit Sichtbarmachen (Anfärben) des Biofilms verbessert werden? *PlaqueNcare* 2, 91–93 (2016).
- [18] Volgenant CMC, Fernandez y Mostajo M, Rosema NAM et al. Comparison of red autofluorescing plaque and disclosed plaque – a cross-sectional study. *Clin Oral Invest* 20, 2551–2558 (2016).

- [19] Mensi M, Agosti R, Cappa V, Calza S: The efficacy of disclosing plaque agent as a guide to the supra-gingival biofilm removal. Poster EURO PERIO in London (2014).
- [20] Schiffner U: Die Einwirkungen eines abrasiven Pulverstrahles auf artifiziell demineralisierten Schmelz. Dtsch Zahnärztl Z 47, 778-781 (1999).
- [21] Petersilka GJ, Steinmann D, Häberlein I, Heinecke A, Flemmig TF (2003b): Subgingival plaque removal in buccal and lingual sites using a novel low abrasive air-polishing powder. Journal of Clinical Periodontology 30, 328-333 (2003).
- [22] Petersilka GJ, Tunkel J, Barakos K, Heinecke A, Häberlein I, Flemmig TF (2003a): Subgingival plaque removal at interdental sites using a low abrasive air polishing powder. Journal of Periodontology 74, 307-311 (2003).
- [23] Flemmig TF, Hetzel M, Topoll H, Gerst J, Häberlein I, Petersilka GF: Subgingival debridement efficacy of glycine powder air-polishing. Journal of Periodontology 78, 1002-1010 (2007).
- [24] Flemmig TF, Arushanov D, Daubert D, Rothen M, Mueller G, Leroux BG: Randomized controlled trial assessing efficacy and safety of glycine powder air-polishing in moderate to deep periodontal pockets. Journal of Periodontology 83, 444-452 (2012).
- [25] Hägi T, Hofmänner P, Eick S, Donnet M, Salvi G, Sculean A, Ramseier C: The effects of erythritol air-polishing powder on microbiological and clinical outcomes during supportive periodontal therapy. Six months results of a randomized controlled clinical trial. Quintessence Int 46, 31-41 (2015).
- [26] Sculean A, Bastendorf K.-D. et al: A paradigm shift in mechanical biofilm management? Subgingival air polishing: a new way to improve mechanical biofilm management in the dental practice. Quintessence International 44 (7), (2013).
- [27] Graetz C, Plaumann A, Wittich R, Springer C, Kahl M, Dörfer CE, El-Sayed KF: Removal of simulated biofilm: an evolution of the effect on root surfaces roughness after scaling. Clin Oral Invest (2016). doi: 10.1007/s00784-016-1861-9
- [28] Busslinger A, Lampe K, Beuchat M, Lehmann B: A comparative in vitro study of the magnetostrictive and piezoelectric ultrasonic scaling instruments. J Clin Periodontol 28, 642-649 (2001).
- [29] Barendregt DS, van der Velden U, Timmerman MF, van der Wijden F: Penetration depths with an ultrasonic mini insert compared with a conventional curette in patients with periodontitis and in periodontal maintenance. J Clin Periodontol 35, 31-36 (2008).
- [30] Flemmig TF, Petersilka GJ, Mehl A, Hickel R, Klaiber B: The effect of working parameters on root substance removal using a piezoelectric ultrasonic scaler in vitro. J Periodontol 25, 158-163 (1998a).
- [31] Flemmig TF, Petersilka GJ, Mehl A, Rudiger S, Hickel R, Klaiber B: Working parameters of a sonic scaler influencing root substance removal in vitro. Clin Oral Investig 1, 55-60 (1997).
- [32] Flemmig TF, Petersilka GJ, Mehl A, Hickel R, Klaiber B: Working parameters of a magnetostrictive ultrasonic scaler influencing root surface removal in vitro. J Periodontol 69, 547-553 (1998b).

ZMK 7-8 (36) 2020, S. 435–439

Dr. Tim F. Wolff, M.Sc., Prof. Dr. Dr. Knut A. Grötz

Dentale Implantate bei Patienten mit Immundefizienz

[1] United Nations. World Population Prospects: The 2017 Revision. 2017; Available from: <https://www.un.org/development/desa/publications/world-population-prospects-the-2017-revision.html>.

[2] Duttenhoefer F, Fuessinger MA, Groetz KA: S3-Leitlinie: "Dentale Implantate bei Patienten mit Immundefizienz" (AWMF-Registernummer: 083-034, 2019), <https://www.awmf.org/leitlinien/detail/anmeldung/1/II/083-034.html>. 2019.

[3] Branemark P, Zarb G, Albrektsson T: Tissue-integrated prostheses: Osseointegration in clinical dentistry. Quintessence Publishing Company 54 (4), 611–612 (1985).

[4] Wolff TF, Groetz KA: Osseointegration von Implantaten in Verbindung mit unterschiedlichen Medikamenten - Teil 1: Interaktion von Medikamenten – aktuelle Studienlage. ZMK 35 (6), 386 - 390 (2019).

[5] Sabbah A, et al: A retrospective analysis of dental implant survival in HIV patients. J Clin Periodontol 46 (3), 363-372 (2019).

[6] Lemos CAA, et al: Survival of dental implants placed in HIV-positive patients: a systematic review. Int J Oral Maxillofac Surg 47 (10), 1336-1342 (2018).

[7] Duttenhoefer F, et al: Dental implants in immunocompromised patients: a systematic review and meta-analysis. Int J Implant Dent 5 (1), 43 (2019).

[8] Lerner A, Jeremias P, Matthias T: The World Incidence and Prevalence of Autoimmune Diseases is Increasing. International Journal of Celiac Disease 3 (4), 151-155 (2015).

[9] Dinse GE, et al: Increasing Prevalence of Antinuclear Antibodies in the United States. Arthritis Rheumatol (2020).

Literatur

DDr. Barbara Kirnbauer, Dr. Petra Rugani

Planungsworkflow mit coDiagnostiX für eine sichere Implantatinserterion

ZMK (36) 7-8/2020, S. 430-434

(1) Mora MA, Chenin DL, Arce RM. Software Tools and Surgical Guides in Dental-Implant-Guided Surgery. Dental Clinics of North America Invalid date Invalid date;58(3):597-626.

(2) Wismeijer D, Joda T, Flügge T, Fokas G, Tahmaseb A, Bechelli D, et al. Group 5 ITI Consensus Report: Digital technologies. Clin Oral Impl Res Invalid date Invalid date;29:436-442.

(3) Kim GB, Lee S, Kim H, Yang DH, Kim Y, Kyung YS, et al. Three-Dimensional Printing: Basic Principles and Applications in Medicine and Radiology. Korean J Radiol Invalid date Invalid date;17(2):182-197.

(4) Nitsche T, Menzebach M, Wiltfang J. **S2-k-Leitlinie: Indikationen zur implantologischen 3D-Röntgen- Diagnostik und navigationsgestützten Implantologie** 2012.

(5) Hopp M, Stachulla G. Focus Quintessenz - Navigierte Implantologie. Berlin: Quintessenz Verlags-GmbH; 2011.

(6) Stapleton BM, Lin WS, Ntounis A, Harris BT, Morton D. Application of digital diagnostic impression, virtual planning, and computer-guided implant surgery for a CAD/CAM-fabricated, implant-supported fixed dental prosthesis: a clinical report. J Prosthet Dent 2014 September 01;112(3):402-408.

(7) Jacobs R, Salmon B, Codari M, Hassan B, Bornstein MM. Cone beam computed tomography in implant dentistry: recommendations for clinical use. BMC Oral Health 2018 May 15;18(1):88-018.

(8) Widmann G, Bale RJ. Accuracy in computer-aided implant surgery--a review. Int J Oral Maxillofac Implants 2006 April 01;21(2):305-313.

(9) Elsharkawy R, Taha E, Elsharkawy A, Hassan A. Accuracy of digital light processing versus selective laser sintering surgical templates for all-on-four technique of computer guided implant placement in the mandible : A prospective double blind randomized clinical trial Egyptian Dental Journal 2018;64:3245-3255.

(10) Chmielewski K, Ryncarz W, Yüksel O, Goncalves P, Baek KW, Cok S, et al. Image analysis of immediate full-arch prosthetic rehabilitations guided by a digital workflow: assessment of the discrepancy between planning and execution. Int J Implant Dent 2019 July 15;5(1):26-019.

(11) Harris D, Horner K, Grondahl K, Jacobs R, Helmrot E, Benic GI, et al. E.A.O. guidelines for the use of diagnostic imaging in implant dentistry 2011. A consensus workshop organized by the European Association for Osseointegration at the Medical University of Warsaw. Clin Oral Implants Res 2012 November 01;23(11):1243-1253.

Literatur

DDr. Barbara Kirnbauer, Dr. Petra Rugani

Planungsworkflow mit coDiagnostiX für eine sichere Implantatinserion

ZMK (36) 7-8/2020, S. 430-434

(12) Stockmann F. coDiagnostiX. 2020; Available at: <https://www.codiagnostix.com>. Accessed 06/15, 2020.

(13) Tyndall DA, Kohltfarber H. Application of cone beam volumetric tomography in endodontics. Aust Dent J 2012 March 01;57 Suppl 1:72-81.

(14) Tahmaseb A, Wismeijer D, Coucke W, Derksen W. Computer technology applications in surgical implant dentistry: a systematic review. Int J Oral Maxillofac Implants 2014;29 Suppl:25-42.

(15) Flügge T, Derksen W, Te Poel J, Hassan B, Nelson K, Wismeijer D. Registration of cone beam computed tomography data and intraoral surface scans - A prerequisite for guided implant surgery with CAD/CAM drilling guides. Clin Oral Implants Res 2017 September 01;28(9):1113-1118.

(16) Younes F, Cosyn J, De Bruyckere T, Cleymaet R, Bouckaert E, Eghbali A. A randomized controlled study on the accuracy of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. J Clin Periodontol Invalid date Invalid date;45(6):721-732.

(17) Mangano F, Gandolfi A, Luongo G, Logozzo S. Intraoral scanners in dentistry: a review of the current literature. BMC Oral Health 2017 December 12;17(1):149-017.

(18) El Kholy K, Janner S, Schimmel M, Buser D.
The influence of guided sleeve height, drilling distance, and drilling key length on the accuracy of static Computer-Assisted Implant Surgery Clin Implant Dent Relat Res 2019;21:101-107.

(19) Lee S, Hong S, Paek J, Pae A, Kwon K, Noh K. Comparing accuracy of denture bases fabricated by injection molding, CAD/CAM milling, and rapid prototyping method. J Adv Prosthodont Invalid date Invalid date;11(1):55-64.

(20) Smith PN, Palenik CJ, Blanchard SB. Microbial contamination and the sterilization/disinfection of surgical guides used in the placement of endosteal implants. Int J Oral Maxillofac Implants 2011 April 01;26(2):274-281.

(21) Strbac GD, Schnappauf A, Giannis K, Moritz A, Ulm C. Guided Modern Endodontic Surgery: A Novel Approach for Guided Osteotomy and Root Resection. J Endod 2017 March 01;43(3):496-501.

(22) Kirnbauer B, Rugani P, Santigli E, Tepesch P, Ali K, Jakse N. Fully guided placement of orthodontic miniscrews - a technical report
. Australasian Orthodontic Journal 2019;35(1):71-74.

Literatur

DDr. Barbara Kirnbauer, Dr. Petra Rugani

Planungsworkflow mit coDiagnostiX für eine sichere Implantatinsertion

ZMK (36) 7-8/2020, S. 430-434

(23) Ackerman S, Aguilera FC, Buie JM, Glickman GN, Umorin M, Wang Q, et al. Accuracy of 3-dimensional-printed Endodontic Surgical Guide: A Human Cadaver Study. J Endod 2019 May 01;45(5):615-618.

(24) Unsal GS, Turkyilmaz I, Lakhia S. Advantages and limitations of implant surgery with CAD/CAM surgical guides: A literature review. J Clin Exp Dent 2020 April 01;12(4):e409-e417.

Allgemeine Risikofaktoren für die Entwicklung einer Periimplantitis

- [1] Alasqah MN, Alrabiah M, Al-Aali KA, Mokeem SA, Binmahfooz AM, ArRejaie AS, Abduljabbar T: Peri-implant soft tissue status and crestal bone levels around adjacent implants placed in patients with and without type-2 diabetes mellitus: 6 years follow-up results. Clin Implant Dent Relat Res 20 (4), 562–568 (2018).
- [2] Albrektsson T, Zarb G, Worthington P, Eriksson AR: The long-term efficacy of currently used dental implants: a review and proposed criteria of success. Int J Oral Maxillofac Implants 1 (1), 11–25 (1986).
- [3] Berglundh T, Armitage G, Araujo MG, Avila-Ortiz G, Blanco J, Camargo PM, Chen S, Cochran D, Derks J, Figuero E, Hammerle CHF, Heitz-Mayfield LJA, Huynh-Ba G, Iacono V, Koo KT, Lambert F, McCauley L, Quirynen M, Renvert S, Salvi GE, Schwarz F, Tarnow D, Tomasi C, Wang HL, Zitzmann N: Peri-implant diseases and conditions: Consensus report of workgroup 4 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. J Periodontol 89 (Suppl 1), S313–S318 (2018).
- [4] Buser D, Weber HP, Lang NP: Tissue integration of non-submerged implants. 1-year results of a prospective study with 100 ITI hollow-cylinder and hollow-screw implants. Clin Oral Implants Res 1 (1), 33–40 (1990).
- [5] Costa FO, Takenaka-Martinez S, Cota LO, Ferreira SD, Silva GL, Costa JE: Peri-implant disease in subjects with and without preventive maintenance: a 5-year follow-up. J Clin Periodontol 39 (2), 173–181 (2012).
- [6] Derks J, Tomasi C: Peri-implant health and disease. A systematic review of current epidemiology. J Clin Periodontol 42 (Suppl 16), S158–171 (2015).
- [7] Fuchs J, Scheidt-Nave C, Kuhnert R: Robert Koch-Institut Fact Sheet. 12-Monats-Prävalenz von Osteoporose in Deutschland. Journal of Health Monitoring 2 (3), 61–65 (2017).
- [8] Hagelauer N, Pabst AM, Ziebart T, Ulbrich H, Walter C: In vitro effects of bisphosphonates on chemotaxis, phagocytosis, and oxidative burst of neutrophil granulocytes. Clin Oral Investig 19 (1), 139–148 (2015).
- [9] Herold G: Innere Medizin. Köln: Eigenverlag (2019).
- [10] Institut RK: Nationale Diabetes-Surveillance am Robert Koch-Institut (2019) Diabetes in Deutschland – Bericht der Nationalen Diabetes-Surveillance 2019. Berlin: Robert Koch-Institut (2019).
- [11] Jackowski J, Schmitz-Bortz E, Terheyden H: Zur Problematik oraler Implantate bei rheumatischen Erkrankungen. Implantologie 20 (4), 411–425 (2012).

[12] Jacobi-Gresser E: Titanüberempfindlichkeit oder Titanunverträglichkeit. *Quintessenz* 68 (12), 1413–1420 (2017).

[13] Jepsen S, Caton JG, Albandar JM, Bissada NF, Bouchard P, Cortellini P, Demirel K, de Sanctis M, Ercoli C, Fan J, Geurs NC, Hughes FJ, Jin L, Kantarci A, Lalla E, Madianos PN, Matthews D, McGuire MK, Mills MP, Preshaw PM, Reynolds MA, Sculean A, Susin C, West NX, Yamazaki K: Periodontal manifestations of systemic diseases and developmental and acquired conditions: Consensus report of workgroup 3 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. *J Periodontol* 89 (Suppl 1), S237–S248 (2018).

[14] Jung RE, Al-Nawas B, Araujo M, Avila-Ortiz G, Barter S, Brodala N, Chappuis V, Chen B, De Souza A, Almeida RF, Fickl S, Finelle G, Ganeles J, Gholami H, Hammerle C, Jensen S, Jokstad A, Katsuyama H, Kleinheinz J, Kunavisarut C, Mardas N, Monje A, Papaspyridakos P, Payer M, Schiegnitz E, Smeets R, Stefanini M, Ten Bruggenkate C, Vazouras K, Weber HP, Weingart D, Windisch P: Group 1 ITI Consensus Report: The influence of implant length and design and medications on clinical and patient-reported outcomes. *Clin Oral Implants Res* 29 (Suppl 16), 69–77 (2018).

[15] Krennmair G, Seemann R, Piehslinger E: Dental implants in patients with rheumatoid arthritis: clinical outcome and peri-implant findings. *J Clin Periodontol* 37 (10), 928–936 (2010).

[16] Lekholm U, Zarb GA: Patient selection and preparation. *Tissue integrated prostheses: osseointegration in clinical dentistry*. Chicago: Quintessence (1985).

[17] Levin L, Ofec R, Grossmann Y, Anner R: Periodontal disease as a risk for dental implant failure over time: a long-term historical cohort study. *J Clin Periodontol* 38 (8), 732–737 (2011).

[18] Merheb J, Temmerman A, Rasmusson L, Kubler A, Thor A, Quirynen M: Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. *Clin Implant Dent Relat Res* 18 (2), 253–260 (2016).

[19] Misch CE, Perel ML, Wang HL, Sammartino G, Galindo-Moreno P, Trisi P, Steigmann M, Rebaudi A, Palti A, Pikos MA, Schwartz-Arad D, Choukroun J, Gutierrez-Perez JL, Marenzi G, Valavanis DK: Implant success, survival, and failure: the International Congress of Oral Implantologists (ICOI) Pisa Consensus Conference. *Implant Dent* 17 (1), 5–15 (2008).

[20] Moraschini V, Poubel LA, Ferreira VF, Barboza Edos S: Evaluation of survival and success rates of dental implants reported in longitudinal studies with a follow-up period of at least 10 years: a systematic review. *Int J Oral Maxillofac Surg* 44 (3), 377–388 (2015).

[21] Naseri R, Yaghini J, Feizi A: Levels of smoking and dental implants failure: A systematic review and meta-analysis. *J Clin Periodontol* 47 (4), 518–528 (2020).

- [22] Naujokat H, Bormann KH, Jakobs W, Wiegner JU, Wiltfang J (LL-Koordinator) PDDJrW, Bormann DHNfhAdLPDK-H, Jakobs DDW, Wiegner DJr-U: S3 Leitlinie Zahnimplantate bei Diabetes mellitus. AWMF (2016).
- [23] Polak D, Shapira L: An update on the evidence for pathogenic mechanisms that may link periodontitis and diabetes. *J Clin Periodontol* 45 (2), 150–166 (2018).
- [24] Rahimi-Nedjat RK, Sagheb K, Pabst A, Foersch M, Jacobs C, Vollandt L, Al-Nawas B, Walter C: Diabetes and hyperglycemia as risk factors for postoperative outcome in maxillofacial surgery. *J Surg Res* 217, 170–176 (2017).
- [25] Rahimi-Nedjat RK, Sagheb K, Pabst A, Olk L, Walter C: Diabetes mellitus and its association to the occurrence of medication-related osteonecrosis of the jaw. *Dent J (Basel)* 4 (2) (2016).
- [26] Rakic M, Galindo-Moreno P, Monje A, Radovanovic S, Wang HL, Cochran D, Sculean A, Canullo L: How frequent does peri-implantitis occur? A systematic review and meta-analysis. *Clin Oral Investig* 22 (4), 1805–1816 (2018).
- [27] Schimmel M, Muller F, Suter V, Buser D: Implants for elderly patients. *Periodontol* 2000 73 (1), 228–240 (2017).
- [28] Shibli JA, Grande PA, d'Avila S, Iezzi G, Piattelli A: Evaluation of human bone around a dental implant retrieved from a subject with osteoporosis. *Gen Dent* 56 (1), 64–67 (2008).
- [29] Smith DE, Zarb GA: Criteria for success of osseointegrated endosseous implants. *J Prosthet Dent* 62 (5), 567–572 (1989).
- [30] Walter C: Bohrprotokollmodifikationen – Bohrprotokolle für die sichere Planung in der Implantologie. *Zeitschrift für Zahnärztliche Implantologie* 34 (02), 92–98 (2018).
- [31] Walter C, Al-Nawas B: Implantatverlust unter dem Aspekt des Cluster-Failure. *Quintessenz* 64 (12), 1497–1501 (2013).
- [32] Walter C, Al-Nawas B, Haßfeld S, Sader R, Ullner M, Grötz KA: S3 Leitlinie Zahnimplantate bei medikamentöser Behandlung mit Knochentiresorptiva (inkl. Bisphosphonate). AWMF (2016).

Neue Erkenntnisse zur Periimplantitis

[1] Moraschini V, Poubel LA, Ferreira VF, Barboza Edos S: Evaluation of survival and success rates of dental implants reported in longitudinal studies with a follow-up period of at least 10 years: a systematic review. *Int J Oral Maxillofac Surg* 44 (3), 377–388 (2015).

[2] Schwarz F, Derks J, Monje A, Wang HL: Peri-implantitis. *J Periodontol* 89 (Suppl 1), S267–S290 (2018).

[3] Derks J, Tomasi C: Peri-implant health and disease. A systematic review of current epidemiology. *J Clin Periodontol* 42 (Suppl 16), S158–171 (2015).

[4] Derks J, Schaller D, Håkansson J, Wennström JL, Tomasi C, Berglundh T: Peri-implantitis – onset and pattern of progression. *J Clin Periodontol* 43 (4), 383–388 (2016).

[5] Schwarz F. et al.: AWMF-Leitlinie „Periimplantäre Infektionen an Zahnimplantaten, Behandlung“ (2016). https://www.awmf.org/uploads/tx_szleitlinien/083-023m_S3_Periimplant%C3%A4re_Infektionen_2016-08_01.pdf

[6] Dabdoub SM, Tsigarida AA, Kumar PS: Patient-specific analysis of periodontal and peri-implant microbiomes. *J Dent Res* 92 (12 Suppl), 168S–175S (2013).

[7] Charalampakis G, Belibasakis GN: Microbiome of peri-implant infections: lessons from conventional, molecular and metagenomic analyses. *Virulence* 6 (3), 183–187 (2015).

[8] Al-Ahmad A, Muzafferiy F, Anderson AC, Wölber JP, Ratka-Krüger P, Fretwurst T, Nelson K, Vach K, Hellwig E: Shift of microbial composition of peri-implantitis-associated oral biofilm as revealed by 16S rRNA gene cloning. *J Med Microbiol* 67 (3), 332–340 (2018).

[9] Duarte PM, Serrão CR, Miranda TS, Zanatta LC, Bastos MF, Faveri M, Figueiredo LC, Feres M: Could cytokine levels in the peri-implant crevicular fluid be used to distinguish between healthy implants and implants with peri-implantitis? A systematic review. *J Periodontal Res* 51 (6), 689–698 (2016).

[10] Ghassib I, Chen Z, Zhu J, Wang HL: Use of IL-1 β , IL-6, TNF- α , and MMP-8 biomarkers to distinguish peri-implant diseases: A systematic review and meta-analysis. *Clin Implant Dent Relat Res* 21 (1), 190–207 (2019).

[11] Berglundh T, Armitage G, Araujo MG, Avila-Ortiz G, Blanco J, Camargo PM, Chen S, Cochran D, Derks J, Figuero E, Hämmerle CHF, Heitz-Mayfield LJA, Huynh-Ba G, Iacono V, Koo KT, Lambert F, McCauley L, Quirynen M, Renvert S, Salvi GE, Schwarz F, Tarnow D, Tomasi C, Wang HL, Zitzmann N: Peri-implant diseases and conditions: Consensus report of workgroup 4 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. *J Clin Periodontol* 45 (Suppl 20), S286–S291 (2018).

- [12] Carcuac O, Berglundh T: Composition of human peri-implantitis and periodontitis lesions. *J Dent Res* 93 (11), 1083–1088 (2014).
- [13] Garaicoa-Pazmino C, Fretwurst T, Squarize CH, Berglundh T, Giannobile WV, Larsson L, Castilho RM: Characterization of macrophage polarization in periodontal disease. *J Clin Periodontol* 46 (8), 830–839 (2019).
- [14] Fretwurst T, Garaicoa-Pazmino C, Nelson K, Giannobile WV, Squarize CH, Larsson L, Castilho RM: Characterization of macrophages infiltrating peri-implantitis lesions. *Clin Oral Implants Res* 31 (3), 274–281 (2020).
- [15] Albrektsson T, Dahlin C, Jemt T, Sennerby L, Turri A, Wennerberg A: Is marginal bone loss around oral implants the result of a provoked foreign body reaction? *Clin Implant Dent Relat Res* 16 (2), 155–165 (2014).
- [16] Canullo L, Schlee M, Wagner W, Covani U: Montegrotto Group for the Study of Peri-implant Disease. International Brainstorming Meeting on Etiologic and Risk Factors of Peri-implantitis, Montegrotto (Padua, Italy), August 2014. *Int J Oral Maxillofac Implants* 30 (5), 1093–1104 (2015).
- [17] Fretwurst T, Nelson K, Tarnow DP, Wang HL, Giannobile WV: Is metal particle release associated with peri-implant bone destruction? An emerging concept. *J Dent Res* 97 (3), 259–265 (2018).
- [18] Wilson TG Jr, Valderrama P, Burbano M, Blansett J, Levine R, Kessler H, Rodrigues DC: Foreign bodies associated with peri-implantitis human biopsies. *J Periodontol* 86 (1), 9–15 (2015).
- [19] Pettersson M, Pettersson J, Johansson A, Molin Thorén M: Titanium release in peri-implantitis. *J Oral Rehabil* 46 (2), 179–188 (2019).
- [20] Fretwurst T, Buzanich G, Nahles S, Woelber JP, Riesemeier H, Nelson K: Metal elements in tissue with dental peri-implantitis: a pilot study. *Clin Oral Implants Res* 27 (9), 1178–1186 (2016).
- [21] Blum K, Wiest W, Fella C, Balles A, Dittmann J, Rack A, Maier D, Thomann R, Spies BC, Kohal RJ, Zabler S, Nelson K: Fatigue induced changes in conical implant-abutment connections. *Dent Mater* 31 (11), 1415–1426 (2015).
- [22] Mombelli A, Hashim D, Cionca N: What is the impact of titanium particles and biocorrosion on implant survival and complications? A critical review. *Clin Oral Implants Res* 29 (Suppl 18), 37–53 (2018).
- [23] He X, Reichl FX, Wang Y, Michalke B, Milz S, Yang Y, Stolper P, Lindemaier G, Graw M, Hickel R, Högg C: Analysis of titanium and other metals in human jawbones with dental implants – A case series study. *Dent Mater* 32 (8), 1042–1051 (2016).

[24] Suárez-López Del Amo F, Garaicoa-Pazmiño C, Fretwurst T, Castilho RM, Squarize CH: Dental implants-associated release of titanium particles: A systematic review. Clin Oral Implants Res (2018). doi: 10.1111/clr.13372. Epub ahead of print.

[25] Daubert D, Pozhitkov A, McLean J, Kotsakis G: Titanium as a modifier of the peri-implant microbiome structure. Clin Implant Dent Relat Res 20 (6), 945–953 (2018).

[26] Cionca N, Hashim D, Mombelli A: Zirconia dental implants: where are we now, and where are we heading? Periodontol 2000 73 (1), 241–258 (2017).

[27] Fretwurst T, Müller J, Larsson L, Bronsert P, Hazard D, Castilho R, Kohal R, Nelson K, Iglhaut G: Immunohistological composition of peri-implantitis affected tissue around ceramic implants – A pilot study. J Periodontol (2020). *In Press*.

[28] AWMF-Leitlinie „Implantatprothetische Versorgung des zahnlosen Oberkiefers^[AK1]“ (2014).

[29] Lang NP, Wilson TG, Corbet EF: Biological complications with dental implants: their prevention, diagnosis and treatment. Clin Oral Implants Res 11 (Suppl 1), 146–155 (2000).

[29] Ladwein C, Schmelzeisen R, Nelson K, Fluegge TV, Fretwurst T: Is the presence of keratinized mucosa associated with periimplant tissue health? A clinical cross-sectional analysis. Int J Implant Dent 1 (1), 11 (2015).

[30] Sicilia A, Quirynen M, Fontolliet A, Francisco H, Friedman A, Linkevicius T, Lutz R, Meijer HJ, Rompen E, Rotundo R, Schwarz F, Simion M, Teughels W, Wennerberg A, Zuhre O: Long-term stability of peri-implant tissues after bone or soft tissue augmentation. Effect of zirconia or titanium abutments on peri-implant soft tissues. Summary and consensus statements. The 4th EAO Consensus Conference 2015. Clin Oral Implants Res 26 (Suppl 11), 148–152 (2015).

[31] Naert I, Duyck J, Vandamme K: Occlusal overload and bone/implant loss. Clin Oral Implants Res 23 (Suppl 6), 95–107 (2012).

[32] Fretwurst T, Nelson K: Supplement of the Oral Reconstruction Foundation Working Group 1 – Medical and geriatric factors. Int J Prosthodont (2020). *In Press*.