

ZTM 8 (21) 2017, S. 548-555

Totalprothetisches Know-how

Der Universalschlüssel zur erfolgreichen Restauration überall

ZTM Stefan M. Roozen

Literatur

- [1] Stuck, J.: Das Aufstellen von Frontzähnen nach logopädischen Prinzipien. Phillip Journal 7-8. 1997.
- [2] Ricketts, R. M.: Divine Proportion in Facial Esthetics. Clin Plat Surg 9, 4, 401-422, 1982.
- [3] Miller, E.L.: A Study of the relationship of the dental midline to facial median line. J Prosth Dent 41:657-660. 1979.
- [4] Hajtó, J.: Anteriores. Teamwork Media Verlag, 2006.
- [5] Kokich, V.O.: Comparing the perception of dentists and lay people to altered dental esthetics. J Esthet Dent, 11: 311-324. 1999.
- [6] Horn, R.; Stuck, J.: Zahnaufstellung in der Totalprothetik . Quintessenz-Verlag, 1980.
- [7] Schwarz, A.M.: Röntgenostatik. Urban & Schwarzenberg, München, 1958.
- [8] Giesen, J.: Dürers Proportionsstudien im Rahmen der allgemeinen Proportionsentwicklung. Schroeder Verlag, Bonn. 1930.
- [9] Steiner, CC: The use of cephalometrics as an aid to planning and assessing orthodontic treatment. Am J Orthod 46:721-735. 1960.
- [10] Ricketts, R.M.: Esthetics, environment and the law of lip relation. Am J Orthod 54:272- 289. 1968.
- [11] Holdaway, R.A: Changes in relationship of points A and B during orthodontic treatment. Amer J Orthodont 42:176-193. 1956.
- [12] Menini M., Conserva E.: Shock absorption capacity of restorative materials for dental implant prostheses: an in vitro study. Int J Prosthodont. 2013 Nov-Dec;26(6):549-56.
- [13] Lotzmann, U.: Die Prinzipien der Okklusion. Verlag Neuer Merkur. 1992.
- [14] Morley, J., Eubank, J.: Macroesthetic Elements of smile design. J. Am. Dent. Assoc. 132, 38-45, 2001.

Der betagte Patient in der Implantatprothetik

Zahntechnische Aspekte bei der Versorgung von Patienten im dritten und vierten Lebensabschnitt

ZTM Patrick Zimmermann, Prof. Dr. Martin Schimmel

Literatur

- [1] Rowe, J. W. & Kahn, R. L. (1997) Successful aging. *Gerontologist* 37:433-440.
- [2] Müller, F. & Schimmel, M. (2010) Der multimorbide Patient – Konsequenzen für die prothetische Therapie. In: Müller, F. & Nitschke, I., eds. *Der alte Patient in der zahnärztlichen Praxis*; 195-203. Berlin: Quintessenz Verlag.
- [3] Schimmel, M., Katsoulis, J., Genton, L. & Müller, F. (2015) Masticatory function and nutrition in old age. *Swiss Dent J.* 125(4):449-454.
- [4] Stenman, U., Ahlqwist, M., Bjorkelund, C. & Hakeberg, M. (2012) Oral health-related quality of life – associations with oral health and conditions in swedish 70-year-old individuals. *Gerodontology* 29:e440-446.
- [5] Jordan, A. R. & Micheelis, W. (2016) Fünfte deutsche Mundgesundheitsstudie (dms v). Fifth german oral health survey., Cologne: Deutscher Zahnärzteverlag Köln.
- [6] Schneider, C., Zemp, E. & Zitzmann, N. U. (2017) Oral health improvements in switzerland over 20 years. *Eur J Oral Sci* 125(1):55-62.
- [7] Chen, J. & Engelen, L. (2012) *Food oral processing: Fundamentals of eating and sensory perception*: Wiley-Blackwel.
- [8] Schimmel, M., Müller, F., Suter, V. & Buser, D. (2017) Implants for elderly patients. *Periodontol* 2000. 2017 Feb;73(1):228-240.
- [9] Schimmel, M., Müller, F., Suter, V. & Buser, D. (2016) Implantatversorgung bei Hochbetagten. *Implantologie* 24(4;22.11.2016):355-365.
- [10] Budtz-Jorgensen, E. & Bochet, G. (1995) Conception de la prothèse partielle adjointe/Zur Gestaltung von Totalprothesen. *Revue mensuelle suisse d'odonto-stomatologie* 105(4):507-514.
- [11] Budtz-Jorgensen, E. (1999) *Prosthodontics for the elderly: Diagnosis and treatment*, Chicago, Berlin, London, Tokyo, Paris, Barcelona, Sao Paulo, Moscow, Prague, and Warsaw: Quintessence Publishing Co, Inc.
- [12] Müller, F. & Schimmel, M. (2016) Revised success criteria: A vision to meet frailty and dependency in implant patients. *Int J Oral Maxillofac Implants* 31:15.

- [13] Schimmel, M. & Zimmermann, P. (2017) A maxillary overdenture retained by four straumann® novaloc® abutments. 70: 10-11.
www.starget.straumann.com/clinical-cases/martin-schimmel-maxillary-overdenture-retained-four-straumann-novaloc-abutments/
- [14] Kern, J. S., Kern, T., Wolfart, S. & Heussen, N. (2016) A systematic review and meta-analysis of removable and fixed implant-supported prostheses in edentulous jaws: Post-loading implant loss. Clin Oral Implants Res. 27(2): 174-195. doi: 10.1111/clr.12531. Epub 2015 Feb 9.
- [15] Schley, J.-S., Terheyden, H., Wolfart, S., Boehme, P., Gómez-Róman, G., Keese, E., Kern, M., Pilgrim, C., Reinhardt, S., Weber, A. & Schütte, U. (2013) Awmf 083/010 – s3-leitlinie: Implantatprothetische Versorgung des zahnlosen Oberkiefers.
- [16] Schimmel, M., Katsoulis, J. & Zimmermann, P. (2015) Fest verankert. Swiss Dental Community 3:56-63.
- [17] Katsoulis, J., Brunner, A. & Mericske-Stern, R. (2011) Maintenance of implant-supported maxillary prostheses: A 2-year controlled clinical trial. Int J Oral Maxillofac Implants 26(3):648-656.
- [18] Phillips, K. & Wong, K. M. (2001) Space requirements for implant-retained bar-and-clip overdentures. Compend Contin Educ Dent. Jun;22(6):516-518, 520, 522.
- [19] Kurzrock, L. (2017) Survival analysis of telescopic-retained-removable-partial-dentures especially considering the alloy being used. Thesis: Dr. med. dent. Justus-Liebig-Universität Gießen.
- [20] ASTM F 2820-12 - Standard Specification for Polyetherketoneketone (PEKK) polymers for Surgical Implant Applications. (High Performance Thermoplastic OXPEKK Materials, Medical Grades (MG) and Implant Grades (IG) - Unfilled, Product data sheet, version DS02 Rev 20091011; Oxford Performance Materials, Enfield CT (USA)).
- [21] Magne P., Silva M., Oderich E., Boff LL., Enrisco R. (2013) Dumping behavior of implant support restorations. Cain. Oral Implants 24:143-148.
- [22] Silla, M., Eichberger, M., Stawarczyk, B. (2016) Polyetherketonketon (PEKK) als Restaurationswerkstoff in der modernen Zahnmedizin: eine Literaturübersicht. (2016) Quintessenz Zahntech 42(2,08.02.2016):176-190.
- [23] Schimmel, M. & Zimmermann, P. (2017) Exzellente dentale Ästhetik. 42:142-143.
- [24] Joda, T., Müller, P., Zimmerling, F. & Schimmel, M. (2016) Die CAD/CAM-gefertigte Totalprothese mit dem „Digital Denture Professional System“ [cad/cam produced complete dentures with the “digital denture professional system”] (in german). Swiss Dental J SSO 126:899-909.

- [25] Schimmel, M., Cantin, Y., Srinivasan, M. & Müller, F. (2016) Digitale Prothese im klinischen Test. Teamwork: J Cont Dent Educ 19: 216-230.
- [26] Feine, J. S., Carlsson, G. E., Awad, M. A., Chehade, A., Duncan, W. J., Gizani, S., Head, T., Lund, J. P., MacEntee, M., Mericske-Stern, R., Mojon, P., Morais, J., Naert, I., Payne, A. G., Penrod, J., Stoker, G. T., Tawse-Smith, A., Taylor, T. D., Thomason, J. M., Thomson, W. M. & Wismeijer, D. (2002) The mcgill consensus statement on overdentures. Mandibular two-implant overdentures as first choice standard of care for edentulous patients. Montreal, Quebec, may 24-25, 2002. The International journal of oral & maxillofacial implants 17:601-602.
- [27] Thomason, J. M., Feine, J., Exley, C., Moynihan, P., Müller, F., Naert, I., Ellis, J. S., Barclay, C., Butterworth, C., Scott, B., Lynch, C., Stewardson, D., Smith, P., Welfare, R., Hyde, P., McAndrew, R., Fenlon, M., Barclay, S. & Barker, D. (2009) Mandibular two implant-supported overdentures as the first choice standard of care for edentulous patients-the york consensus statement. British Dental Journal 207:185-186.