

## Zahnärztliche Versorgung von Patientinnen und Patienten mit Angelman-Syndrom

PD Dr. Peter Schmidt, Caroline Tantzen, Prof. Dr. Oliver Fricke, Prof. Dr. Andreas G. Schulte

1. Angelman H. 'Puppet' Children A Report on Three Cases. *Developmental Medicine & Child Neurology* 1965;7(6):681–688
2. Bonello D, Camilleri F, Calleja-Agius J. Angelman Syndrome: Identification and Management. *Neonatal network*: NN 2017;36(3):142–151.
3. de Queiroz AM, de Siqueira Melara T, Fernandes Ferreira PD, Lucisano MP, De Rossi A, Nelson-Filho P, Bezerra Silva RA. Dental findings and special care in patients with Angelman syndrome: a report of three cases. *Spec Care Dentist* 2013;33(1):40–45
4. Kraus H, Schulte AG, Fricke O, Schmidt P. Barrieren in der zahnmedizinischen Versorgung von Menschen mit frühkindlichem Autismus aus Sicht von betreuenden Personen. (Abstract - Kurzvortrag WI-20) – präsentiert auf dem 7. DGZ-Wissenschaftstag im Vorfeld zur 36. Jahrestagung der DGZ im Verbund mit der DGPZM und DGR<sup>2</sup>Z, Jahrestagung der DGDH und 1. Jahrestagung der DGZMB – 22. September 2022, Würzburg, Deutschland
5. Murakami C, Nahás Pires Corrêa MS, Nahás Pires Corrêa F, Nahás Pires Corrêa JP. Dental treatment of children with Angelman syndrome: a case report. *Spec Care Dentist* 2008;28(1):8–11
6. Sachdeva R, Donkers SJ, Kim SY. Angelman syndrome: A review highlighting musculoskeletal and anatomical aberrations. *Clin Anat* 2016; 29(5):561–567
7. Schmidt P, Czenskowski F, Kaschke I, Schulte AG. Association between fissure sealing and caries experience in German Special Olympics athletes in young adulthood. (# 00100090), präsentiert auf der 26th International Association for Disability and Oral Health Congress (IADH), 23.-25.08.2022, Paris, Frankreich - ISBN: 978-2-88971-018-8, DOI: 10.3389/978-2-88971-018-8, Citation: Sharat Chandra Pani Editor (2022)
8. Schmidt P, Czenskowski F, Kaschke I, Schulte AG. Fissure sealing and caries experience in German Special Olympics Athletes between the years 2008-2018. (Abstract #13), *Caries Research* 2023, präsentiert auf der 70. Jahrestagung der European Organisation for Caries Research (ORCA), 05-08.07.2023, Egmond ann

Zee, Niederlande

9. Schmidt P, Egermann M, Sauerland C, Schulte AG. Caries Experience of Adults with Intellectual Disability in the Western Part of Germany. *J Clin Med* 2021;10:2602.
10. Schmidt P, Goedcke-Padligur G, Schulte AG, Fricke O. Zahnärztliche Versorgung von Patienten mit Autismus-Spektrum-Störungen – ein Überblick unter besonderer Berücksichtigung des frühkindlichen Autismus. *Plaque 'n Care* 2021;156(3):126–132
11. Schmidt P, Goedcke-Padligur G, Schulte AG. Dentale und orofaziale Besonderheiten von Patienten mit Down-Syndrom und spezielle Aspekte bei der zahnmedizinischen Therapie – ein Überblick. *Plaque 'n Care* 2020;14(3):118–124
12. Schmidt P, Schulte AG, Fricke O. Einblick in zahnmedizinisch relevante Aspekte bei Kindern und Jugendlichen mit Autismus-Spektrum-Störung. *Quintessenz* 2022;73:676–683
13. Schulte AG, Schmidt P. Mundgesundheit bei Menschen mit Behinderung in Deutschland - eine Literaturübersicht. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2021;64:793-801
14. Schulte AG, Stobias C, Schmidt P: Zur zahnmedizinischen Versorgung von Personen mit Fragilem-X-Syndrom *Plaque 'n Care* 2022;16(3):121–126
15. Schulte AG. Patienten mit Behinderung –besondere Anforderungen in der Praxis ZWR – Das Deutsche Zahnärzteblatt 2019;128:510–513
16. Schulte AG. Präventivbetreuung von Menschen mit geistiger Behinderung in der zahnärztlichen Praxis. *Zahnmedizin Up2date* 2017;11:43–56
17. Suchy L. Einschätzung der zahnmedizinischen Versorgung von Personen mit Down-Syndrom durch Eltern und Angehörige. Med. Dissertation Universität Witten/Herdecke, Witten, 2021.
18. Syndrom-Info. Angelman-Syndrom – Erstinformation für Eltern, Ärzte und Therapeuten, Herausgeber: Angelman e.V. Deutschland 2019
19. UN-BRK 2009. Beauftragte der Bundesregierung für die Belange von Menschen mit Behinderung. UN-Behindertenrechtskonvention, Bonn 2017
20. Wikipedia. Ölgemälde „Knabe mit einer Zeichnung“ von Giovanni Francesco Caroto. <https://commons.wikimedia.org/w/index.php?curid=70638797> (Letzter Zugriff am: 22.10.2023)
21. Williams CA, Beaudet AL, Clayton-Smith J, Knoll JH, Kyllerman M, Laan LA,

- Magenis RE, Moncla A, Schinzel AA, Summers JA, Wagstaff J. Angelman syndrome 2005: Updated consensus for diagnostic criteria. Am J Med Genet 2006; 140A:413–418.
22. Witte W, Nobel C, Hilpert J. Anästhesie beim Angelman-Syndrom [Anesthesia and Angelman syndrome]. Anaesthesist 2011;60(7):633–640.
23. Wolff D, Schulte AG. Große Versorgungslücke bei der Behandlung in Vollnarkose. Zahnärztliche Mitteilung 2023;113(15/16):32–33

## ZMK 1-2/2024 (40), 16-23

### Schmerzkontrolle und Sedierung in der Implantologie

Dr. Frank G. Mathers

1. Coolidge, T., et al., Determinants of receiving intravenous sedation in a sample of dentally-fearful patients in the USA. SAAD Dig, 2012. 28: p. 52-60.
2. Bovaira, M., et al., Preoperative Anxiety and Its Influence on Patient and Surgeon Satisfaction in Patients Receiving Dental Implant Surgeries Performed Under Intravenous Conscious Sedation. Int J Oral Maxillofac Implants, 2017. 32(4): p. 912-918.
3. Becker, D.E. and K.L. Reed, Local anesthetics: review of pharmacological considerations. Anesth Prog, 2012. 59(2): p. 90-101; quiz 102-3.
4. Mask, A.G., Jr., Medical management of the patient with cardiovascular disease. Periodontol 2000, 2000. 23: p. 136-41.
5. Gandy, W., Severe epinephrine-propranolol interaction. Ann Emerg Med, 1989. 18(1): p. 98-9.
6. De Martin, S., et al., Differential effect of chronic renal failure on the pharmacokinetics of lidocaine in patients receiving and not receiving hemodialysis. Clin Pharmacol Ther, 2006. 80(6): p. 597-606.
7. Vree, T.B., et al., Regional metabolism of articaine in 10 patients undergoing intravenous regional anaesthesia during day case surgery. Br J Clin Pharmacol, 1997. 44(1): p. 29-34.
8. Oertel, R., R. Rahn, and W. Kirch, Clinical pharmacokinetics of articaine. Clin Pharmacokinet, 1997. 33(6): p. 417-25.

9. Vree, T.B. and M.J. Gielen, Clinical pharmacology and the use of articaine for local and regional anaesthesia. *Best Pract Res Clin Anaesthesiol*, 2005. 19(2): p. 293-308.
10. Watanabe, Y., et al., Effect of a low dose of midazolam on high blood pressure in dental patients: a randomised, double-blind, placebo-controlled, two-centre study. *Br J Oral Maxillofac Surg*, 2016. 54(4): p. 443-8.
11. (CDSBC), C.o.D.S.o.B.C., Minimal and Moderate Sedation Services in Dentistry (Non-Hospital Facilities), in *Sedation and General Anaesthetic Services Committee*. 2018.
12. Fatani, B.A.A.-S.O.F., Midazolam as a Conscious Sedation in Dental Practice: A Systematic Review. *Saudi J Oral Dent Res*, 2022. 7(6): p. 157-164.
13. Winsky-Sommerer, R., Role of GABA<sub>A</sub> receptors in the physiology and pharmacology of sleep. *Eur J Neurosci*, 2009. 29(9): p. 1779-94.
14. Zacharias, M., K.M. Hunter, and N.H. Luyk, Patient-controlled sedation using midazolam. *Br J Oral Maxillofac Surg*, 1994. 32(3): p. 168-73.
15. Coulthard, P., et al., The effects of midazolam and flumazenil on psychomotor function and alertness in human volunteers. *Br Dent J*, 2000. 188(6): p. 325-8.
16. Allonen, H., G. Ziegler, and U. Klotz, Midazolam kinetics. *Clin Pharmacol Ther*, 1981. 30(5): p. 653-61.
17. Greenblatt, D.J., et al., Pharmacokinetics of benzodiazepine hypnotics. *Pharmacology*, 1983. 27 Suppl 2: p. 70-5.
18. Martin, G., et al., A study of anesthetic drug utilization in different age groups. *J Clin Anesth*, 2003. 15(3): p. 194-200.
19. Qadeer, M.A., et al., Propofol versus traditional sedative agents for gastrointestinal endoscopy: a meta-analysis. *Clin Gastroenterol Hepatol*, 2005. 3(11): p. 1049-56.
20. Hughes, M.A., P.S. Glass, and J.R. Jacobs, Context-sensitive half-time in multicompartment pharmacokinetic models for intravenous anesthetic drugs. *Anesthesiology*, 1992. 76(3): p. 334-41.
21. Jalota, L., et al., Prevention of pain on injection of propofol: systematic review and meta-analysis. *BMJ*, 2011. 342: p. d1110.
22. McNeir, D.A., E.G. Mainous, and N. Trieger, Propofol as an intravenous agent in general anesthesia and conscious sedation. *Anesth Prog*, 1988. 35(4): p. 147-51.

23. Miner, J.R. and J.H. Burton, Clinical practice advisory: Emergency department procedural sedation with propofol. *Ann Emerg Med*, 2007. 50(2): p. 182-7, 187 e1.
24. Bhana, N., K.L. Goa, and K.J. McClellan, Dexmedetomidine. *Drugs*, 2000. 59(2): p. 263-8; discussion 269-70.
25. Venn, R.M., et al., Preliminary UK experience of dexmedetomidine, a novel agent for postoperative sedation in the intensive care unit. *Anaesthesia*, 1999. 54(12): p. 1136-42.
26. Dyck, J.B., et al., Computer-controlled infusion of intravenous dexmedetomidine hydrochloride in adult human volunteers. *Anesthesiology*, 1993. 78(5): p. 821-8.
27. Virtanen, R., et al., Characterization of the selectivity, specificity and potency of medetomidine as an alpha 2-adrenoceptor agonist. *Eur J Pharmacol*, 1988. 150(1-2): p. 9-14.
28. Schuttler, J., et al., Pharmacokinetics and Pharmacodynamics of Remimazolam (CNS 7056) after Continuous Infusion in Healthy Male Volunteers: Part I. *Pharmacokinetics and Clinical Pharmacodynamics*. *Anesthesiology*, 2020. 132(4): p. 636-651.
29. Zhu, X., et al., Efficacy and Safety of Remimazolam in Endoscopic Sedation-A Systematic Review and Meta-Analysis. *Front Med (Lausanne)*, 2021. 8: p. 655042.
30. Guo, Z., et al., Can Remimazolam Be a New Sedative Option for Outpatients Undergoing Ambulatory Oral and Maxillofacial Surgery? *J Oral Maxillofac Surg*, 2023. 81(1): p. 8-16.
31. Oka, S., et al., Sedation outcomes for remimazolam, a new benzodiazepine. *J Oral Sci*, 2021. 63(3): p. 209-211.

**ZMK 1-2/2024 (40), 24-35**

## **Die Kinnplastik in der Therapie der obstruktiven Schlafapnoe – Funktionelle und ästhetische Aspekte verschiedener Methoden**

Prof. Dr. Dr. Helmut H. Lindorf; PD Dr. Dr. Cornelius von Wilmowsky; Dr. Renate Müller-Herzog

- [1] Chan D, Ducic Y: A Simplified, Reliable Approach for Advancement Genioplasty. JAMA Facial Surg. 2016; 18 (2) 114-118.
- [2] Coceanig P: 6 Ways to Design a Face – Corrective Jaw Surgery to Optimize Bite, Airway and Facial Balance. Quintessence Berlin 2021.
- [3] Emanuelli E, O'Connor MK, Gar RK: Genioglossus Advancement: Technique Modification for Improved Chin Contour. Plast Reconstr Surg Glob Open. 2023; 11: e4846.
- [4] Goh YH, Abdullah V, Kim SW: Genioglossus Advancement and Hyoid Surgery. Sleep Med Clin. 2019; 14 (1) 73-81.
- [5] Heggie AA, Portnof JE, Kumar R: The rotational genioplasty: a modified technique for patients with obstructive sleep apnea. Int J Oral Maxillofac Surg. 2015; 44 (6) 760-762.
- [6] Lindorf HH: Schubladenosteotomie zur Kinnkorrektur. Dtsch Z Mund Kiefer Gesichtschir. 1980; 3 (4) 137-138.
- [7] Lindorf HH: Schubladenosteotomie zur Korrektur des Kinnprofils. Indikation und Ergebnisse in Pfeifer G. (Hrsg): Die Ästhetik und Funktion in der Plastischen- und Wiederherstellungschiurgie. Springer Berlin-Heidelberg. 1985, S. 110-115.
- [8] Lindorf HH: Internal Rigid Fixation: New Techniques for Maxillofacial Osteotomy. Adv Plast Reconstr Surg. 1989; 5: 109-152.
- [9] Lindorf HH, Müller-Herzog R: Die Kinnplastik zur Verbesserung des Gesichtsprofils. Face 2007; 2 (1).
- [10] Lindorf HH, Müller-Herzog R, von Wilmowsky C: Das maxillo-mandibuläre Advancement zur Therapie der obstruktiven Schlafapnoe – Die Rolle der MKG-Chirurgie in einem interdisziplinären Ansatz. ZMK 2021; 1-2 (37) 32-41.
- [11] Liu SY., Huon LK, Zaghi S, et al: An Accurate Method of Designing and Performing Individual-Specific Genioglossus Advancement. Otolaryngol Head Neck Surg. 2017; 156 (1) 194-197.
- [12] Obwegeser HL: The surgical correction of mandibular prognathism and retrognathia with consideration of genioplasty. J Oral Surg. 1957; 10: 677-689.
- [13] Obwegeser HL: Die Kinnvergrösserung. Österr Stomatol. 1958; 55: 535.
- [14] Posnick JC: Orthognathic Surgery, Principles & Practice. Elsevier Saunders 2014.
- [15] Riley RW, Powell NB, Guilleminault C.: Obstructive sleep apnoea syndrome: a review of 306 consecutively treated surgical patients. Otolaryngol Head Neck Surg. 1993; 108: 117-125.

- [16] Rojas R, Chateau R, Gaete C, Munoz C: Genioglossus muscle advancement and simultaneous sliding genioplasty in the management of sleep apnoea. *Int J Oral Maxillofac Surg.* 2018; 47 (5) 638-641.
- [17] Schünke M, Schulte E, Schumacher V et al.: *Prometheus LernAtlas der Anatomie, Kopf, Hals und Neuroanatomie*. Thieme Stuttgart 2022.
- [18] Sobotta J, Becker H: *Atlas der Anatomie des Menschen. Band 1*. Urban & Schwarzenberg München 1972.
- [19] Torres HM, Valladeres-Neto J, Torres EM, et al: Effect of Genioplasty on the Pharyngeal Airway Space Following Maxillomandibular Advancement Surgery. *J Oral Maxillofac Surg.* 2017; 75: 189e 1 – 189e 12.
- [20] Triaca A, Furrer T, Minoretti R: Chin shield osteotomy-a new genioplasty technique avoiding a deep mento-labial fold in order to increase the labial competence. *Int J Oral Maxillofac Surg.* 2009; 38:1201-1205.
- [21] Vargo JD, Ogan WS, Tanna N, et al: Modified Genioglossal Advancement for Isolated Treatment of Obstructive Sleep Apnea. *J Craniofac Surg.* 2017; 28 (5) 1274-127.
- [22] Vega J R, Mancha de la Plata, M, Galindo, N, et al: Genioglossus Muscle Advancement: A Modification of the Conventional Technique. *J Crano Maxillofac Surg.* 2014; 42: 239-244.
- [23] Wangerin K, Fedder C: Optimizing Orthognathic Surgery. Quintessenz Berlin 2023.
- [24] Zaghi S, Holty JE, Certal V, et al: Maxillomandibular advancement for treatment of obstructive sleep apnea: a meta-analysis. *Otolaryngol Head Neck Surg.* 2016; 142: 5

## ZMK 1-2/24 (40), 36-43

### **Bruxismus und Schlafapnoe**

Dr. Horst Kares

1. Mayer, G., Fietze, I., Fischer, J., Penzel, T., Riemann, D., Rodenbeck, A., Sitter, H., Teschler, H. , S3-Leitlinie Nicht erholsamer Schlaf/Schlafstörungen. *Somnologie*, 2009. **13**(Supplement 1).
2. Mayer, G., Arzt, M., Braumann, Ficker, J.H., Fietze, I., Frohnhoofen, H., Galetke, W., Maurer, J.T., Orth, M., Penzel, Randerath, W., Rösslein, M., Sitter, H., Stuck,

B.A., S3-Leitlinie Nicht erholsamer Schlaf/Schlafstörungen Kapitel "Schlafbezogene Atmungsstörungen bei Erwachsenen". Somnologie, 2017. **20**(Sonderheft 2).

3. Ohayon, M., Epidemiological study on insomnia in the general population. *Sleep*, 1996. **19**(3 Suppl): p. S7-15.
4. Ohayon, M.M. and S. Smirne, Prevalence and consequences of insomnia disorders in the general population of Italy. *Sleep Med*, 2002. **3**(2): p. 115-20.
5. Lavigne, G.J., Cistulli, P.A., Smith, M.T., *Sleep Medicine for Dentist - A practical overview*. Quintessence Books, 2009.
6. Punjabi, N.M., The epidemiology of adult obstructive sleep apnea. *Proc Am Thorac Soc*, 2008. **5**(2): p. 136-43.
7. Peppard, P.E., et al., Increased prevalence of sleep-disordered breathing in adults. *Am J Epidemiol*, 2013. **177**(9): p. 1006-14.
8. Young, T., P.E. Peppard, and D.J. Gottlieb, Epidemiology of obstructive sleep apnea: a population health perspective. *Am J Respir Crit Care Med*, 2002. **165**(9): p. 1217-39.
9. Heinzer, R., [Epidemiology, risk factors and phenotypes of sleep breathing disorders]. *Presse Med*, 2017. **46**(4): p. 388-394.
10. Peroz, I., et al., S3-Leitlinie - Diagnostik und Behandlung von Bruxismus -. AWMF-Register-Nr. 083/027, 2019.
11. Lobbezoo, F., et al., Bruxism defined and graded: an international consensus. *J Oral Rehabil*, 2013. **40**(1): p. 2-4.
12. Lavigne, G.J., P.H. Rompre, and J.Y. Montplaisir, Sleep bruxism: validity of clinical research diagnostic criteria in a controlled polysomnographic study. *J Dent Res*, 1996. **75**(1): p. 546-52.
13. Klasser, G.D., C.S. Greene, and G.J. Lavigne, Oral appliances and the management of sleep bruxism in adults: a century of clinical applications and search for mechanisms. *Int J Prosthodont*, 2010. **23**(5): p. 453-62.
14. Kato, T., et al., Idiopathic myoclonus in the oromandibular region during sleep: a possible source of confusion in sleep bruxism diagnosis. *Mov Disord*, 1999. **14**(5): p. 865-71.
15. Dutra, K.M., et al., Oro-facial activities in sleep bruxism patients and in normal subjects: a controlled polygraphic and audio-video study. *J Oral Rehabil*, 2009. **36**(2): p. 86-92.

16. Lavigne, G.J. and J.Y. Montplaisir, Restless legs syndrome and sleep bruxism: prevalence and association among Canadians. *Sleep*, 1994. **17**(8): p. 739-43.
17. Hublin, C., et al., Sleep bruxism based on self-report in a nationwide twin cohort. *J Sleep Res*, 1998. **7**(1): p. 61-7.
18. Manfredini, D., et al., Prevalence of sleep bruxism in children: a systematic review of the literature. *J Oral Rehabil*, 2013. **40**(8): p. 631-42.
19. Tachibana, M., et al., Associations of sleep bruxism with age, sleep apnea, and daytime problematic behaviors in children. *Oral Dis*, 2016. **22**(6): p. 557-65.
20. Maluly, M., et al., Polysomnographic study of the prevalence of sleep bruxism in a population sample. *J Dent Res*, 2013. **92**(7 Suppl): p. 97S-103S.
21. Lavigne, G.J., et al., Variability in sleep bruxism activity over time. *J Sleep Res*, 2001. **10**(3): p. 237-44.
22. Huynh, N., et al., Sleep bruxism is associated to micro-arousals and an increase in cardiac sympathetic activity. *J Sleep Res*, 2006. **15**(3): p. 339-46.
23. Khoury, S., et al., A significant increase in breathing amplitude precedes sleep bruxism. *Chest*, 2008. **134**(2): p. 332-337.
24. Hosoya, H., et al., Relationship between sleep bruxism and sleep respiratory events in patients with obstructive sleep apnea syndrome. *Sleep Breath*, 2014. **18**(4): p. 837-44.
25. Ohayon, M.M., K.K. Li, and C. Guilleminault, Risk factors for sleep bruxism in the general population. *Chest*, 2001. **119**(1): p. 53-61.
26. Guilleminault, C., K. Davis, and N.T. Huynh, Prospective randomized study of patients with insomnia and mild sleep disordered breathing. *Sleep*, 2008. **31**(11): p. 1527-33.
27. Balasubramaniam, R. and G.D. Klasser, Orofacial pain syndromes: evaluation and management. *Med Clin North Am*, 2014. **98**(6): p. 1385-405.
28. Ng, D.K., et al., Prevalence of sleep problems in Hong Kong primary school children: a community-based telephone survey. *Chest*, 2005. **128**(3): p. 1315-23.
29. Sahin, U., et al., Habitual snoring in primary school children: prevalence and association with sleep-related disorders and school performance. *Med Princ Pract*, 2009. **18**(6): p. 458-65.
30. Loghmanee, D.A. and S.H. Sheldon, Pediatric obstructive sleep apnea: an update. *Pediatr Ann*, 2010. **39**(12): p. 784-9.

31. SH., S., Obstructive sleep apnea and bruxism in children. In: Bailey DR, ed. Sleep Med Clin 2010;5:163-88. Gregorio PB, Athanazio RA Bitencourt AG 2008. Sleep Med Clin 2010. **5**: p. 163-88.
32. Sjoholm, T.T., et al., Sleep bruxism in patients with sleep-disordered breathing. Arch Oral Biol, 2000. **45**(10): p. 889-96.
33. Yoshida, K., Influence of sleep posture on response to oral appliance therapy for sleep apnea syndrome. Sleep, 2001. **24**(5): p. 538-44.
34. Metersky, M.L. and R.J. Castriotta, The effect of polysomnography on sleep position: possible implications on the diagnosis of positional obstructive sleep apnea. Respiration, 1996. **63**(5): p. 283-7.
35. Miyawaki, S., et al., Association between sleep bruxism, swallowing-related laryngeal movement, and sleep positions. Sleep, 2003. **26**(4): p. 461-5.
36. Zhu, K., et al., Influence of head position on obstructive sleep apnea severity. Sleep Breath, 2017.
37. Marques, M., et al., Effect of Sleeping Position on Upper Airway Patency in Obstructive Sleep Apnea Is Determined by the Pharyngeal Structure Causing Collapse. Sleep, 2017. **40**(3).
38. Vena, D. and A. Yadollahi, The effect of fluid overload by saline infusion on heart rate variability in men during sleep. Conf Proc IEEE Eng Med Biol Soc, 2015. **2015**: p. 2047-50.
39. Itoh, H., et al., Association between physical activity and sleep-disordered breathing in male Japanese workers: a cross-sectional study. BMC Res Notes, 2017. **10**(1): p. 37.
40. Maeda, K., et al., Craniofacial contribution to residual obstructive sleep apnea after adenotonsillectomy in children: a preliminary study. J Clin Sleep Med, 2014. **10**(9): p. 973-7.
41. Schwab, R.J., et al., Understanding the anatomic basis for obstructive sleep apnea syndrome in adolescents. Am J Respir Crit Care Med, 2015. **191**(11): p. 1295-309.
42. Yoshida, K., Effect of a prosthetic appliance for treatment of sleep apnea syndrome on masticatory and tongue muscle activity. J Prosthet Dent, 1998. **79**(5): p. 537-44.
43. Hollowell, D.E. and P.M. Suratt, Activation of masseter muscles with inspiratory resistance loading. J Appl Physiol (1985), 1989. **67**(1): p. 270-5.

44. Hollowell, D.E. and P.M. Suratt, Mandible position and activation of submental and masseter muscles during sleep. *J Appl Physiol* (1985), 1991. **71**(6): p. 2267-73.
45. Hollowell, D.E., et al., Respiratory-related recruitment of the masseter: response to hypercapnia and loading. *J Appl Physiol* (1985), 1991. **70**(6): p. 2508-13.
46. Remmers, J.E., et al., Pathogenesis of upper airway occlusion during sleep. *J Appl Physiol Respir Environ Exerc Physiol*, 1978. **44**(6): p. 931-8.
47. Kato, T., et al., Sleep bruxism: an oromotor activity secondary to micro-arousal. *J Dent Res*, 2001. **80**(10): p. 1940-4.
48. Kato, T., et al., Responsiveness of jaw motor activation to arousals during sleep in patients with obstructive sleep apnea syndrome. *J Clin Sleep Med*, 2013. **9**(8): p. 759-65.
49. Hida, A., et al., In vitro circadian period is associated with circadian/sleep preference. *Sci Rep*, 2013. **3**: p. 2074.
50. Kato, T., J.Y. Montplaisir, and G.J. Lavigne, Experimentally induced arousals during sleep: a cross-modality matching paradigm. *J Sleep Res*, 2004. **13**(3): p. 229-38.
51. Kato, T., et al., Heterogeneous activity level of jaw-closing and -opening muscles and its association with arousal levels during sleep in the guinea pig. *Am J Physiol Regul Integr Comp Physiol*, 2010. **298**(1): p. R34-42.
52. Shepherd, K.L., et al., Gastro-oesophageal reflux symptoms are related to the presence and severity of obstructive sleep apnoea. *J Sleep Res*, 2011. **20**(1 Pt 2): p. 241-9.
53. Green, B.T., W.A. Broughton, and J.B. O'Connor, Marked improvement in nocturnal gastroesophageal reflux in a large cohort of patients with obstructive sleep apnea treated with continuous positive airway pressure. *Arch Intern Med*, 2003. **163**(1): p. 41-5.
54. Miyawaki, S., et al., Relationships among nocturnal jaw muscle activities, decreased esophageal pH, and sleep positions. *Am J Orthod Dentofacial Orthop*, 2004. **126**(5): p. 615-9.
55. Miyawaki, S., et al., Salivary flow rates during relaxing, clenching, and chewing-like movement with maxillary occlusal splints. *Am J Orthod Dentofacial Orthop*, 2004. **126**(3): p. 367-70.

56. Orr, W.C., M.G. Robinson, and L.F. Johnson, The effect of esophageal acid volume on arousals from sleep and acid clearance. *Chest*, 1991. **99**(2): p. 351-4.
57. Orr, W.C., et al., Proximal migration of esophageal acid perfusions during waking and sleep. *Am J Gastroenterol*, 2000. **95**(1): p. 37-42.
58. Ohmure, H., et al., Mastication suppresses initial gastric emptying by modulating gastric activity. *J Dent Res*, 2012. **91**(3): p. 293-8.
59. Pigno, M.A., et al., Severity, distribution, and correlates of occlusal tooth wear in a sample of Mexican-American and European-American adults. *Int J Prosthodont*, 2001. **14**(1): p. 65-70.
60. Van't Spijker, A., et al., Prevalence of tooth wear in adults. *Int J Prosthodont*, 2009. **22**(1): p. 35-42.
61. Duran, J., et al., Obstructive sleep apnea-hypopnea and related clinical features in a population-based sample of subjects aged 30 to 70 yr. *Am J Respir Crit Care Med*, 2001. **163**(3 Pt 1): p. 685-9.
62. Duran-Cantolla, J., et al., Frequency of obstructive sleep apnea syndrome in dental patients with tooth wear. *J Clin Sleep Med*, 2015. **11**(4): p. 445-50.
63. Schmitter, M., et al., Sleep-associated aspects of myofascial pain in the orofacial area among Temporomandibular Disorder patients and controls. *Sleep Med*, 2015. **16**(9): p. 1056-61.
64. Rompre, P.H., et al., Identification of a sleep bruxism subgroup with a higher risk of pain. *J Dent Res*, 2007. **86**(9): p. 837-42.
65. Sanders, A.E., et al., Sleep apnea symptoms and risk of temporomandibular disorder: OPPERA cohort. *J Dent Res*, 2013. **92**(7 Suppl): p. 70S-7S.
66. Dubrovsky, B., et al., Polysomnographic investigation of sleep and respiratory parameters in women with temporomandibular pain disorders. *J Clin Sleep Med*, 2014. **10**(2): p. 195-201.
67. Sanders, A.E., et al., Causal Mediation in the Development of Painful Temporomandibular Disorder. *J Pain*, 2017. **18**(4): p. 428-436.
68. Zahnärzte, I.d.D., Deutsche Mundgesundheits Studie V. 2014.
69. Ayappa, I. and D.M. Rapoport, The upper airway in sleep: physiology of the pharynx. *Sleep Med Rev*, 2003. **7**(1): p. 9-33.
70. Ryan, C.M. and T.D. Bradley, Pathogenesis of obstructive sleep apnea. *J Appl Physiol (1985)*, 2005. **99**(6): p. 2440-50.

71. White, D.P., Pathogenesis of obstructive and central sleep apnea. *Am J Respir Crit Care Med*, 2005. **172**(11): p. 1363-70.
72. Horner, R.L., Pathophysiology of obstructive sleep apnea. *J Cardiopulm Rehabil Prev*, 2008. **28**(5): p. 289-98.
73. Eckert, D.J. and A. Malhotra, Pathophysiology of adult obstructive sleep apnea. *Proc Am Thorac Soc*, 2008. **5**(2): p. 144-53.
74. Johns, M.W., A new method for measuring daytime sleepiness: the Epworth sleepiness scale. *Sleep*, 1991. **14**(6): p. 540-5.
75. Farney, R.J., et al., The STOP-Bang equivalent model and prediction of severity of obstructive sleep apnea: relation to polysomnographic measurements of the apnea/hypopnea index. *J Clin Sleep Med*, 2011. **7**(5): p. 459-65B.
76. Chung, F., et al., STOP questionnaire: a tool to screen patients for obstructive sleep apnea. *Anesthesiology*, 2008. **108**(5): p. 812-21.
77. Simmons, M.S. and G.T. Clark, The potentially harmful medical consequences of untreated sleep-disordered breathing: the evidence supporting brain damage. *J Am Dent Assoc*, 2009. **140**(5): p. 536-42.
78. Loube, D.I., Technologic advances in the treatment of obstructive sleep apnea syndrome. *Chest*, 1999. **116**(5): p. 1426-33.
79. Loube, D.I., et al., Indications for positive airway pressure treatment of adult obstructive sleep apnea patients: a consensus statement. *Chest*, 1999. **115**(3): p. 863-6.
80. Oksenberg, A. and E. Arons, Sleep bruxism related to obstructive sleep apnea: the effect of continuous positive airway pressure. *Sleep Med*, 2002. **3**(6): p. 513-5.
81. Saito, M., et al., Temporal association between sleep apnea-hypopnea and sleep bruxism events. *J Sleep Res*, 2013.
82. Saueressig, A.C., et al., Analysis of the influence of a mandibular advancement device on sleep and sleep bruxism scores by means of the BiteStrip and the Sleep Assessment Questionnaire. *Int J Prosthodont*, 2010. **23**(3): p. 204-13.
83. Landry, M.L., et al., Reduction of sleep bruxism using a mandibular advancement device: an experimental controlled study. *Int J Prosthodont*, 2006. **19**(6): p. 549-56.

84. Carra, M.C., et al., Sleep bruxism, snoring, and headaches in adolescents: short-term effects of a mandibular advancement appliance. *Sleep Med*, 2013. **14**(7): p. 656-61.
85. Gagnon, Y., et al., Aggravation of respiratory disturbances by the use of an occlusal splint in apneic patients: a pilot study. *Int J Prosthodont*, 2004. **17**(4): p. 447-53.
86. Nikolopoulou, M., et al., The effect of raising the bite without mandibular protrusion on obstructive sleep apnoea. *J Oral Rehabil*, 2011. **38**(9): p. 643-7.
87. Nikolopoulou, M., et al., Effects of occlusal stabilization splints on obstructive sleep apnea: a randomized controlled trial. *J Orofac Pain*, 2013. **27**(3): p. 199-205.
88. Solanki, N., et al., Effect of mandibular advancement device on sleep bruxism score and sleep quality. *J Prosthet Dent*, 2017. **117**(1): p. 67-72.
89. Cistulli, P.A., R.G. Palmisano, and M.D. Poole, Treatment of obstructive sleep apnea syndrome by rapid maxillary expansion. *Sleep*, 1998. **21**(8): p. 831-5.
90. Pirelli, P., M. Saponara, and C. Guilleminault, Rapid maxillary expansion in children with obstructive sleep apnea syndrome. *Sleep*, 2004. **27**(4): p. 761-6.
91. DiFrancesco, R.C., et al., Improvement of bruxism after T & A surgery. *Int J Pediatr Otorhinolaryngol*, 2004. **68**(4): p. 441-5.
92. Guilleminault, C., et al., Orthodontic expansion treatment and adenotonsillectomy in the treatment of obstructive sleep apnea in prepubertal children. *Sleep*, 2008. **31**(7): p. 953-7.
93. Villa, M.P., S. Miano, and A. Rizzoli, Mandibular advancement devices are an alternative and valid treatment for pediatric obstructive sleep apnea syndrome. *Sleep Breath*, 2012. **16**(4): p. 971-6.
94. Villa, M.P., et al., Efficacy of rapid maxillary expansion in children with obstructive sleep apnea syndrome: 36 months of follow-up. *Sleep Breath*, 2011. **15**(2): p. 179-84.
95. Bellerive, A., et al., The effect of rapid palatal expansion on sleep bruxism in children. *Sleep Breath*, 2015. **19**(4): p. 1265-71.

**ZMK 1-2/24 (40), 44-52**

## **Mundtrockenheit: Ursachen, Formen und Behandlung**

Dr. Cordula Leonie Merle, Prof. Dr. Sebastian Hahnel

1. Affoo RH, Foley N, Garrick R, Siqueira WL, Martin RE: Meta-Analysis of Salivary Flow Rates in Young and Older Adults. *J Am Geriatr Soc* 2015; 63: 2142-2151
2. Agostini BA, Cericato GO, Da Silveira ER et al.: How Common is Dry Mouth? Systematic Review and Meta-Regression Analysis of Prevalence Estimates. *Braz Dent J* 2018; 29: 606-618
3. Albrecht K, Binder S, Minden K et al.: Systematisches Review zur Schätzung der Prävalenz entzündlich rheumatischer Erkrankungen in Deutschland. *Z Rheumatol* 2023
4. Banda KJ, Chu H, Chen R et al.: Prevalence of Oropharyngeal Dysphagia and Risk of Pneumonia, Malnutrition, and Mortality in Adults Aged 60 Years and Older: A Meta-Analysis. *Gerontology* 2022; 68: 841-853
5. Bressan V, Stevanin S, Bianchi M, Aleo G, Bagnasco A, Sasso L: The effects of swallowing disorders, dysgeusia, oral mucositis and xerostomia on nutritional status, oral intake and weight loss in head and neck cancer patients: A systematic review. *Cancer Treat Rev* 2016; 45: 105-119
6. Choudhary R, Reddy SS, Nagaraju R, Nagi R, Rathore P, Sen R: Effectiveness of pharmacological interventions for Sjogren syndrome - A systematic review. *J Clin Exp Dent* 2023; 15: e51-e63
7. Davies AN: The management of xerostomia: a review. *Eur J Cancer Care (Engl)* 1997; 6: 209-214
8. Dawes C: Circadian rhythms in the flow rate and composition of unstimulated and stimulated human submandibular saliva. *J Physiol* 1975; 244: 535-548
9. Dawes C: Salivary flow patterns and the health of hard and soft oral tissues. *J Am Dent Assoc* 2008; 139 Suppl: 18S-24S
10. Dawes C, Macpherson LM: Effects of nine different chewing-gums and lozenges on salivary flow rate and pH. *Caries Res* 1992; 26: 176-182
11. Deutsche Krebsgesellschaft, Deutsche Krebshilfe, AWMF: Supportive Therapie bei onkologischen PatientInnen - Langversion 1.3, AWMF, 2020, Registernummer: 032/054OL. <https://www.leitlinienprogramm-onkologie.de/leitlinien/supportive-therapie/>, 08.10.2023
12. Dodds MWJ, Haddou MB, Day JEL: The effect of gum chewing on xerostomia and salivary flow rate in elderly and medically compromised subjects: a systematic review and meta-analysis. *BMC Oral Health* 2023; 23: 406

13. Drancourt N, El Osta N, Decerle N, Hennequin M: Relationship between Oral Health Status and Oropharyngeal Dysphagia in Older People: A Systematic Review. *Int J Environ Res Public Health* 2022; 19
14. Dwipa L, Wardhani R, Setiani T et al.: Summated Xerostomia Inventory to detect both xerostomia and salivary gland hypofunction. *Eur Rev Med Pharmacol Sci* 2023; 27: 517-523
15. E. Seidel-Jacobs, Th. Tonnes, W. Rathmann: Epidemiologie in Deutschland. In: Deutscher Gesundheitsbericht. Diabetes 2023. Die Bestandsaufnahme, 10-15
16. Femiano F, Rullo R, Di Spirito F, Lanza A, Festa VM, Cirillo N: A comparison of salivary substitutes versus a natural sialogogue (citric acid) in patients complaining of dry mouth as an adverse drug reaction: a clinical, randomized controlled study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2011; 112: e15-20
17. Flink H, Tegelberg A, Lagerlöf F: Influence of the time of measurement of unstimulated human whole saliva on the diagnosis of hyposalivation. *Arch Oral Biol* 2005; 50: 553-559
18. Gause A: Neufassung der Empfehlungen der Kommission Pharmakotherapie der DGRh. Empfehlungen zur supportiven Therapie des Sjögren-Syndroms. *Z Rheumatol* 2007; 66: 76-77
19. Ginsberg SM: Xerostomia. An interdisciplinary approach to managing dry mouth. SLACK Incorporated, Thorofare, NJ 2020
20. Hahnel S: Mundtrockenheit. Ursachen, Diagnose, Therapie. Spitta, Balingen 2012
21. Hahnel S, Schwarz S, Zeman F, Schäfer L, Behr M: Prevalence of xerostomia and hyposalivation and their association with quality of life in elderly patients in dependence on dental status and prosthetic rehabilitation: a pilot study. *J Dent* 2014; 42: 664-670
22. Henson BS, Inglehart MR, Eisbruch A, Ship JA: Preserved salivary output and xerostomia-related quality of life in head and neck cancer patients receiving parotid-sparing radiotherapy. *Oral Oncol* 2001; 37: 84-93
23. Herrmann G, Müller K, Behr M, Hahnel S: Xerostomie und ihr Einfluss auf die mundgesundheitsbezogene Lebensqualität. *Z Gerontol Geriatr* 2017; 50: 145-150
24. Johnson JT, Ferretti GA, Nethery WJ et al.: Oral pilocarpine for post-irradiation xerostomia in patients with head and neck cancer. *N Engl J Med* 1993; 329: 390-395
25. Katebi K, Hassanpour S, Eslami H, Salehnia F, Hosseiniard H: Effect of Pilocarpine Mouthwash on Salivary Flow Rate in Patients with Xerostomia: A Systematic Review and Meta-Analysis. *J Dent (Shiraz)* 2023; 24: 76-83

26. Kielbassa AM, Shohadai SP, Schulte-Mönting J: Effect of saliva substitutes on mineral content of demineralized and sound dental enamel. *Support Care Cancer* 2001; 9: 40-47
27. Lafaurie G, Fedele S, López RM-G et al.: Biotechnological advances in neuro-electro-stimulation for the treatment of hyposalivation and xerostomia. *Med Oral Patol Oral Cir Bucal* 2009; 14: E76-80
28. Lappe V, Dinh TS, Harder S et al.: Multimedication Guidelines: Assessment of the Size of the Target Group for Medication Review and Description of the Frequency of Their Potential Drug Safety Problems with Routine Data. *Pharmacoepidemiology* 2022; 1: 12-25
29. Laugisch O, Holtfreter B, Pink C, Samietz S, Völzke H, Kocher T: Polypharmacy and saliva volumes in the northeast of Germany - The Study of Health in Pomerania. *Community Dent Oral Epidemiol* 2022; 50: 139-146
30. Lingström P, Birkhed D: Plaque pH and oral retention after consumption of starchy snack products at normal and low salivary secretion rate. *Acta Odontol Scand* 1993; 51: 379-388
31. Lopez-Jornet P, Lucero Berdugo M, Fernandez-Pujante A et al.: Sleep quality in patients with xerostomia: a prospective and randomized case-control study. *Acta Odontol Scand* 2016; 74: 224-228
32. López-Pintor RM, Casañas E, González-Serrano J et al.: Xerostomia, Hyposalivation, and Salivary Flow in Diabetes Patients. *J Diabetes Res* 2016; 2016: 4372852
33. Luckhaupt H: Medikamentöse Therapie in der HNO-Heilkunde. Georg Thieme Verlag, Stuttgart 2016
34. Mese H, Matsuo R: Salivary secretion, taste and hyposalivation. *J Oral Rehabil* 2007; 34: 711-723
35. Meyer-Lueckel H, Schulte-Mönting J, Kielbassa AM: The effect of commercially available saliva substitutes on predemineralized bovine dentin in vitro. *Oral Dis* 2002; 8: 192-198
36. Molek M, Florenly F, Lister INE, Wahab TA, Lister C, Fioni F: Xerostomia and hyposalivation in association with oral candidiasis: a systematic review and meta-analysis. *Evid Based Dent* 2022
37. Momm F, Volegova-Neher NJ, Schulte-Mönting J, Guttenberger R: Different saliva substitutes for treatment of xerostomia following radiotherapy. A prospective crossover study. *Strahlenther Onkol* 2005; 181: 231-236

38. Mortazavi H, Baharvand M, Movahhedian A, Mohammadi M, Khodadoustan A: Xerostomia due to systemic disease: a review of 20 conditions and mechanisms. *Ann Med Health Sci Res* 2014; 4: 503-510
39. Nationale Diabetes-Surveillance am Robert Koch-Institut: Diabetes in Deutschland - Bericht der Nationalen Diabetes-Surveillance 2019. Robert Koch-Institut 2019
40. Nederfors T, Isaksson R, Mörnstad H, Dahlöf C: Prevalence of perceived symptoms of dry mouth in an adult Swedish population--relation to age, sex and pharmacotherapy. *Community Dent Oral Epidemiol* 1997; 25: 211-216
41. Noaiseh G, Baker JF, Vivino FB: Comparison of the discontinuation rates and side-effect profiles of pilocarpine and cevimeline for xerostomia in primary Sjögren's syndrome. *Clin Exp Rheumatol* 2014; 32: 575-577
42. Ramos-Casals M, Brito-Zerón P, Bombardieri S et al.: EULAR recommendations for the management of Sjögren's syndrome with topical and systemic therapies. *Ann Rheum Dis* 2020; 79: 3-18
43. Salimi F, Saavedra F, Andrews B, FitzGerald J, Winter SC: Trans-cutaneous electrical nerve stimulation to treat dry mouth (xerostomia) following radiotherapy for head and neck cancer. A systematic review. *Ann Med Surg (Lond)* 2021; 63: 102146
44. Schröder H, Thürmann P, Telschow C, Schröder M, Busse R: *Arzneimittel-Kompass* 2022. Springer Berlin Heidelberg, Berlin, Heidelberg 2022
45. Sreebny LM: Saliva in health and disease: an appraisal and update. *Int Dent J* 2000; 50: 140-161
46. Sreebny LM, Yu A, Green A, Valdini A: Xerostomia in diabetes mellitus. *Diabetes Care* 1992; 15: 900-904
47. T. Waltimo PK: Wie viel Speichel ist genug? In: Speichel. Hrsg. A. Filippi und T. Waltimo. Quintessenz, Berlin 2020
48. Teoh L, Moses G, McCullough MJ: Oral manifestations of illicit drug use. *Aust Dent J* 2019; 64: 213-222
49. Thomson WM: Measuring change in dry-mouth symptoms over time using the Xerostomia Inventory. *Gerodontology* 2007; 24: 30-35
50. Thomson WM, Chalmers JM, Spencer AJ, Williams SM: The Xerostomia Inventory: a multi-item approach to measuring dry mouth. *Community Dent Health* 1999; 16: 12-17
51. Thomson WM, van der Putten G-J, Baat C de et al.: Shortening the xerostomia inventory. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2011; 112: 322-327

52. Tulek A, Mulic A, Hogset M, Utheim TP, Sehic A: Therapeutic Strategies for Dry Mouth Management with Emphasis on Electrostimulation as a Treatment Option. *Int J Dent* 2021; 2021: 6043488
53. van de Rijt, Liza J M, Stoop CC, Weijenberg RAF et al.: The Influence of Oral Health Factors on the Quality of Life in Older People: A Systematic Review. *Gerontologist* 2020; 60: e378-e394
54. van Nieuw Amerongen A, Bolscher JGM, Veerman ECI: Salivary proteins: protective and diagnostic value in cariology? *Caries Res* 2004; 38: 247-253
55. Zero DT, Lussi A: Erosion--chemical and biological factors of importance to the dental practitioner. *Int Dent J* 2005; 55: 285-290

**ZMK 1-2/24 (40), 64-65**

**Minimalinvasive parodontale Regeneration mit Emdogain® FL**

Prof. Dr. Daniel Grubeanu

1. Straumann: [https://www.straumann.com/content/dam/media-center/straumann/de-de/documents/brochure/product-information/Straumann\\_DE490651\\_Straumann\\_Emdogain\\_Emdogain\\_FL\\_25\\_Jahre\\_Produnktinformation.pdf](https://www.straumann.com/content/dam/media-center/straumann/de-de/documents/brochure/product-information/Straumann_DE490651_Straumann_Emdogain_Emdogain_FL_25_Jahre_Produnktinformation.pdf) (Zuletzt aufgerufen: 31.07.2023)
2. Sculean A, Kiss A, Miliauskaite A, Schwarz F, Arweiler NB, Hannig M. Ten-year results following treatment of intra-bony defects with enamel matrix proteins and guided tissue regeneration. *J Clin Periodontol.* 2008 Sep;35(9):817-24. doi: 10.1111/j.1600-051X.2008.01295.x.
3. McGuire MK, Scheyer ET, Nunn M. Evaluation of human recession defects treated with coronally advanced flaps and either enamel matrix derivative or connective tissue: comparison of clinical parameters at 10 years. *J Periodontol.* 2012 Nov;83(11):1353-62. doi: 10.1902/jop.2012.110373
4. Jepsen S, Sculean A: Parodontale Regeneration. zm 112, Nr.18, 16.09.2022:1762-69

5. Mellonig JT et al. Clinical and histologic evaluation of non-surgical periodontal therapy with enamel matrix derivative: A report of four cases. *J Periodontol*, 80(9):1534-40 (2009).
6. Pecanov-Schröder A. Expertenrunde: Schmelzmatrixproteine und minimal-invasive Therapie. Wissenschaftliche und klinische Bewährung von Emdogain und Emdogain FL in der regenerativen Parodontaltherapie.  
<https://www.quintessenz-news.de/expertenrunde-schmelzmatrixproteine-und-minimal-invasive-therapie/> 30.07.2019. Zuletzt aufgerufen: 17.12.2020.
7. 083-043I\_S3\_Behandlung-von-Parodontitis-Stadium-I-III\_2021-02\_2.pdf (awmf.org), zuletzt aufgerufen: 07.09.2023
8. Factsheet-Parodontitis.pdf (bzaek.de), zuletzt aufgerufen: 07.09.2023
9. Chrcanovic BR, Albrektsson T, Wennerberg A. Periodontally compromised vs. periodontally healthy patients and dental implants: a systematic review and meta-analysis. *J Dent*. 2014 Dec;42(12):1509-27. doi: 10.1016/j.jdent.2014.09.013. Epub 2014 Oct 2. PMID: 25283479.
10. Villa O, Wohlfahrt JC, Mdla I, Petzold C, Reseland JE, Snead ML, Lyngstadaas SP. A Proline-Rich Peptide Mimic Effects of EMD in Rat. Oral Mucosal Incisional Wound Healing. *J Periodontol*. 2015 Dec;86(12):1386-95.
11. Microvessel Density Evaluation of the Effect of Enamel Matrix Derivative on Soft Tissue After Implant Placement: A Preliminary Study. Guimaraes GF, de Araujo VC, Nery JC, Peruzzo DC, Soares AB. *Int J Periodontics Restorative Dent*. 2015 Sep-Oct;35(5):733-8.
12. Arweiler NB, Auschill TM, Donos N, Sculean A. Antibacterial effect of an enamel matrix protein derivative on in vivo dental biofilm vitality. *Clin Oral Investig*. 2002 Dec;6(4):205-9. Epub 2002 Nov 14.