

Literatur ZMK 1-2 2025

ZMK 2025; 41 (1-2) 6-12

Dr. Kim N. Stolte, Univ.-Prof. Dr. Henrik Dommisch, Univ.-Prof. Dr. Sameh Attia, M.Sc.

Replantation avulsierter Zähne bei Kindern und Jugendlichen

- [1] C. Zaror, et al. "Impact of traumatic dental injuries on quality of life in preschoolers and schoolchildren: A systematic review and meta-analysis," *Community Dent Oral Epidemiol.* 2018; 46 (1): 88-101. doi: 10.1111/cdoe.12333.
- [2] Celikel P, Ozturk N, Bas A, Sengul F. "Evaluation of Pediatric Oral Health-Related Quality of Life score in children with traumatic dental avulsion injury: A Questionnaire-Based Cross-Sectional survey," *Dent Traumatol.* 2024 Apr; doi: 10.1111/edt.12957.
- [3] Andreasen JO, Ravn JJ. "Epidemiology of traumatic dental injuries to primary and permanent teeth in a Danish population sample," *Int J Oral Surg.* 1972; 1 (5): 235-9. doi: 10.1016/s0300-9785(72)80042-5.
- [4] Deutsche Gesellschaft für Mund- Kiefer- und Gesichtschirurgie (DGMKG) and Deutsche Gesellschaft für Zahn- Mund- und Kieferheilkunde (DGZMK), "Therapie des dentalen Traumas bleibender Zähne," 2022. [Online]. Available: <https://www.awmf.org/leitlinien/detail/II/083-004.html>.
- [5] Fouad AF, et al. "International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 2. Avulsion of permanent teeth," *Dent Traumatol.* 2020 Aug; 36 (4): 331-342. doi: 10.1111/edt.12573.
- [6] Glendor U, Halling A, Andersson L, Eilert-Petersson E. "Incidence of traumatic tooth injuries in children and adolescents in the county of Västmanland, Sweden," *Swed Dent J.* 1996; 20 (1-2): 15-28. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pubmed/8738905>.
- [7] K.-u. G. D. Deutsche Gesellschaft für Mund- and M.-u. K. D. Deutsche Gesellschaft für Zahn-, „Therapie des dentalen Traumas bleibender Zähne“, Langversion 2.0, 2022, AWMF-Registriernummer: 083-004," 2022. [Online]. Available: <https://www.awmf.org/leitlinien/detail/II/083-004.html>.
- [8] Deutsche Gesellschaft für Endodontologie und Zahnärztliche Traumatologie (DGET) and Deutsche Gesellschaft für Zahn- Mund- und Kieferheilkunde (DGZMK), "Befundbogen Zahntrauma." [Online]. Available: <https://www.dgzmk.de/documents/10165/3503862/Befundbogen+Frontzahntrauma/fbb80fc5-73ec-47a1-a98d-c41bbb7bb2b9>
- [9] Adnan S, Lone MM, Khan FR, Hussain SM, Nagi SE. "Which is the most recommended medium for the storage and transport of avulsed teeth? A systematic review," *Dent Traumatol.* 2018 Apr; 34 (2): 59-70. doi: 10.1111/edt.12382.

- [10] Layug ML, Barrett EJ, Kenny DJ. "Interim storage of avulsed permanent teeth," J Can Dent Assoc. 1998 May; 64 (5): 357-63. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pubmed/9648418>.
 - [11] Blomlöf L. "Milk and saliva as possible storage media for traumatically exarticulated teeth prior to replantation," Swed Dent J Suppl. 1981; 8: 1-26. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pubmed/6942523>.
 - [12] Osmanovic A, Halilovic S, Kurtovic-Kozaric A, Hadziabdic N. "Evaluation of periodontal ligament cell viability in different storage media based on human PDL cell culture experiments-A systematic review," Dent Traumatol. 2018 Dec; 34 (6): 384-393. doi: 10.1111/edt.12437.
 - [13] Zerman N. "Replantation After Dental Avulsion: A Scoping Review and Proposal of a Flow Chart," Eur J Paediatr Dent. 2024 Sep; 25 (3): 244-249. doi: 10.23804/ejpd.2024.25.03.02.
 - [14] Kahler B, Hu JY, Marriot-Smith CS, Heithersay GS. "Splinting of teeth following trauma: a review and a new splinting recommendation," Aust Dent J. 2016 Mar; 61 (1): 59-73. doi: 10.1111/adj.12398.
 - [15] Mente J, et al. "Treatment outcome of mineral trioxide aggregate in open apex teeth," J Endod. 2013 Jan; 39 (1): 20-6. doi: 10.1016/j.joen.2012.10.007.
 - [16] Galler KM, et al. "European Society of Endodontology position statement: Revitalization procedures," Int Endod J. 2016 Aug; 49 (8): 717-23. doi: 10.1111/iej.12629.
 - [17] Namour M, Theys S. "Pulp revascularization of immature permanent teeth: a review of the literature and a proposal of a new clinical protocol," ScientificWorldJournal 2014; vol. 2014: 737503. doi: 10.1155/2014/737503.
 - [18] Kim SG, Malek M, Sigurdsson A, Lin LM, Kahler B. "Regenerative endodontics: a comprehensive review," Int Endod J. 2018 Dec; 51 (12): 1367-1388. doi: 10.1111/iej.12954.
 - [19] Schaaf H, Hoh MJ, Streckbein P, Wilbrand J-F, Kerkmann H, Attia S. "Survival Rate of Teeth after Replantation of permanent incisors in Relation to defined Parameters: An Interventional Study," International Multispecialty Journal of Health 2016; 2 (5).
 - [20] Souza BDM, et al. "Incidence of Root Resorption after the Replantation of Avulsed Teeth: A Meta-analysis," J Endod. 2018 Aug; 44 (8): 1216-1227. doi: 10.1016/j.joen.2018.03.002.
 - [21] Carra MC, Blanc-Sylvestre N, Courtet A, Bouchard P. "Primordial and primary prevention of peri-implant diseases: A systematic review and meta-analysis," J Clin Periodontol. 2023 Jun; 50 (26): 77-112., doi: 10.1111/jcpe.13790.
 - [22] Day PF, et al. "International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 3. Injuries in the primary dentition," Dent Traumatol. 2020 Aug; 36 (4): 343-359. doi: 10.1111/edt.12576.
-

Aligner-Implant-Interface

- [1] Al-Moghrabi D, Pandis N, Fleming P. The effects of fixed and removable orthodontic retainers: a systematic review. *Prog Orthod.* 2016 Dec; 17 (1): 24. doi: 10.1186/s40510-016-0137-x. Epub 2016 Jul 26.
- [2] Gallucci GO, et al: Implant placement and loading protocols in partially edentulous patients: A systematic review. *Clin Oral Implants Res.* 2018; 29 Suppl 16: 106-134.
- [3] Harris K, Ojima K, Dan C, Upadhyay M, Alshehri A, Kuo C, Mu J, Uribe F, Nanda R. Evaluation of open bite closure using clear aligners: a retrospective study. *Prog Orthod.* 2020 Aug 24; 21 (1): 23. doi: 10.1186/s40510-020-00325-5.
- [4] Jiang Q, Li J, Mei L, Du J, Levrini L, Abbate G, Li H. Periodontal health during orthodontic treatment with clear aligners and fixed appliances: A meta-analysis. *J Am Dent Assoc.* 2018 Aug; 149 (8): 712-720.e12. doi: 10.1016/j.adaj.2018.04.010. Epub 2018 Jun 18.
- [5] Johnston C, Littlewood S. Retention in orthodontics. *Br Dent J.* 2015 Feb 16; 218 (3): 119-22. doi: 10.1038/sj.bdj.2015.47.
- [6] Lin E, Julien K, Kesterke M, Buschang P. Differences in finished case quality between Invisalign and traditional fixed appliances. *Angle Orthod.* 2022 Mar 1; 92 (2): 173-179. doi: 10.2319/032921-246.1.
- [7] Nucera R, Dolci C, Bellocchio A, Costa S, Barbera S, Rustico L, Farronato M, Militi A, Portelli M. Effects of Composite Attachments on Orthodontic Clear Aligners Therapy: A Systematic Review. *Materials (Basel).* 2022 Jan 11; 15 (2): 533. doi: 10.3390/ma15020533.
- [8] Rossini G, Parrini S, Castroflorio T, Deregibus A, Debernardi C. Efficacy of clear aligners in controlling orthodontic tooth movement: a systematic review. *Angle Orthod.* 2015 Sep; 85 (5): 881-9. doi: 10.2319/061614-436.1. Epub 2014 Nov 20.
- [9] Rossini G, Parrini S, Castroflorio T, Deregibus A, Debernardi C. Periodontal health during clear aligners treatment: a systematic review. *Eur J Orthod.* 2015 Oct; 37 (5): 39-43. doi: 10.1093/ejo/cju083. Epub 2014 Dec 29.
- [10] Sanz-Sanchez I et al: Clinical efficacy of immediate implant loading protocols compared to conventional loading depending on the type of the restoration: a systematic review. *Clin Oral Implants Res.* 2015; 26: 964-982.
- [11] Schopf P. *Curriculum Kieferorthopädie.* Quintessenz Verlags-GmbH, 4. überarbeitete und erweiterte Auflage, Band 2, 2008: 762-766.
- [12] Schropp L, et al. Bone healing and soft tissue contour changes following single-tooth extraction: a clinical and radiographic 12-month prospective study. *Int J Periodontics Restorative Dent.* 2003; 23: 313-323.

- [13] Strub JR, et al. Prognosis of immediately loaded implants and their restorations: a systematic literature review. *J Oral Rehabil.* 2012; 39: 704-717.
 - [14] Ten Heggeler JM, et al. Effect of socket preservation therapies following tooth extraction in non-molar regions in humans: a systematic review. *Clin Oral Implants Res.* 2011; 22: 779-788.
 - [15] Weir T. Clear aligners in orthodontic treatment. *Aust Dent J.* 2017 Mar; 62 (Suppl 1): 58-62. doi: 10.1111/adj.12480
 - [16] Zheng M, Liu R, Ni Z, Yu Z. Efficiency, effectiveness and treatment stability of clear aligners: A systematic review and meta-analysis. *Orthod Craniofac Res.* 2017 Aug; 20 (3): 127-133. doi: 10.1111/ocr.12177.
 - [17] Schnutenhaus S: Erfolgreiche Schnittstelle Aligner – Implantologie. *Implantologie Journal* 2023; 1-2: 22-27.
-

ZMK 2025; 41 (1-2) S. S. 26-29

Priv.-Doz. Dr. Madline Gund, MSc, MBA

Probiotika in der parodontalen Nachsorge: Welche Effekte haben sie?

- [1] Kwon T, Lamster IB, Levin L. Current Concepts in the Management of Periodontitis. *Int Dent J.* 2021 Dec; 71 (6): 462-476. Doi: 10.1111/idj.12630. Epub 2021 Feb 19.
- [2] Borges Tde, F. et al. Changes in masticatory performance and quality of life in individuals with Chronic periodontitis. *J Periodontol.* 2013; 84: 325-331. <https://doi.org/10.1902/jop.2012.120069>
- [3] Graziani F, Music L, Bozic D, Tsakos G. Is periodontitis and its treatment capable of changing the quality of life of a patient? *Br Dent J.* 2019; 227: 621-625. <https://doi.org/10.1038/s41415-019-0735-3>
- [4] Beck JD, Papapanou PN, Philips KH, Offenbacher S. Periodontal Medicine: 100 Years of Progress. *J Dent Res.* 2019; 98: 1053-1062. <https://doi.org/10.1177/0022034519846113>
- [5] Seneviratne CJ, Zhang CF, Samaranayake LP. Dental plaque biofilm in oral health and disease. *Chin J Dent Res.* 2011; 14: 87-94 (2011).
- [6] Socransky SS, Haffajee AD, Cugini MA, Smith C, Kent RL Jr. Microbial complexes in subgingival plaque. *J Clin Periodontol.* 1998 ; 25 ; 134-144. <https://doi.org/10.1111/j.1600-051x.1998.tb02419.x>
- [7] Mysak, J. et al. *Porphyromonas gingivalis*: major periodontopathic pathogen overview. *J Immuno Res.* 2014; 476068. <https://doi.org/10.1155/2014/476068>

- [8] Mohanty, R. et al. Red complex: Polymicrobial conglomerate in oral flora: A review. *J Family Med Prim Care* 2019; 8: 3480-3486. https://doi.org/10.4103/jfmpc.jfmpc_759_19
 - [9] Yost S, Duran-Pinedo AE, Teles R, Krishnan K, Frias-Lopez J. Functional signatures of oral dysbiosis during periodontitis progression revealed by microbial metatranscriptome analysis. *Genome Med.* 2015; 7: 27. <https://doi.org/10.1186/s13073-015-0153-3>
 - [10] Farina R, et al. Whole metagenomic shotgun sequencing of the subgingival microbiome of diabetics and non-diabetics with different periodontal conditions. *Arch Oral Biol.* 2019; 104: 13-23. <https://doi.org/10.1016/j.archoralbio.2019.05.025>
 - [11] Ai D, et al. Integrated metagenomic data analysis demonstrates that a loss of diversity in oral microbiota is associated with periodontitis. *BMC Genomics* 2017; 18: 1041. <https://doi.org/10.1186/s12864-016-3254-5>
 - [12] S3-Leitlinie "Die Behandlung von Parodontitis Stadium I-III (Langversion)", AWMF-Registriernummer 083-043, Stand: Dezember 2020, gültig bis November 2025.
 - [13] Kim SK, Guevarra RB, Kim YT, Kwon J, Kim H, Cho JH, Kim HB, Lee JH. Role of Probiotics in Human Gut Microbiome-Associated Diseases. *J Microbiol Biotechnol.* 2019 Sep 28; 29 (9): 1335-1340. doi: 10.4014/jmb.1906.06064.
 - [14] Seminario-Amez M, López-López J, Estrugo-Devesa A, Ayuso-Montero R, Jané-Salas E. Probiotics and oral health: A systematic review. *Med Oral Patol Oral Cir Bucal.* 2017 May1; 22 (3): e282-e288. doi: 10.4317/medoral.21494. PMID: 28390121
 - [15] Inchingolo F, Inchingolo AM, Malcangi G, De Leonardis N, Sardano R, Pezzolla C, de Ruvo E, Di Venere D, Palermo A, Inchingolo AD, Corriero A, Dipalma G. The Benefits of Probiotics on OralHealth: Systematic Review of the Literature. *Pharmaceuticals (Basel).* 2023 Sep 16; 16 (9): 1313. doi: 10.3390/ph16091313.
 - [16] Grusovin MG, Bossini S, Calza S, Cappa V, Garzetti G, Scotti E, Gherlone EF, Mensi M. Clinical efficacy of Lactobacillus reuteri-containing lozenges in the supportive therapy of generalized periodontitis stage III and IV, grade C: 1-year results of a double-blind randomized placebo-controlled pilot study. *Clin Oral Investig.* 2020 Jun; 24 (6): 2015-2024. doi: 10.1007/s00784-019-03065-x. Epub 2019 Oct 16. PMID: 31620939.
 - [17] Thierbach R, Eigenmann A, Naim J, Hannig M, Rupf S, Gund MP. L. reuteri in Supportive Periodontal Therapy-Are There Already Clinical Effects after 3 Months with One Lozenge a Day? A Double-Blind Randomized Placebo-Controlled Study. *Microorganisms.* 2024 Mar 25; 12 (4): 648. doi: 10.3390/microorganisms12040648.
 - [18] Pelekos G, Acharya A, Eiji N, Hong G, Leung WK, McGrath C. Effects of adjunctive probiotic L. reuteri lozenges on S/RSD outcomes at molar sites with deep pockets. *J Clin Periodontol.* 2020 Sep; 47 (9): 1098-1107. doi: 10.1111/jcpe.13329. Epub 2020 Jun 29.
 - [19] Laleman I, Pauwels M, Quirynen M, Teughels W. A dual-strain Lactobacilli reuteri probiotic improves the treatment of residual pockets: A randomized controlled clinical trial. *J Clin Periodontol.* 2020 Jan; 47 (1): 43-53. doi: 10.1111/jcpe.13198. Epub 2019 Nov 14.
-

Update zur MIH: Fügen sich die Puzzlestücke zusammen?

2. Kongress der AMIT in Berlin

- [1] Weerheijm KL et al. Molar-Incisor Hypomineralisation. *Caries Res* 2001;35(5):390-391
 - [2] Lygidakis NA, Wong F, Jälevik B, Vierrou AM, Alaluusua S, Espelid I. Best Clinical Practice Guidance for clinicians dealing with children presenting with Molar-Incisor-Hypomineralisation (MIH): An EAPD Policy Document. *Eur Arch Paediatr Dent*. 2010;11(2):75-81. doi:10.1007/BF03262716
 - [3] Zhao D, Dong B, Yu D, Ren Q, Sun Y. The prevalence of molar incisor hypomineralization: evidence from 70 studies. *Int J Paediatr Dent*. 2018;28(2):170-179. doi:10.1111/ipd.12323
 - [4] Fresen KF, Gaballah R, Schill HI, et al. Prevalence and Association of Caries and Enamel Hypomineralisation/Molar-Incisor Hypomineralisation in 8- to 10-Year-Old Children from Bavaria, Germany. *Caries Res*. Published online September 12, 2024. doi:10.1159/000541351
 - [5] Lygidakis NA, Garot E, Somani C, Taylor GD, Rouas P, Wong FSL. Best clinical practice guidance for clinicians dealing with children presenting with molar-incisor-hypomineralisation (MIH): an updated European academy of paediatric dentistry policy document. *Eur Arch Paediatr Dent*. 2022;23:3–21. <https://doi.org/10.1007/s40368-021-00668-5>
 - [6] Bekes K, Steffen R, Krämer N. Update of the molar incisor hypomineralization: Würzburg concept. *Eur Arch Paediatr Dent*. 2023;24(6):807-813. doi:10.1007/s40368-023-00848-5 <https://pmc.ncbi.nlm.nih.gov/articles/PMC10657291/>
 - [7] Bekes K, Amend S, Priller J, Zamek C, Stamm T, Krämer N. Changes in oral health-related quality of life after treatment of hypersensitive molar incisor hypomineralization-affected molars with a sealing. *Clin Oral Investig*. 2021;25(11):6449-6454. doi:10.1007/s00784-021-03947-z
 - [8] Blanchet I, Camoin A, Tardieu C, Jacquot B. Microabrasion in the management of enamel discolorations in paediatric dentistry: a systematic review. *J Clin Pediatr Dent*. 2023;47(1):17-26. doi:10.22514/jocpd.2022.015
 - [9] Felsch M, Meyer O, Schlickenrieder A, et al. Detection and localization of caries and hypomineralization on dental photographs with a vision transformer model. *NPJ Digit Med*. 2023;6(1):198. Published 2023 Oct 25. doi:10.1038/s41746-023-00944-2
-