

LITERATUR ZMK 4 2025

ZMK 2025: 41 (4) S. 142-153

PD Dr. med. dent. Sonja H. M. Derman

Parodontitistherapie im Spannungsfeld zwischen Leitlinie und Patientenautonomie – ein Fallbericht

- [1] Caton, J.G., et al., A new classification scheme for periodontal and peri-implant diseases and conditions - Introduction and key changes from the 1999 classification. J Clin Periodontol, 2018. 45 Suppl 20: p. S1-S8.
- [2] Herrera, D., et al., Treatment of stage IV periodontitis: The EFP S3 level clinical practice guideline. J Clin Periodontol, 2022. 49 Suppl 24: p. 4-71.
- [3] Sanz, M., et al., Treatment of stage I-III periodontitis-The EFP S3 level clinical practice guideline. J Clin Periodontol, 2020. 47 Suppl 22: p. 4-60.
- [4] Katzenmeier, C., Patients' autonomy and patients' rights. Bundesgesundheitsblatt-Gesundheitsforschung-Gesundheitsschutz, 2012. 55(9): p. 1093-1099.
- [5] Wicht, M.J., Partizipative Entscheidungsfindung in der Zahnmedizin. ZMK, 2016. 32(6): p. 374-379.
- [6] Stiggelbout, A.M., et al., Shared decision making: really putting patients at the centre of healthcare. BMJ, 2012. 344: p. e256.
- [7] Scheibler, F., et al., Shared decision-making. GGW, 2005. 5(1): p. 23-31.
- [8] Charles, C., T. Whelan, and A. Gafni, What do we mean by partnership in making decisions about treatment? British Medical Journal, 1999. 319(7212): p. 780-782.
- [9] Wicht, M.J. and M.J. Noack, Der informierte Patient im Fokus: Partizipative Entscheidungsfindung in der Zahnmedizin ZMK, 2016. 32(6): p. 374-379.
- [10] Papapanou, P.N., et al., Periodontitis: Consensus report of workgroup 2 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. J Clin Periodontol, 2018. 45 Suppl 20: p. S162-S170.
- [11] Jepsen, S., et al., Periodontal manifestations of systemic diseases and developmental and acquired conditions: Consensus report of workgroup 3 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. J Clin Periodontol, 2018. 45 Suppl 20: p. S219-S229.
- [12] Kwok, V. and J.G. Caton, Commentary: prognosis revisited: a system for assigning periodontal prognosis. J Periodontol, 2007. 78(11): p. 2063-71.
- [13] Caton, J.G., et al., A new classification scheme for periodontal and peri-implant diseases and conditions - Introduction and key changes from the 1999 classification. J Periodontol, 2018. 89 Suppl 1: p. S1-S8.
- [14] Chapple, I.L.C., et al., Periodontal health and gingival diseases and conditions on an intact and a reduced periodontium: Consensus report of workgroup 1 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. J Clin Periodontol, 2018. 45 Suppl 20: p. S68-S77.
- [15] Cabanilla, L.L., A.L. Neely, and F. Hernandez, The relationship between periodontal diagnosis and prognosis and the survival of prosthodontic abutments: a retrospective study. Quintessence Int, 2009. 40(10): p. 821-31.
- [16] Pretzl, B., et al., Tooth loss after active periodontal therapy. 2: tooth-related factors. J Clin Periodontol, 2008. 35(2): p. 175-82.

- [17] Shifman, A., B.Z. Laufer, and H. Chweidan, Posterior bite collapse--revisited. *J Oral Rehabil*, 1998. 25(5): p. 376-85.
 - [18] Bechtold, M., S. Fickl, and U. Schlagenhauf, Parodontale Therapie - das Würzburger Konzept. *BZB*, 2011(Juni): p. 63-67.
 - [19] Graetz, C., et al., Retention of questionable and hopeless teeth in compliant patients treated for aggressive periodontitis. *J Clin Periodontol*, 2011. 38(8): p. 707-14.
 - [20] Eickholz, P., et al., Tooth loss after active periodontal therapy. 1: patient-related factors for risk, prognosis, and quality of outcome. *J Clin Periodontol*, 2008. 35(2): p. 165-74.
 - [21] Helal, O., et al., Predictors for tooth loss in periodontitis patients: Systematic review and meta-analysis. *J Clin Periodontol*, 2019.
 - [22] Kathariya, R., et al., To Splint or Not to Splint: The Current Status of Periodontal Splinting. *J Int Acad Periodontol*, 2016. 18(2): p. 45-56.
 - [23] Sekhar, L.C., et al., A comparative study of temporary splints: bonded polyethylene fiber reinforcement ribbon and stainless steel wire + composite resin splint in the treatment of chronic periodontitis. *J Contemp Dent Pract*, 2011. 12(5): p. 343-9.
 - [24] Sonnenschein, S.K., et al., Long-term stability of splinted anterior mandibular teeth during supportive periodontal therapy. *Acta Odontol Scand*, 2017. 75(7): p. 475-482.
 - [25] Bagis, B., et al., Rehabilitation of an extracted anterior tooth space using fiber-reinforced composite and the natural tooth. *Dent Traumatol*, 2010. 26(2): p. 191-4.
 - [26] Muller, S., et al., Long-term tooth loss in periodontally compromised but treated patients according to the type of prosthodontic treatment. A retrospective study. *J Oral Rehabil*, 2013. 40(5): p. 358-67.
 - [27] Chrcanovic, B.R., T. Albrektsson, and A. Wennerberg, Periodontally compromised vs. periodontally healthy patients and dental implants: a systematic review and meta-analysis. *J Dent*, 2014. 42(12): p. 1509-27.
 - [28] Graetz, C., et al., Long-term survival and maintenance efforts of splinted teeth in periodontitis patients. *J Dent*, 2019. 80: p. 49-54.
 - [29] Richter-Kuhlmann, E., Choosing wisely. Mut haben, etwas nicht zu tun. *Dtsch Arztebl*, 2015. 112: p. 1810-1811.
-

ZMK 2025; 41 (4) S. 154-165

Manuell, elektrisch oder gleich mit KI putzen – was sagt die Forschung?

Prof. Dr. med. dent. Clemens Walter, Priv.-Doz. Dr. med. dent. Julia C. Difflöe-Geisert

- [1] Socransky SS, Haffajee AD. Dental biofilms: difficult therapeutic targets. *Periodontol* 2000; 2002;28:12-55.
- [2] Sculean A, Bastendorf KD, Becker C, Bush B, Einwag J, Lanoway C, Platzer U, Schmage P, Schoeneich B, Walter C, Wennström JL, Flemmig TF. A paradigm shift in mechanical biofilm management? Subgingival air polishing: a new way to improve mechanical biofilm management in the dental practice. *Quintessence Int*. 2013 Jul;44(7):475-7.
- [3] Loe H, Theilade E, Jensen SB. Experimental gingivitis in man. *J Periodontol* 1965;36:177-87.

- [4] Theilade E, Wright WH, Jensen SB, Loe H. Experimental gingivitis in man. II. A longitudinal clinical and bacteriological investigation. *J Periodontal Res* 1968;1:1-13.
- [5] Schätzle M, Loe H, Burgin W, Anerud A, Boysen H, Lang NP. Clinical course of chronic periodontitis. I. Role of gingivitis. *J Clin Periodontol* 2003;30:887-901.
- [6] Kolenbrander PE, Palmer RJ Jr, Periasamy S, Jakubovics NS. Oral multispecies biofilm development and the key role of cell-cell distance. *Nat Rev Microbiol* 2010;8(7):471-480.
- [7] Eick S, Selmann T, Pfister W. Efficacy of antibiotics to strains of periodontopathogenic bacteria within a single species biofilm – an in vitro study. *J Clin Periodontol* 2004;31(5):376-383.
- [8] Olsen I. Biofilm-specific antibiotic tolerance and resistance. *Eur J Microbiol Dis.* 2015; 34 (5): 877-886.
- [9] Meyle J, Chapple I. Molecular aspects of the pathogenesis of periodontitis. *Periodontol* 2000 2015;69:7-17.
- [10] He Y, Peterson BW, Ren Y, van der Mei HC, Busscher HJ. Antimicrobial penetration in a dual-species oral biofilm after noncontact brushing: an in vitro study. *Clin Oral Investig* 2014;18(4):1103-1109.
- [11] Roberts AP, Kreth J. The impact of horizontal gene transfer on the adaptive ability of the human oral microbiome. *Front Cell Infect Microbiol* 2014;4:124.
- [12] Rohrer N, Widmer AF, Waltimo T, Kulik EM, Weiger R. Filipuzzi-Jenny E, Walter C. Antimicrobial efficacy of 3 oral antiseptics containing octenidine, polyhexamethylene biguanide, or Citrox: can chlorhexidine be replaced? *Infect Control Hosp Epidemiol* 2010;31(7):733-739.
- [13] Marsh PD, Bradshaw DJ. Dental plaque as a biofilm. *J Ind Microbiol* 1995;15(3):169-175.
- [14] Herrera D, Alonso B, Leon R, Roldan S, Sanz M. Antimicrobial therapy in periodontitis: the use of systemic antimicrobials against the subgingival biofilm. *J Clin Periodontol* 2008;35(8):45-66.
- [15] Walter C, Weiger R. Antibiotics as the only therapy of untreated chronic periodontitis: a critical commentary. *J Clin Periodontol* 2006;33(12):938-939;author reply 940-941.
- [16] Guerrero A, Griffiths GS, Nibali L, Suvan J, Moles DR, Laurell L, Tonetti MS. Adjunctive benefits of systemic amoxicillin and metronidazole in non-surgical treatment of generalized aggressive periodontitis: a randomized placebo-controlled clinical trial. *J Clin Periodontol* 2005;32:1096-1107.
- [17] Kaner D, Christan C, Dietrich T, Bernimoulin JP, Kleber BM, Friedmann A. Timing affects the clinical outcome of adjunctive systemic antibiotic therapy for generalized aggressive periodontitis. *J Periodontol* 2007;78(7):1201-1208.
- [18] Bühler J, Walter C. Unterstützende Parodontistherapie mit Pulver-Wasserstrahl-Gemischen (PerioFlow). *Plaque N Care* 2017;11:22-32.
- [19] Van der Weijden GA, Timmerman MF. A systematic review on the clinical efficacy of subgingival debridement in the treatment of chronic periodontitis. *J Clin Periodontol* 2002;29 Suppl 3:55-71.
- [20] Walter C, Weiger RH. PEKBOOK Ein Leitfaden für die Zahnerhaltung. Teil 3 Parodontologie. Basel: Eigenverlag der Klinik für Parodontologie, Endodontologie und Kariologie, 2016.
- [21] Bühler J, Amato M, Weiger R, Walter C. A systematic review on the patient perception of periodontal treatment using air polishing devices. *Int J Dent Hyg* 2016;14:4-14.

- [22] Bühler J, Schmidli F, Weiger R, Walter C. Analysis of the effects of air polishing powders containing sodium bicarbonate and glycine on human teeth. *Clin Oral Investig* 2015;19:877-885.
- [23] Walmsley AD, Lea SC, Landini G, Moses AJ. Advances in power driven pocket/root instrumentation. *J Clin Periodontol* 2008;35:22-28.
- [24] Lindhe J, Okamoto H, Yoneyama T, Haffajee A, Socransky SS. Periodontal loser sites in untreated adult subjects. *J Clin Periodontol* 1989;16:671-678.
- [25] Nyman S, Lindhe J, Rosling B. Periodontal surgery in plaque-infected dentitions. *J Clin Periodontol* 1977;4:240-249.
- [26] Mejàre I, Stenlund H, Zelezny-Holmlund C. Caries incidence and lesion progression from adolescence to young adulthood: a prospective 15-year cohort study in Sweden. *Caries Res* 2004;38:130-141.
- [27] Kirkevang LL, Vaeth M, Wenzel A. Incidence of caries lesions in approximal surfaces: a radiographic study of a general adult Danish population. *Caries Res* 2011;45:538-546.
- [28] Knöfler G, Friedl K, Fresmann S, Mausberg RF, Haak R, Ziebolz D. Oral Health Behaviour and Oral Hygiene of Dental Professionals and Laypersons - A Survey Performed in Lower Saxony, Germany. *Oral Health Prev Dent* 2017;347-355.
- [29] Schlueter N, Klimek J, Saleschke G, Ganss C. Adoption of a toothbrushing technique: a controlled, randomised clinical trial. *Clin Oral Investig* 2010;14:99-106.
- [30] Schlueter N, Klimek J, Ganss C. Relationship between plaque score and video-monitored brushing performance after repeated instruction--a controlled, randomised clinical trial. *Clin Oral Investig* 2013;17:659-667.
- [31] Ganss C, Duran R, Winterfeld T, Schlueter N. Tooth brushing motion patterns with manual and powered toothbrushes-a randomised video observation study. *Clin Oral Investig* 2018;22:715-720.
- [32] Winterfeld T, Schlueter N, Harnacke D, Illig J, Margraf-Stiksrud J, Deinzer R, Ganss C. Toothbrushing and flossing behaviour in young adults--a video observation. *Clin Oral Investig* 2015;19:851-858.
- [33] Sambunjak D, Nickerson JW, Poklepovic T, Johnson TM, Imai P, Tugwell P, Worthington HV. Flossing for the management of periodontal diseases and dental caries in adults. *Cochrane Database Syst Rev* 2011;CD008829.
- [34] Pitchika V, Pink C, Völzke H, Welk A, Kocher T, Holtfreter B. Long term impact of powered toothbrush on oral health: 11-year cohort study. *J Clin Periodontol* 2019 Jul;46(7):713-722.
- [35] Schmidt JC, Zaugg C, Weiger R, Walter C. Brushing without brushing?--a review of the efficacy of powered toothbrushes in noncontact biofilm removal. *Clin Oral Investig* 2013;17:687-709.
- [36] Sharma PK, Gibcus MJ, van der Mei HC, Busscher HJ. Influence of fluid shear and microbubbles on bacterial detachment from a surface. *Appl Environ Microbiol* 2005;71:3668-3673.
- [37] Schmidt JC, Astasov-Frauenhoffer M, Hauser-Gerspach I, Schmidt JP, Waltimo T, Weiger R, Walter C. Efficacy of various side-to-side toothbrushes for noncontact biofilm removal. *Clin Oral Investig* 2014;18:793-800.
- [38] Schmidt JC, Astasov-Frauenhoffer M, Waltimo T, Weiger R, Walter C. Efficacy of various side-to-side toothbrushes and impact of brushing parameters on noncontact biofilm removal in an interdental space model. *Clin Oral Investig* 2017;21:1565-1577.

- [39] Schmidt JC, Astasov-Frauenhoffer M, Waltime T, Weiger R, Walter C. Influence of the oscillation frequency of different side-to-side toothbrushes on noncontact biofilm removal. *Clin Oral Investig* 2018;22:2141-2147
- [40] Schmidt J, Astasov-Frauenhoffer M, Hauser-Gerspach I, Waltime T, Weiger R, Walter C. Influence of the amplitude of different side-to-side toothbrushes on noncontact biofilm removal. *Clin Oral Investig* 2019; 23:1951-1957.
- [41] Schmidt JC, Walter C. Putzen ohne zu putzen? Hydrodynamische Effekte von Schallzahnbürsten. *Parodontol* 2014;25:23-29.
- [42] Socransky SS, Haffajee AD, Cugini MA, Smith C, Kent RL, Jr. Microbial complexes in subgingival plaque. *J Clin Periodontol* 1998;25:134-144.
- [43] Gmür R, Munson MA, Wade WG. Genotypic and phenotypic characterization of fusobacteria from Chinese and European patients with inflammatory periodontal diseases. *Syst Appl Microbiol* 2006;29:120-130.
- [44] Aspiras MB, Barros SP, Moss KL, Barrow DA, Phillips ST, Mendoza L, de Jager M, Ward M, Offenbacher S. Clinical and subclinical effects of power brushing following experimental induction of biofilm overgrowth in subjects representing a spectrum of periodontal disease. *J Clin Periodontol* 2013;40:1118-1125.
- [45] Schwendicke F, Krois J, Kocher T, Hoffmann T, Micheelis W, Jordan RA. More teeth in more elderly: periodontal treatment needs in Germany 1997–2030. *J Clin Periodontol* 2018. 45(12):1400–1407.
- [46] Kassebaum NJ, Bernabe E, Dahiya M, Bhandari B, Murray CJ, Marcenes W. Global burden of severe periodontitis in 1990-2010: a systematic review and meta-regression. *J Dent Res* 2014;93:1045-1053.
- [47] Busscher HJ, Jager D, Finger G, Schaefer N, van der Mei HC. Energy transfer, volumetric expansion, and removal of oral biofilms by non-contact brushing. *Eur J Oral Sci* 2010;118:177-182.
- [48] Adams H, Winston MT, Heersink J, Buckingham-Meyer KA, Costerton JW, Stoodley P. Development of a laboratory model to assess the removal of biofilm from interproximal spaces by powered tooth brushing. *Am J Dent* 2002;15 Spec No:12B-17B.
- [49] Parini MR, Eggett DL, Pitt WG. Removal of *Streptococcus mutans* biofilm by bubbles. *J Clin Periodontol* 2005;32:1151-1156.
- [50] Parini MR, Pitt WG. Removal of oral biofilms by bubbles: the effect of bubble impingement angle and sonic waves. *J Am Dent Assoc* 2005;136:1688-1693.
- [51] Parini MR, Pitt WG. Dynamic removal of oral biofilms by bubbles. *Colloids Surf B Biointerfaces* 2006;52:39-46.
- [52] Kazor CE, Mitchell PM, Lee AM, Stokes LN, Loesche WJ, Dewhirst FE, Paster BJ. Diversity of bacterial populations on the tongue dorsa of patients with halitosis and
- [53] Mombelli A. Periodontitis as an infectious disease: specific features and their implications. *Oral Dis* 2003;9 Suppl;1:6-10.
- [54] Fischer F. Digitale Interventionen in Prävention und Gesundheitsförderung: Welche Form der Evidenz haben wir und welche wird benötigt? [Digital interventions in prevention and health promotion: What kind of evidence do we have and what is needed?]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2020 Jun;63(6):674-680.
- [55] Revilla-León M, Gómez-Polo M, Barmak AB, Inam W, Kan JYK, Kois JC, Akal O. Artificial intelligence models for diagnosing gingivitis and periodontal disease: A systematic review. *J Prosthet Dent*. 2023 Dec;130(6):816-824.

- [56] Tonetti MS, Deng K, Christiansen A, Bogetti K, Nicora C, Thurnay S, Cortellini P. Self-reported bleeding on brushing as a predictor of bleeding on probing: Early observations from the deployment of an internet of things network of intelligent power-driven toothbrushes in a supportive periodontal care population. *J Clin Periodontol*. 2020 Oct;47(10):1219-1226.
 - [57] Li Y, Wu X, Liu M, Deng K, Tullini A, Zhang X, Shi J, Lai H, Tonetti MS. Enhanced control of periodontitis by an artificial intelligence-enabled multimodal-sensing toothbrush and targeted mHealth micromessages: A randomized trial. *J Clin Periodontol*. 2024 Dec;51(12):1632-1643.
 - [58] Tonetti MS, Greenwell H, Kornman KS. Staging and grading of periodontitis: Framework and proposal of a new classification and case definition. *J Periodontol*. 2018 Jun;89 Suppl 1:S159-S172. doi: 10.1002/JPER.18-0006. Erratum in: *J Periodontol*. 2018 Dec;89(12):1475.
 - [59] Caton JG, Armitage G, Berglundh T, Chapple ILC, Jepsen S, Kornman KS, Mealey BL, Papapanou PN, Sanz M, Tonetti MS. A new classification scheme for periodontal and peri-implant diseases and conditions - Introduction and key changes from the 1999 classification. *J Clin Periodontol*. 2018 Jun;45 Suppl 20:S1-S8.
 - [60] Papapanou PN, Sanz M, Buduneli N, Dietrich T, Feres M, Fine DH, Flemmig TF, Garcia R, Giannobile WV, Graziani F, Greenwell H, Herrera D, Kao RT, Kebschull M, Kinane DF, Kirkwood KL, Kocher T, Kornman KS, Kumar PS, Loos BG, Machtei E, Meng H, Mombelli A, Needleman I, Offenbacher S, Seymour GJ, Teles R, Tonetti MS. Periodontitis: Consensus report of workgroup 2 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. *J Periodontol*. 2018 Jun;89 Suppl 1:S173-S182.
 - [61] Sanz M, Herrera D, Kebschull M, Chapple I, Jepsen S, Berglundh T, Sculean A, Tonetti MS; EFP Workshop Participants and Methodological Consultants. Treatment of stage I-III periodontitis-The EFP S3 level clinical practice guideline. *J Clin Periodontol*. 2020 Jul;47 Suppl 22(Suppl 22):4-60. doi: 10.1111/jcpe.13290. Erratum in: *J Clin Periodontol*. 2021 Jan;48(1):163.
 - [62] Herrera D, Sanz M, Kebschull M, Jepsen S, Sculean A, Berglundh T, Papapanou PN, Chapple I, Tonetti MS; EFP Workshop Participants and Methodological Consultant. Treatment of stage IV periodontitis: The EFP S3 level clinical practice guideline. *J Clin Periodontol*. 2022 Jun;49 Suppl 24:4-71.
 - [63] Sanz M, Marco Del Castillo A, Jepsen S, Gonzalez-Juanatey JR, D'Aiuto F, Bouchard P, Chapple I, Dietrich T, Gotsman I, Graziani F, Herrera D, Loos B, Madianos P, Michel JB, Perel P, Pieske B, Shapira L, Shechter M, Tonetti M, Vlachopoulos C, Wimmer G. Periodontitis and cardiovascular diseases: Consensus report. *J Clin Periodontol*. 2020 Mar;47(3):268-288.
 - [64] Qiao Y, Wang Z, Li Y, Han Y, Zhou Y, Cao X. Rheumatoid arthritis risk in periodontitis patients: A systematic review and meta-analysis. *Joint Bone Spine*. 2020 Dec;87(6):556-564.
 - [65] Simpson TC, Clarkson JE, Worthington HV, MacDonald L, Weldon JC, Needleman I, Iheozor-Ejiofor Z, Wild SH, Qureshi A, Walker A, Patel VA, Boyers D, Twigg J. Treatment of periodontitis for glycaemic control in people with diabetes mellitus. *Cochrane Database Syst Rev*. 2022 Apr 14;4(4):CD004714.
-

- [1] Sonis, S.T., The pathobiology of mucositis. *Nat Rev Cancer*, 2004. 4(4): p. 277-84.
- [2] Villa, A. and S.T. Sonis, Mucositis: pathobiology and management. *Curr Opin Oncol*, 2015. 27(3): p. 159-64.
- [3] Elting, L.S., et al., Patient-reported measurements of oral mucositis in head and neck cancer patients treated with radiotherapy with or without chemotherapy: demonstration of increased frequency, severity, resistance to palliation, and impact on quality of life. *Cancer*, 2008. 113(10): p. 2704-13.
- [4] Sonis, S.T., Oral mucositis. *Anticancer Drugs*, 2011. 22(7): p. 607-12.
- [5] Wang, Y., X. Zhou, and X. Xu, Oral microbiota: an overlooked etiology for chemotherapy-induced oral mucositis? *J Formos Med Assoc*, 2015. 114(4): p. 297-9.
- [6] Sonis, S.T., et al., Perspectives on cancer therapy-induced mucosal injury: pathogenesis, measurement, epidemiology, and consequences for patients. *Cancer*, 2004. 100(9 Suppl): p. 1995-2025.
- [7] Esperou, H., et al., Predicting the costs of allogeneic sibling stem-cell transplantation: results from a prospective, multicenter, French study. *Transplantation*, 2004. 77(12): p. 1854-8.
- [8] Jones, J.A., et al., In-hospital complications of autologous hematopoietic stem cell transplantation for lymphoid malignancies: clinical and economic outcomes from the Nationwide Inpatient Sample. *Cancer*, 2008. 112(5): p. 1096-105.
- [9] Nonzee, N.J., et al., Evaluating the supportive care costs of severe radiochemotherapy-induced mucositis and pharyngitis : results from a Northwestern University Costs of Cancer Program pilot study with head and neck and nonsmall cell lung cancer patients who received care at a county hospital, a Veterans Administration hospital, or a comprehensive cancer care center. *Cancer*, 2008. 113(6): p. 1446-52.
- [10] Vanhoecke, B., et al., Microbiota and their role in the pathogenesis of oral mucositis. *Oral Dis*, 2015. 21(1): p. 17-30.
- [11] Marsh, P.D., D.A. Head, and D.A. Devine, Ecological approaches to oral biofilms: control without killing. *Caries Res*, 2015. 49 Suppl 1: p. 46-54.
- [12] Barasch, A. and D.E. Peterson, Risk factors for ulcerative oral mucositis in cancer patients: unanswered questions. *Oral Oncol*, 2003. 39(2): p. 91-100.
- [13] National Institutes of Health Consensus Development Panel, Consensus statement: oral complications of cancer therapies. *NCI Monogr*, 1990(9): p. 3-8.
- [14] Al-Dasooqi, N., et al., Emerging evidence on the pathobiology of mucositis. *Support Care Cancer*, 2013. 21(7): p. 2075-83.
- [15] Avritscher, E.B., C.D. Cooksley, and L.S. Elting, Scope and epidemiology of cancer therapy-induced oral and gastrointestinal mucositis. *Semin Oncol Nurs*, 2004. 20(1): p. 3-10.
- [16] Leitlinienprogramm Onkologie (Deutsche Krebsgesellschaft, D.K., AWMF), , Supportive Therapie bei onkologischen PatientInnen – Langversion 1.1, 2017, AWMF Registernummer: 032/054OL, <http://leitlinienprogramm-onkologie.de/Supportive-Therapie.95.0.html> (Zugriff am 30.09.2019). 2017.
- [17] Napenas, J.J., et al., Relationship between mucositis and changes in oral microflora during cancer chemotherapy. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*,

2007. 103(1): p. 48-59.
- [18] Laheij, A.M. and J.J. de Soet, Can the oral microflora affect oral ulcerative mucositis? *Curr Opin Support Palliat Care*, 2014. 8(2): p. 180-7.
 - [19] Elad, S., et al., Basic oral care for hematology-oncology patients and hematopoietic stem cell transplantation recipients: a position paper from the joint task force of the Multinational Association of Supportive Care in Cancer/International Society of Oral Oncology (MASCC/ISOO) and the European Society for Blood and Marrow Transplantation (EBMT). *Support Care Cancer*, 2015. 23(1): p. 223-36.
 - [20] Elad, S., et al., A decision analysis: the dental management of patients prior to hematology cytotoxic therapy or hematopoietic stem cell transplantation. *Oral Oncol*, 2008. 44(1): p. 37-42.
 - [21] Lalla, R.V., et al., MASCC/ISOO clinical practice guidelines for the management of mucositis secondary to cancer therapy. *Cancer*, 2014. 120(10): p. 1453-1461.
 - [22] Hong, C.H.L., et al., Systematic review of basic oral care for the management of oral mucositis in cancer patients and clinical practice guidelines. *Support Care Cancer*, 2019. 27(10): p. 3949-3967.
 - [23] Ariyawardana, A., et al., Systematic review of anti-inflammatory agents for the management of oral mucositis in cancer patients and clinical practice guidelines. *Support Care Cancer*, 2019. 27(10): p. 3985-3995.
 - [24] Yarom, N., et al., Systematic review of natural and miscellaneous agents for the management of oral mucositis in cancer patients and clinical practice guidelines-part 1: vitamins, minerals, and nutritional supplements. *Support Care Cancer*, 2019. 27(10): p. 3997-4010.
 - [25] Rubenstein, E.B., et al., Clinical practice guidelines for the prevention and treatment of cancer therapy-induced oral and gastrointestinal mucositis. *Cancer: Interdisciplinary International Journal of the American Cancer Society*, 2004. 100(S9): p. 2026-2046.
 - [26] Worthington, H.V., et al., Interventions for preventing oral mucositis for patients with cancer receiving treatment. *Cochrane Database of Systematic Reviews*, 2011(4).
 - [27] Keefe, D.M., et al., Updated clinical practice guidelines for the prevention and treatment of mucositis. *Cancer: Interdisciplinary International Journal of the American Cancer Society*, 2007. 109(5): p. 820-831.
 - [28] McGuire, D.B., et al., Systematic review of basic oral care for the management of oral mucositis in cancer patients. *Supportive Care in Cancer*, 2013. 21(11): p. 3165-3177.
 - [29] Stringer, A.M. and R.M. Logan, The role of oral flora in the development of chemotherapy-induced oral mucositis. *J Oral Pathol Med*, 2015. 44(2): p. 81-7.
 - [30] Vasconcelos, R.M., et al., Host-Microbiome Cross-talk in Oral Mucositis. *J Dent Res*, 2016. 95(7): p. 725-33.
 - [31] Laheij, A.M., et al., Oral bacteria and yeasts in relationship to oral ulcerations in hematopoietic stem cell transplant recipients. *Support Care Cancer*, 2012. 20(12): p. 3231-40.
 - [32] Furquim, C.P., et al., The Salivary Microbiome and Oral Cancer Risk: a Pilot Study in Fanconi Anemia. *J Dent Res*, 2017. 96(3): p. 292-299.
 - [33] Montassier, E., et al., Chemotherapy-driven dysbiosis in the intestinal microbiome. *Aliment Pharmacol Ther*, 2015. 42(5): p. 515-28.
 - [34] Montassier, E., et al., Pretreatment gut microbiome predicts chemotherapy-related bloodstream infection. *Genome Med*, 2016. 8(1): p. 49.
 - [35] Dewhirst, F.E., et al., The human oral microbiome. *J Bacteriol*, 2010. 192(19): p. 5002-17.

- [36] Gevers, D., et al., The treatment-naïve microbiome in new-onset Crohn's disease. *Cell Host Microbe*, 2014. 15(3): p. 382-392.
 - [37] Atarashi, K., et al., Ectopic colonization of oral bacteria in the intestine drives TH1 cell induction and inflammation. *Science*, 2017. 358(6361): p. 359-365.
 - [38] Lozupone, C.A., et al., Alterations in the gut microbiota associated with HIV-1 infection. *Cell Host Microbe*, 2013. 14(3): p. 329-39.
 - [39] Vujkovic-Cvijin, I., et al., Dysbiosis of the gut microbiota is associated with HIV disease progression and tryptophan catabolism. *Sci Transl Med*, 2013. 5(193): p. 193ra91.
 - [40] Qin, N., et al., Alterations of the human gut microbiome in liver cirrhosis. *Nature*, 2014. 513(7516): p. 59-64.
 - [41] Chen, Y., et al., Dysbiosis of small intestinal microbiota in liver cirrhosis and its association with etiology. *Sci Rep*, 2016. 6: p. 34055.
 - [42] Sears, C.L. and W.S. Garrett, Microbes, microbiota, and colon cancer. *Cell Host Microbe*, 2014. 15(3): p. 317-28.
 - [43] Arimatsu, K., et al., Oral pathobiont induces systemic inflammation and metabolic changes associated with alteration of gut microbiota. *Sci Rep*, 2014. 4: p. 4828.
 - [44] Nakajima, M., et al., Oral Administration of *P. gingivalis* Induces Dysbiosis of Gut Microbiota and Impaired Barrier Function Leading to Dissemination of Enterobacteria to the Liver. *PLoS One*, 2015. 10(7): p. e0134234.
-

ZMK 2025: (41) (4) S.174-180

Dr. Janine Sambale, Prof. Dr. Heike Maria Korbmacher-Steiner

Orale Medizin - Einblicke in die somnologische zahnärztliche Sprechstunde der Universität Marburg

- [1] Benjafield AV, Ayas NT, Eastwood PR et al (2019) Estimation of the global prevalence and burden of obstructive sleep apnoea: a literature-based analysis. *Lancet Respir Med*. 2019 Aug;7(8):687-698. doi: 10.1016/S2213-2600(19)30198-5. Epub 2019 Jul 9.
- [2] Chung F, Abdullah HR, Liao P (2016) STOP-Bang Questionnaire. *Chest* 149:631–638. <https://doi.org/10.1378/chest.15-0903>
- [3] Eckert DJ (2018) Phenotypic approaches to obstructive sleep apnoea – New pathways for targeted therapy. *Sleep Medicine Reviews* 37:45–59. <https://doi.org/10.1016/j.smr.2016.12.003>
- [4] Johns MW (1991) A New Method for Measuring Daytime Sleepiness: The Epworth Sleepiness Scale. *Sleep* 14:540–545. <https://doi.org/10.1093/sleep/14.6.540>
- [5] Martynowicz H, Gac P, Brzecka A et al (2019) The Relationship between Sleep Bruxism and Obstructive Sleep Apnea Based on Polysomnographic Findings. *JCM* 8:1653. <https://doi.org/10.3390/jcm8101653>
- [6] Peltomaeki T. Dental sleep medicine -What's new? *Sleep Med Rev*. 2023 Feb;67:101739. doi: 10.1016/j.smr.2022.101739. Epub 2022 Dec 24.

- [7] Pinto A, Vasilyeva D, Cruz MME. Oral and sleep medicine: Two worlds collide, or do they? *Oral Surg Oral Med Oral Pathol Oral Radiol* 2023 Jul;136(1):1-2.
- [8] Sambale J, Koehler U, Conradt R et al (2024) Is sleep bruxism in obstructive sleep apnea only an oral health related problem? *BMC Oral Health* 24:565.
<https://doi.org/10.1186/s12903-024-04351-1>
- [9] Schiffman E, Ohrbach R, Truelove E et al (2014) Diagnostic Criteria for Temporomandibular Disorders (DC/TMD) for Clinical and Research Applications: Recommendations of the International RDC/TMD Consortium Network* and Orofacial Pain Special Interest Group†. *J Oral Facial Pain Headache* 28:6–27.
<https://doi.org/10.11607/jop.1151>
- [10] Wetselaar P, Lobbezoo F (2016) The tooth wear evaluation system: a modular clinical guideline for the diagnosis and management planning of worn dentitions. *J Oral Rehabil* 43:69–80. <https://doi.org/10.1111/joor.12340>
- [11] Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF) - Ständige Kommission Leitlinien. S3-Leitlinie (Langfassung, AWMF-Reg.-Nr. 063/001). Nicht erholsamer Schlaf/Schlafstörung Kapitel „Schlafbezogene Atmungsstörungen bei Erwachsenen“. Teilaktualisierung Juli 2020.
- [12] Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF) - Ständige Kommission Leitlinien. S1-Leitlinie (Langfassung, AWMF-Reg.-Nr. 083-045). Die Unterkieferprotrusionsschiene (UPS): Anwendung in der zahnärztlichen Schlafmedizin beim Erwachsenen. Stand November 2021; gültig bis November 2026.