

- [1] Cintra LTA, Gomes MS, da Silva CC, Faria FD, Benetti F, Cosme-Silva L, Samuel RO, Pinheiro TN, Estrela C, González AC, Segura-Egea JJ. Evolution of endodontic medicine: a critical narrative review of the interrelationship between endodontics and systemic pathological conditions. *Odontology* 2021;109:741-769.
- [2] Segura-Egea JJ, Cabanillas-Balsera D, Martín-González J, Cintra LTA. Impact of systemic health on treatment outcomes in endodontics. *Int Endod J* 2023;56 Suppl 2:219-235.
- [3] Hülsmann M, Schäfer E. Endodontie und Allgemeingesundheit – Teil 1. *ZMK* 2025;41:218-224.
- [4] Queiroga ISM, Drumond VZ, Abreu LG, Schuch LF, Mesquita RA, Souza EM, de Andrade BAB, de Arruda JAA, Sampaio GC. Leukemia and lymphoma mimicking periapical conditions resulting in endodontic treatment: A systematic review *J Endod* 2025;51:106-117.
- [5] Gomes NR, Lima LA, Morais-Perdigao AL, et al. Radiological aspects of lymphomas and leukaemias affecting the jaws: a systematic review. *J Oral Pathol Med* 2023;52:315-323.
- [6] Mortazavi H, Baharvan M, Rezaeifar K. Periapical lymphoma: review of reported cases in the literature. *J Stomatol Oral Maxillofac Surg* 2020;121:404-407.
- [7] Castellanos-Cosano L, Machuca-Portillo G, Sánchez-Domínguez B, Torr  s-Lagares D, L  pez-L  pez J, Segura-Egea JJ. High prevalence of radiolucent periapical lesions amongst patients with inherited coagulation disorders. *Haemophilia* 2013;19:e110-115.
- [8] Hewson ID, Daly J, Hallett KB, Liberali SA, Scott CL, Spaile G, Widmer R, Winters J. Consensus statement by hospital based dentists providing dental treatment for patients with inherited bleeding disorders. *Aust Dent J* 2011;56:221-226.
- [9] Sch  fer E. Allgemeinmedizinische Probleme. In: H  lsmann M, Sch  fer E (Hrsg.). *Probleme in der Endodontie. Pr  vention, Identifikation und Management*. Quintessence Publishing, Berlin 2019.
- [10] Vire DE, Barrett KC. Endodontic Rx for the von Willebrand patient. *J Endod* 1982;8:514-516.
- [11] Kumar JN, Kumar RA, Varadarajan R, Sharma N. Specialty dentistry for the hemophiliac: is there a protocol in place? *Indian J Dent Res* 2007;18:48-54.
- [12] Kinalska MA, Ara  jo LP, Sarkis-Onofre R, Dos Santos MBF. Endodontic therapy in patients with inherited bleeding disorders: a scoping review. *Gen Dent* 2023;71:28-33.
- [13] Schulte A, Ott HR. Zur Indikation der Wurzelkanalbehandlung bei Patienten mit Gerinnungsst  rungen. *Dtsch Zahn  rztl Z* 1990;45:226-228.
- [14] Bishop K, Briggs P, Kelleher M. Sick cell disease: a diagnostic dilemma. *Int Endod J* 1995;28:297–302.
- [15] Ferreira SB, Tavares WL, Da Rosa MA, Brito LC, Vieira LQ, Martelli jr H, Ribeiro AP. Sick cell anemia in Brazil: personal, medical and endodontic patterns. *Braz Oral Res* 2016;30:e60.
- [16] Andrews CH, England MC Jr, Kemp WB. Sick cell anemia: an etiological factor in pulpal necrosis. *J Endod* 1983;9:249-252.
- [17] Demirba   KA, Aktener BO,   nsal C. Pulpal necrosis with sickle cell anaemia. *Int Endod J* 2004;37:602-606.

- [18] Costa CP, Thomaz EB, Souza SF. Association between sickle cell anemia and pulp necrosis. *J Endod* 2013;39:177-181.
- [19] Mota ME, Siqueira JF, Rocas IN, Alves FA, Jaguar GC, Franco JB, Schmidt Filho J, Moreira MS. Endodontic treatment in patients undergoing hematopoietic stem cell transplantation: A retrospective cohort study. *J Endod* 2025;51:35-42.
- [20] Braga-Diniz J M, Santa-Rosa CC, de Castro Martins R, Silva ME, Vieira LQ, Ribeiro Sobrinho AP. The need for endodontic treatment and systemic characteristics of hematopoietic stem cell transplantation patients. *Braz Oral Res* 2017;31:e50.
- [21] Skallsjö K, von Bültzingslöwen I, Hasseus B, Johansson JE et al. Oral health in patients scheduled for hematopoietic stem cell transplantation in the Orastem study. *PLoS One* 2023;18:e285615.
- [22] de Oliveira Lemes LT, Troian-Michel HC, Weissheimer T, Reis Só MV. The prevalence of apical periodontitis in patients prior to hematopoietic cell transplantation: a systematic review. *Restor Dent Endod* 2024;49:e22.
- [23] Spijkervet FK, Schuurhuis JM, Stokman MA, Witjes MJ, Vissink A.. Should oral foci of infection be removed before the onset of radiotherapy or chemotherapy? *Oral Dis* 2021;27:1-7.
- [24] Bogusławska-Kapala A, Hałaburda K, Rusyan E, Gołabek H, Strużycka I. Oral health of adult patients undergoing hematopoietic cell transplantation. Pre-transplant assessment and care. *Ann Hematol* 2017;96:1135-1145.
- [25] Peters E, Monopoli M. Assessment of the need for treatment of postendodontic asymptomatic periapical radiolucencies in bone marrow transplant recipients. *Oral Surg Oral Med Oral Pathol* 1993;67:45-48.
- [26] Hülsmann M, Pahle J, Schäfer E. Viren in der Endodontie. *Endodontie* 202;29:123-130.
- [27] Schäfer E, Pahle J, Hülsmann M. Viren in der Endodontie: Teil II Herpes, HIV, Hepatitis und andere. *Endodontie* 2021;30:7-19.
- [28] Hernandez-Vigueras S, Donoso Zuniga M, Jane-Salas E, Salazar-Navarette L, Segura-Egea JJ, Velasco-Ortega E, Lopez-Lopez J. Viruses in pulp and periapical inflammation: a review. *Odontology* 2016;104:184-191.
- [29] Grawish Mel A, Khounganian R, Hamam MK, Zaher AR, Hegazy D, El-Negoly SA, Hassan G, Zyada MM. Altered coronal tissue of the human dental pulp in chronic hepatitis C virus infected patients. *J Endod* 2013;39:752-758.
- [30] Guilherme BP, Ferreira DC, Rocas IN, Provenzano JC, Santos KR, Siqueira JF, Jr. Herpesvirus carriage in saliva and posttreatment apical periodontitis: searching for association. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2011;112:678-683.
- [31] Li H, Chen V, Chen Y, Baumgartner JC, Machida CA. Herpesviruses in endodontic pathoses: association of Epstein-Barr virus with irreversible pulpitis and apical periodontitis. *J Endod* 2009;35:23-29.
- [32] de Brito LC, da Rosa MA, Lopes VS, e Ferreira EF, Vieira LQ, Sobrinho AP. Brazilian HIV-infected population: assessment of the needs of endodontic treatment in the post-highly active antiretroviral therapy era. *J Endod* 2009;35:1178-1181.
- [33] Fontes TV, Ferreira SM, Silva-Junior A, Dos Santos Marotta P, Noce CW, Ferreira DC, Goncalves LS. Periradicular lesions in HIV-infected patients attending the faculty of dentistry: clinical findings, socio-demographic status, habits and laboratory data – seeking an association. *Clinics (Sao Paulo)* 2014;69:627-633.
- [34] van Doremalen N, Bushmaker T, Morris D et al. Aerosol and surface stability of HCoV-19 (SARS-CoV-) compared to SARS-CV-1. *N Engl J Med* 2020;382:1564-1567.

- [35] Xu H, Zhong L, Deng J, Peng J, Dan H, Zeng X, Li T, Chen Q. High expression of ACE2 receptor of 2019-nCoV on the epithelial cells of oral mucosa. *Int J Oral Sci* 2020;12:8
- [36] Spagnuolo G, De Vito D, Rengo S, Tatullo M. COVID-19 outbreak: An overview on dentistry *Int J Environ Res Public Health* 2020, 17, 2094; <https://doi.org/10.3390/ijerph17062094>.
- [37] Quesnell BT, Alves M, Hawkinson RW, Jr., Johnson BR, Wenckus CS, BeGole EA. The effect of human immunodeficiency virus on endodontic treatment outcome. *J Endod* 2005;31:633-636.
- [38] Tootla S, Owen CP. A comparison of endodontic treatment outcomes between HIV-positive and HIV-negative patients. *South Afr Dent J* 2012;67:322-325.
- [39] Peng X, Xu X, Li Y, Cheng L, Zhou X, Ren B. Transmission routes of 2019-nCoV and controls in dental practice. *Int J Oral Sci* 2020;12. doi: 10.1038/s41368-020-0075-9).
- [40] Rodrigues Freitas G, Capitaniao BL, Weissheimer T, Barcelos So B, Leal da Silva EJ, Martins MD, da rosa RA, Reis So MV. Increased prevalence of periapical lesions in osteoporosis patients. A systematic review. *Eur Endod J* 2025;10:94-103.
- [41] Beltes G. Aktuelle Aspekte der Prävention und Behandlung während der Bisphosphonattherapie. *Endodontie* 2009;18:143-156.
- [42] Lo JC, O’Ryan FS, Gordon NP et al. Prevalence of osteonecrosis of the jaw in patients with oral bisphosphonate exposure. *J Oral Maxillofac Surg* 2010;68:243-253.
- [43] Jadu F, Lee L, Pharoah M, Reece D, Wang L. A retrospective study assessing the incidence, risk factors and comorbidities of pamidronate-related necrosis of the jaws in multiple myeloma patients. *Ann Oncol* 2007;18:2015-2019
- [44] Martin TJ, Grill V. Bisphosphonates – mechanism of action. *Aust Prescr* 2000; 23:130-132.
- [45] Alam T, AlShahrani I, Assiri KI, Almoammar S, Togoo RA, Lugmann M. Evaluation of clinical and dental parameters as dental indicators for postmenopausal osteoporosis. *Oral Health Prev Dent* 2020;18:499-504.
- [46] Lopez-Lopez J, Estrugo-Devesa A, Jane-Salas E, Ayuso-Montero R, Gomez-Vaquero C. Early diagnosis of osteoporosis by means of orthopantomograms and oral x-rays: a systematic review. *Med Oral Patol Oral Cir Bucal* 2011;16:e905-913.
- [47] Erdogan O, Incki KK, Benlidayi ME, Seydaoglu K, Kelekci S. Dental and radiographic findings as predictors of osteoporosis in postmenopausal women. *Geriatr Gerontol Int* 2009;9:155-164.
- [48] Licks R, Licks V, Ourique F, Radke Bittencourt H, Fontanella V. Development of a prediction tool for low bone mass based on clinical data and periapical radiography. *Dentomaxillofac Radiol* 2010;39:224-230.
- [49] De Vasconcelos NP, Martins IS, Afonso AS, Braga AC, Pina-Vaz I. Osteoporosis and apical periodontitis prevalence: A systematic review. *Dent J* 2024;12:727.
- [50] Katz J, Rotstein I. Prevalence of periapical lesions in patients with osteoporosis. *J Endod* 2021;47:234-238.
- [51] Marx RE, Sawatari Y, Fortin M, Broumand V. Bisphosphonate-induced exposed bone (osteonecrosis/osteoporosis) of the jaws: risk factors, recognition, prevention, and treatment. *J Oral Maxillofac Surg* 2005;63:1567-1575.
- [52] Hsiao A, Glickman G, He J. A retrospective clinical an radiographic study on healing of periradicular lesions in patients taking oral bisphosphonates. *J Endod* 2009;35:1525-1528
- [53] Beltes G. Aktuelle Aspekte der Prävention und Behandlung während der Bisphosphonattherapie. *Endodontie* 2009;18:143-156.

- [54] Scully C, Ng YL, Gulabivala K. Systemic complications due to endodontic manipulations. *Endodontic Topics* 2003;4:60-68.
- [55] Hergt A, Hülsmann M. Wurzelkanalfüllmaterialien und Allergien. *Endodontie* 2013;22:337-344.
- [56] Hülsmann M, Rödiger T, Nordmeyer S. Complications during root canal irrigation. *Endodontic Topics* 2009;16:27-63.
- [57] Schröder C, Hülsmann M. Allergische Reaktionen in der Endodontie. *Endodontie* 2016;25:179-189.
- [58] Braun JJ, Zana H, Purohit A, Valfrey J, Scherer P, Haïkel Y, de Blay F, Pauli G. Anaphylactic reactions to formaldehyde in root canal sealant after endodontic treatment: four cases of anaphylactic shock and three of generalized urticaria. *Allergy* 2003;58:1210-1219.
- [59] Kaufman A, Solomonov M, Galieva D, Abbott PV. Allergic reaction to the tetracycline component of Ledermix paste: a case report. *Int Endod J* 2014;47:1090-1097.
- [60] Alnæs M, Storaas T, Vindenes HK, Guttormsen AB, Björkman L. Anaphylaxis after treatment with an endodontic material containing polyethylene Glycol. *J Endod* 2024;50:1649-1654.