LITERATUR ZMK 10 2025

ZMK 2025; 41 (10) S. 506–513

Prof. Dr. Claus-Peter Ernst

Zirkonoxid-Veneers: eine valide Alternative zur Glaskeramik

[1] Abhishek G, Vishwanath SK, Nair A, Prakash N, Chakrabarty A, Malalur AK. Comparative evaluation of bond strength of resin cements with and without 10-methacryloyloxydecyl dihydrogen phosphate (mdp) to zirconia and effect of thermocycling on bond strength - An *in vitro* study. J Clin Exp Dent. 2022 Apr 1;14(4):e316-e320.

[2] Aristidis GA, Dimitra B. Five-year clinical performance of porcelain laminate veneers. Quintessence Int 2002; 33: 185-189.

[3] Aykor A, Ozel E. Five-year clinical evaluation of 300 teeth restored with porcelain laminate veneers using total-etch and a modified self-etch adhesive system. Oper Dent 2009; 34: 516-523.

[4] Barghi, N., McAlister, E.: Porcelain for Veneers. J Esth Dent 1998; 10, 191-197.

[5] Bavbek NC, Roulet JF, Ozcan M. Evaluation of microshear bond strength of orthodontic resin cement to monolithic zirconium oxide as a function of surface conditioning method. J Adhes Dent 2014; 16: 473-480.

[6] Bömicke W, Schürz A, Krisam J, Rammelsberg P, Rues S. Durability of Resin-Zirconia Bonds Produced Using Methods Available in Dental Practice. J Adhes Dent 2016, 18: 17-27.

[7] Castellanos M, Delgado AJ, Sinhoreti MAC, de Oliveira DCRS, Abdulhame N, Geraldeli S, Roulet JF. Effect of Thickness of Ceramic Veneers on Color Stability and Bond Strength of Resin Luting Cements Containing Alternative Photoinitiators. J Adhes Dent. 2019; 21: 677-676.

[8] Comino-Garayoa R, Peláez J, Tobar C, Rodríguez V, Suárez MJ. Adhesion to Zirconia: A Systematic Review of Surface Pretreatments and Resin Cements. Materials (Basel). 2021 May 22;14(11):2751.

[9] Edelhoff D, Prandtner O, Saeidi Pour R, Liebermann A, Stimmelmayr M, Güth JF. Frontzahnrestaurationen: Leistungsfähigkeit von Keramikveneers. Wissen Kompakt 2019; 13 (3): 115-1278.

[10] Ernst CP. Mut zur Klebung: die einflügelige Adhäsivbrücke. ZMK 2013; 29: 98-107.

[11] Ernst CP. Schaffner H, Nauth C. Vom Exoten zum „State oft he Art“: einflügelige Klebebrücken. ZMK 2016; 32; 650–664.

[12] Ernst CP. Die korrekte Vorbehandlung indirekter Restaurationen zur adhäsiven Befestigung. ZMK 2017; 33: 98-110.

[13] Ernst CP. Bevorstehende Hochzeit: Ästhetische Notfallbehandlung in der

Corona-Zeit. ZMK 2020; 36: 698-701.
[14] Ernst CP. Veneerversorgungen nach kieferorthopädischer Vorbehandlung - Ein multidisziplinärer Behandlungsansatz. ZMK 2023; 39: 414-430.
[15] Ernst CP. Volladhäsive Zirkonoxid-Veneers und -Teilkronen im Frontzahnbereich: Klinisch situationsadaptierte Befestigungsprotokolle. ZMK 2024; 44: 478-485. 84-95
[16] Ernst CP. 5-Jahres-Nachkontrollen volladhäsiv befestigter Zirkonoxidteilkronen im Frontzahnbereich. ZMK 2025; 41: 84-95
[17] Fradeani M, Redemagni M, Corrado M. Porcelain laminate veneers: 6- to 12-year clinical evaluation – a retrospective study. Int J Periodontics Restorative Dent 2005; 25:9-17.
[18] Garling A, Busch R, Kern M. Replacement of Two Missing Adjacent Teeth with Two Single-Retainer Resin-Bonded Fixed Dental Prostheses with Improved Proximal Design. Int J Prosthodont 2023; 36: 155-160.
[19] Hajto J. Veneers Materialien und Methoden im Vergleich. Teamwork 2000; 3: 195-202.
[20] Hajto J. Frontzahnrestaurationen: Sind Keramikveneers die beste Wahl? Quintessenz 2010; 61: 521–528.
[21] Hajto J. Veneers – eine wertvolle Ergänzung für jede Praxis. Cosmetic Dentistry 2018; 16: 18-21.
[22] Inokoshi M, Van Meerbeek B. Adhesively luted zirconia restorations: why and how? J Adhes Dent 2014;16: 294.
[23] Inokoshi M, De Munck J, Minakuchi S, Van Meerbeek B. Meta-analysis of bonding effectiveness to zirconia ceramics. J Dent Res 2014; 93: 329-334.
[24] Inokoshi M, Poitevin A, De Munck J, Minakuchi S, Van Meerbeek B. Bonding effectiveness to different chemically pre-treated dental zirconia. Clin Oral Investig 2014; 18: 1803-1812.
[25] Kern M, Passia N, Sasse M, Yazigi C. Ten-year outcome of zirconia ceramic cantilever resin-bonded fixed dental prostheses and the influence of the reasons for missing incisors. J Dent 2017; 65:51-55.
[26] Kern M, Gläser R. Single-retainer all-ceramic resin-bonded fixed dental prostheses: Long-term outcomes in the esthetic zone. J Esthet Restor Dent. 2023; 35: 64-73.
[27] King S, Sood B, Ashley MP. Practical advice for successful clinical treatment with resin-bonded bridges. Br Dent J 2023; 235: 503-509.
[28] Kunzelmann KH, Kern M. Das Keramik Veneer. Substanzschonend und ästhetisch. Dental Magazin 2005; 4: 36-41.
[29] Llerena-Icochea AE, Costa RM, Borges A, Bombonatti J, Furuse AY. Bonding Polycrystalline Zirconia With 10-MDP-containing Adhesives. Oper Dent. 2017; 42: 335-341.
[30] Lührs AK. Zahn(hartsubsatanz)erhaltung 2.0 – Adhäsive Lösungen für nicht ganz alltägliche Fälle. DZZ 2025; 77: 78-87.
[31] Magne, P., Douglas, W.H.: Additive Contour of Porcelain Veneers: A Key Element in Enamel Preservation, Adhesion, and Esthetics for Aging Dentition. J Adhesive Dent 1999; 1, 81-92.
[32] Miyazaki T, Nakamura T, Matsumura H, Ban S, Kobayashi T. Current status of zirconia restoration. J Prosthodont Res 2013; 57: 236-261.
[33] Mourshed B, Samran A, Alfagih A, Samran A, Abdulrab S, Kern M. Anterior Cantilever Resin-Bonded Fixed Dental Prostheses: A Review of the Literature. J Prosthodont 2018; 27: 266-275.

[34] Nagaoka N, Yoshihara K, Feitosa VP, Tamada Y, Irie M, Yoshida Y, Van Meerbeek B, Hayakawa S. Chemical interaction mechanism of 10-MDP with zirconia. Sci Rep. 2017 Mar 30;7:45563.
[35] Özcan M. Air abrasion of zirconia resin-bonded fixed dental prostheses prior to adhesive cementation: why and how? J Adhes Dent 2013; 15: 394.
[36] Özcan M, Bock T. Protocol for Removal of Clinically Relevant Contaminants from Zirconium Dioxide Fixed Dental Prostheses. J Adhes Dent 2015; 17: 576-577.
[37] Politano G, Van Meerbeek B, Peumanns M. Nonretentive Bonded Ceramic Partial Crowns: Concept and Simplified Protocol for Long-lasting Dental Restorations. J Adhes Dent 2018; 20: 495-510.
[38] Roulet JF. Reasonable Adhesion. J Adhes Dent 2010; 12: 255.
[39] Schick SG, Frese C. Reparaturrestauration und Zahnformkorrekturen. zm 2025; 115: 352-355.
[40] Soleimani F, Jalali H, Mostafavi AS, Zeighami S, Memarian M. Retention and Clinical Performance of Zirconia Crowns: A Comprehensive Review. Int J Dent. 2020 Oct 15;2020:8846534.
[41] Sidharta JJ. Veneer-System: Ästhetische Korrekturen minimalinvasiv durchführen ZMK 2014; 30: 672-673.
[42] Stawarczyk B, Keul C, Eichberger M, Figge D, Edelhoff D, Lümkemann N. Three generations of zirconia: From veneered to monolithic. Part I. Quintessence Int 2017; 48: 369-380.
[43] Stawarczyk B, Keul C, Eichberger M, Figge D, Edelhoff D, Lümkemann N. Three generations of zirconia: From veneered to monolithic. Part II. Quintessence Int 2017; 48: 441-450.
[44] Valente F, Mavriqi L, Traini T. Effects of 10-MDP Based Primer on Shear Bond Strength between Zirconia and New Experimental Resin Cement. Materials (Basel). 2020 Jan 5;13(1):235.
[45] Wiedhahn K, Kerschbaum T, Fasbinder DF. Clinical long-term results with 617 Cerec veneers: a nine-year report. Int J Comput Dent 2005; 8: 233-246.
[46] Yang B, Barloi A, Kern M. Influence of air-abrasion on zirconia ceramic bonding using an adhesive composite resin. Dent Mater 2010; 26: 44-50.
[47] Yang L, Chen B, Xie H, Chen Y, Chen Y, Chen C. Durability of Resin Bonding to Zirconia Using Products Containing 10-Methacryloyloxydecyl Dihydrogen Phosphate. J Adhes Dent 2018; 20: 279-287.
[48] Yazigi C, Kern M. Clinical evaluation of zirconia cantilevered single-retainer resin-bonded fixed dental prostheses replacing missing canines and posterior teeth. J Dent 2022; 116: 103907.
[49] Yoshihara K, Nagaoka N, Okihara T, Kuroboshi M, Hayakawa S, Maruo Y, Nishigawa G, De Munck J, Yoshida Y, Van Meerbeek B. Functional monomer impurity affects adhesive performance. Dent Mater 2015; 31: 1493-1501.
[50] Zhang Y, Lawn BR. Evaluating dental zirconia. Dent Mater. 2019; 35:15-23.

ZMK 2025; 41 (10) S. 514-523

Michael Hülsmann, Edgar Schäfer

Endodontie und Allgemeingesundheit – Teil 2

[1] Cintra LTA, Gomes MS, da Silva CC, Faria FD, Benetti F, Cosme-Silva L, Samuel RO, Pinheiro TN, Estrela C, González AC, Segura-Egea JJ. Evolution of endodontic medicine: a critical narrative review of the interrelationship between endodontics and systemic pathological conditions. Odontology 2021;109:741-769.

[2] Segura-Egea JJ, Cabanillas-Balsera D, Martín-González J, Cintra LTA. Impact of systemic health on treatment outcomes in endodontics. Int Endod J 2023;56 Suppl 2:219-235.

[3] Hülsmann M, Schäfer E. Endodontie und Allgemeingesundheit – Teil 1. ZMK 2025;41:218-224.

[4] Queiroga ISM, Drumond VZ, Abreu LG, Schuch LF, Mesquita RA, Souza EM, de Andrade BAB, de Arruda JAA, Sampaio GC. Leukemia and lymphoma mimicking periapical conditions resulting in endodontic treatment: A systematic review J Endod 2025;51:106-117.

[5] Gomes NR, Lima LA, Morais-Perdigao AL, et al. Radiological aspects of lymphomas and leukaemias affecting the jaws: a systematic review. J Oral Pathol Med 2023;52:315-323.

[6] Mortazavi H, Baharvan M, Rezaeifar K. Periapical lymphoma: review of reported cases in the literature. J Stomatol Oral Maxillofac Surg 2020;121:404-407.

[7] Castellanos-Cosano L, Machuca-Portillo G, Sánchez-Domínguez B, Torrés-Lagares D, López-López J, Segura-Egea JJ. High prevalence of radiolucent periapical lesions amongst patients with inherite coagulation disorders. Haemophilia 2013;19:e110-115.

[8] Hewson ID, Daly J, Hallett KB, Liberali SA, Scott CL, Spaile G, Widmer R, Winters J. Consensus statement by hospital based dentists providing dental treatment for patients with inherited bleeding disorders. Aust Dent J 2011;56:221-226.

[9] Schäfer E. Allgemeinmedizinische Probleme. In: Hülsmann M, Schäfer E (Hrsg.). Probleme in der Endodontie. Prävention, Identifikation und Management. Quintessence Publishing, Berlin 2019.

[10] Vire DE, Barrett KC, Endodontic Rx for the von Willebrand patient. J Endod 1982;8:514-516.

[11] Kumar JN, Kumar RA, Varadarajan R, Sharma N. Specialty dentistry for the hemophiliac: is there a protocol in place? Indian J Dent Res 2007;18:48-54.

[12] 12.Kinalski MA, Araújo LP, Sarkis-Onofre R, Dos Santos MBF. Endodontic therapy in patients with inherited bleeding disorders: a scoping review. Gen Dent 2023;71:28-

[13] Schulte A, Ott HR. Zur Indikation der Wurzelkanalbehandlung bei Patienten mit Gerinnungsstörungen. Dtsch Zahnärztl Z 1990;45:226-228.

[14] Bishop K, Briggs P, Kelleher M. Sickle cell disease: a diagnostic dilemma. Int Endod J 1995;28:297–302.
[15] Ferreira SB, Tavares WL, Da Rosa MA, Brito LC, Vieira LQ, Martelli jr H, Ribeiro AP. Sickle cell anemia in Brazil: personal, medical and endodontic patterns. Braz Oral Res 2016;30:e60.
[16] Andrews CH, England MC Jr, Kemp WB. Sickle cell anemia: an etiological factor in pulpal necrosis. J Endod 1983;9:249-252.
[17] Demirbaş KA, Aktener BO, Ünsal C. Pulpal necrosis with sickle cell anaemia. Int Endod J 2004;37:602-606.
[18] Costa CP, Thomaz EB, Souza SF. Association between sickle cell anemia and pulp necrosis. J Endod 2013;39:177-181.
[19] Mota ME, Siqueira JF, Rocas IN, Alves FA, Jaguar GC, Franco JB, Schmidt Filho J, Moreira MS. Endodontic treatment in patients undergoing hematopoetic stem cell transplantation: A retrospective cohort study. J Endod 2025;51:35-42.
[20] Braga-Diniz J M, Santa-Rosa CC, de Castro Martins R, Silva ME, Vieira LQ, Ribeiro Sobrinho AP. The need for endodontic treatment and systemic characteristics of hematopoietic stem cell transplantation patients. Braz Oral Res 2017;31:e50.
[21] Skallsjö K, von Bültzingslöwen I, Hasseus B, Johansson JE et al. Oral health in patients scheduled for hematopoietic stem cell transplantation in the Orastem study. PLos One 2023;18:e285615.
[22] de Oliveira Lemes LT, Troian-Michel HC, Weissheimer T, Reis Só MV. The prevalence of apical periodontitis in patients prior to hematopoietic cell transplantation: a systematic review. Restor Dent Endod 2024;49:e22.
[23] Spijkervet FK, Schuurhuis JM, Stokman MA, Witjes MJ, Vissink A.. Should oral foci of infection be removed before the onset of radiotherapy or chemotherapy? Oral Dis 2021;27:1-7.
[24] Bogusławska-Kapała A, Hałaburda K, Rusyan E, Gołąbek H, Strużycka I. Oral health of adult patients undergoing hematopoietic cell transplantation. Pre-transplant assessment and care. Ann Hematol 2017;96:1135-1145.
[25] Peters E, Monopoli M. Assessment of the need for treatment of postendodontic asymptomatic periapical radiolucencies in bone marrow transplant recipients. Oral Surg Oral Med Oral Pathol 1993;67:45-48.
[26] Hülsmann M, Pahle J, Schäfer E. Viren in der Endodontie. Endodontie 202;29:123-130.
[27] Schäfer E, Pahle J, Hülsmann M. Viren in der Endodontie: Teil II Herpes, HIV, Hepatitis und andere. Endodontie 2021;30:7-19.
[28] Hernandez-Vigueras S, Donoso Zuninga M, Jane-Salas E, Salazar-Navarette L, Segura-Egea JJ, Velasco-Ortega E, Lopez-Lopez J. Viruses in pulp and periapical inflammation: a review. Odontology 2016;104:184-191.
[29] Grawish Mel A, Khounganian R, Hamam MK, Zaher AR, Hegazy D, El-Negoly SA, Hassan G, Zyada MM. Altered coronal tissue of the human dental pulp in chronic hepatitis C virus infected patients. J Endod 2013;39:752-758.

[30] Guilherme BP, Ferreira DC, Rocas IN, Provenzano JC, Santos KR, Siqueira JF, Jr. Herpesvirus carriage in saliva and posttreatment apical periodontitis: searching for association. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2011;112:678-683.
[31] Li H, Chen V, Chen Y, Baumgartner JC, Machida CA. Herpesviruses in endodontic pathoses: association of Epstein-Barr virus with irreversible pulpitis and apical periodontitis. J Endod 2009;35:23-29.
[32] de Brito LC, da Rosa MA, Lopes VS, e Ferreira EF, Vieira LQ, Sobrinho AP. Brazilian HIV-infected population: assessment of the needs of endodontic treatment in the post-highly active antiretroviral therapy era. J Endod 2009;35:1178-1181.
[33] Fontes TV, Ferreira SM, Silva-Junior A, Dos Santos Marotta P, Noce CW, Ferreira DC, Goncalves LS. Periradicular lesions in HIV-infected patients attending the faculty of dentistry: clinical findings, socio-demographic status, habits and laboratory data – seeking an association. Clinics (Sao Paulo) 2014;69:627-633.
[34] van Doremalen N, Bushmaker T, Morris D et al. Aerosol and surface stability of HCoV-19 (SARS-CoV-) compared to SARS-CV-1. N Engl J Med 2020;382:1564-1567.
[35] Xu H, Zhong L, Deng J, Peng J, Dan H, Zeng X, Li T, Chen Q. High expression of ACE2 receptor of 2019-nCoV on the epithelial cells of oral mucosa. Int J Oral Sci 2020;12:8
[36] Spagnuolo G, De Vito D, Rengo S, Tatullo M. COVID-19 outbreak: An overview on dentistry Int J Environ Res Public Health 2020, *17*, 2094; https://doi.org/10.3390/ijerph17062094.
[37] Quesnell BT, Alves M, Hawkinson RW, Jr., Johnson BR, Wenckus CS, BeGole EA. The effect of human immunodeficiency virus on endodontic treatment outcome. J Endod 2005;31:633-636.
[38] Tootla S, Owen CP. A comparison of endodontic treatment outcomes between HIV-positive and HIV-negative patients. South Afr Dent J 2012;67:322-325.
[39] Peng X, Xu X, Li Y, Cheng L, Zhou X, Ren B. Transmission routes of 2019-nCoV and controls in dental practice. Int J Oral Sci 2020;12. doi: 10.1038/s41368-020-0075-9).
[40] Rodrigues Freitas G, Capitanio BL, Weissheimer T, Barcelos So B, Leal da Silva EJ, Martins MD, da rosa RA, Reis So MV. Increased prevalence of periapical lesions in osteoporosis patients. A systematic review. Eur Endod J 2025;10:94-103.
[41] Beltes G. Aktuelle Aspekte der Prävention und Behandlung während der Bisphosphonattherapie. Endodontie 2009;18:143-156.
[42] Lo JC, O'Ryan FS, Gordon NP et al. Prevalence of osteonecrosis of the jaw in patients with oral bisphosphonate exposure. J Oral Maxillofac Surg 2010;68:243-253.
[43] Jadu F, Lee L, Pharoah M, Reece D, Wang L. A retrospective study assessing the incidence, risk factors and comorbidities of pamidronate-related necrosis of the jaws in multiple myeloma patients. Ann Oncol 2007;18:2015-2019

[44] Martin TJ, Grill V. Bisphosphonates – mechanism of action. Aust Prescr 2000; 23:130-132.
[45] Alam T, AlShahrani I, Assiri KI, Almoammar S, Togoo RA, Lugmann M. Evaluation of clinical and dental parameters as dental indicators for postmenopausal osteoporosis. Oral Health Prev Dent 2020;18:499-504.
[46] Lopez-Lopez J, Estrugo-Devesa A, Jane-Salas E, Ayuso-Montero R, Gomez-Vaquero C. Early diagnosis of osteoporosis by means of orthopantomograms and oral x-rays: a systematic review. Med Oral Patol Oral Cir Bucal 2011;16:e905-913.
[47] Erdogan O, Incki KK, Benlidayi ME, Seydaoglu K, Kelekci S. Dental and radiographic findings as predictors of osteoporosis in postmenopausal women. Geriatr Gerontol Int 2009;9:155-164.
[48] Licks R, Licks V, Ourique F, Radke Bittencourt H, Fontanella V. Development of a prediction tool for low bone mass based on clinical data and periapical radiography. Dentomaxillofac Radiol 2010;39:224-230.
[49] De Vasconcelos NP, Martins IS, Afonso AS, Braga AC, Pina-Vaz I. Osteoporosis and apical periodontitis prevalence: A systematic review. Dent J 2024;12:727.
[50] Katz J, Rotstein I. Prevalence of periapical lesions in patients with osteoporosis. J Endod 2021;47:234-238.
[51] Marx RE, Sawatari Y, Fortin M, Broumand V. Bisphosphonate-induced exposed bone (osteonecrosis/osteoporosis) of the jaws: risk factors, recognition, prevention, and treatment. J Oral Maxillofac Surg 2005;63:1567-1575.
[52] Hsiao A, Glickman G, He J. A retrospective clinical an radiographic study on healing of periradicular lesions in patients taking oral bisphosphonates. J Endod 2009;35:1525-1528
[53] Beltes G. Aktuelle Aspekte der Prävention und Behandlung während der Bisphosphonattherapie. Endodontie 2009;18:143-156.
[54] Scully C, Ng YL, Gulabivala K. Systemic complications due to endodontic manipulations. Endodontic Topics 2003;4:60-68.
[55] Hergt A, Hülsmann M. Wurzelkanalfüllmaterialien und Allergien. Endodontie 2013;22:337-344.
[56] Hülsmann M, Rödig T, Nordmeyer S. Complications during root canal irrigation. Endodontic Topics 2009;16:27-63.
[57] Schröder C, Hülsmann M. Allergische Reaktionen in der Endodontie. Endodontie 2016;25:179-189.
[58] Braun JJ, Zana H, Purohit A, Valfrey J, Scherer P, Haïkel Y, de Blay F, Pauli G. Anaphylactic reactions to formaldehyde in root canal sealant after endodontic treatment: four cases of anaphylactic shock and three of generalized urticaria. Allergy 2003;58:1210-1219.
[59] Kaufman A, Solomonov M, Galieva D, Abbott PV. Allergic reaction to the tetracycline component of Ledermix paste: a case report. Int Endod J 2014;47:1090-1097.

[60] Alnæs M, Storaas T, Vindenes HK, Guttormsen AB, Björkman L. Anaphylaxis after treatment with an endodontic material containing polyethylene Gglycol. J Endod 2024;50:1649-1654.

ZMK 2025; 41 (?) S.528-541–???

Prof. Dr. med. dent. Clemens Walter, Priv.-Doz. Doğan Kaner
Hundertjährige Patienten/-innen – eine Annäherung aus unterschiedlichen Perspektiven

[1] https://de.wikipedia.org/wiki/Altersstruktur, Zugriff am 15.02.2025
[2] https://service.destatis.de/bevoelkerungspyramide (Bevölkerungspyramide: Altersstruktur Deutschlands von 1950 - 2070), Zugriff am 15.02.2025
[3] https://destatis.de/DE/Themen/Gesellschaft/Bevoelkerung/SterbefälleLebenserwartung/-inhalt.html, Zugriff am 15.02
[4] https://de.wikipedia.org/wiki/Blaue_Zone_(Demographie), Zugriff am 20.02.2025
[5] https://www.aok.de/pk/magazin/ernaehrung/gesunde-ernaehrung/die-blue-zonestipps-fuer-ein-langes-gesundes-leben/, Zugriff am 20.02.2025
[6] https://pubmed.ncbi.nml.nih.gov/?term=centenarians&timeline=expand, Zugriff am 15.02.2025
[7] https://mdr.de/geschichte/weitere -epochen/weimarer-republik/goldene-zwanzigerbabylon-berlin-100.html, Zugriff am 15.02.2025
[8] https://wikipedia.org/wiki/Liste_der-deutschen_Nobelpreisträger, Zugriff am 15.02.2025
[9] https://de.wikipedia.org/wiki/Comedian_Harmonists, Zugriff am 16.02.2025
[10] Gavrilova NS, Gavrilov LA. Protective Effects of Familial Longevity Decrease With Age and Become Negligible for Centenarians. J Gerontol A Biol Sci Med Sci. 2022 Apr 1; 77 (4): 736-743.
[11] Tesi N, van der Lee SJ, Hulsman M, et al. Polygenic risk score of longevity predicts longer survival across an age continuum. J Gerontol A Biol Sci Med Sci. 2021; 76 (5): 750–759.
[12] Abdullah G, Akpan A, Phelan MM and Wright HL. New insights into healthy ageing, inflammageing and frailty using metabolomics. Front Aging. 2024; 5: 1426436.
[13] https://www.bluezones.com/2016/11/power-9/, Zugriff am 21.02.2025
[14] Dan Buettner: The Blue Zones, Second Edition: 9 Lessons for Living Longer From the People Who've Lived the Longest. National Geographic Books, 2012, ISBN 978-1- 4262-0949-9
[15] Dai Z, Lee SY, Sharma S, Ullah S, Tan ECK, Brodaty H, Schutte AE, Sachdev PS. A systematic review of diet and medication use among centenarians and nearcentenarians worldwide. Geroscience. 2024 Dec; 46 (6): 6625-6639.

[16] Jopp DS, Boerner K, Rott C. Health and Disease at Age 100. Dtsch Arztebl Int. 2016 Mar 25;113(12):203-10. doi: 10.3238/arztebl.2016.0203. Erratum in: Dtsch Arztebl Int. 2016 Jun 6; 113 (22-23): 395.
[17] Frese C, Zenthöfer A, Aurin K, Schoilew K, Wohlrab T, Sekundo C. Oral health of centenarians and supercentenarians. J Oral Sci. 2020; 62 (1): 9-12.
[18] Sekundo C, Langowski E, Kilian S, Frese C. Oral health and functional capacity of centenarians. Sci Rep. 2020 Dec 17; 10 (1): 22215.
[19] Sekundo C, Langowski E, Kilian S, Frese C. Periodontal and peri-implant diseases in centenarians. J Clin Periodontol. 2020 Oct; 47 (10): 1170-1179.
[20] Sekundo C, Langowski E, Kilian S, Wolff D, Zenthöfer A, Frese C. Association of Dental and Prosthetic Status with Oral Health-Related Quality of Life in Centenarians. Int J Environ Res Public Health. 2021 Dec 15; 18 (24): 13219.
[21] Sekundo C, Langowski E, Wolff D, Boutin S, Frese C. Maintaining oral health for a hundred years and more? - An analysis of microbial and salivary factors in a cohort of centenarians. J Oral Microbiol. 2022 Apr 4; 14 (1): 2059891.
[22] Sekundo C, Frese C, Alich N, Langowski E, Awounvo S, Wolff D, Zenthöfer A. Very old age impacts masticatory performance: a study among sexagenarians to centenarians. Clin Oral Investig. 2024 Jun 1; 28 (6): 349.
[23] Walter C, Ramseier CA. Interdisziplinäre Therapie einer multimorbiden Patientin mit Parodontitis. ZMK 2024 ;40 (4): 158-171.
[24] Walter C, Lienert N, Kleinmann F. Therapie einer aggressiven Parodontitis – unter besonderer Berücksichtigung einer gerinnungshemmenden Medikation. Zahnärztl Mitt. 2008; 40-45.
[25] Wissenschaftliche Stellungnahme der DGZMK: Zahnärztliche Chirurgie unter Antikoagulanzientherapie/Thrombozytenaggregationshemmern. AWMF-Registernummer: 083-018, Stand: August 2017, gültig bis: August 2020 via. www.dgzmk.de, Zugriff am 1. 10. 2025
[26] Schindler C, Kirch W. Tranexamsäure bei Patienten mit Antikoagulantientherapie. Zahnärztl Mitt. 2009; 99 (2): 42-44.
[27] Tonetti MS, D'Aiuto F, Nibali L, Donald A, Storry C, Parkar M, Suvan J, Hingorani AD, Vallance P, Deanfield J. Treatment of periodontitis and endothelial function. N Engl J Med. 2007 Mar 1; 356 (9): 911-20. doi: 10.1056/NEJMoa063186. Erratum in: N Engl J Med. 2018 Jun 13; 378 (25): 2450.
[28] Muñoz Aguilera E, Suvan J, Buti J, Czesnikiewicz-Guzik M, Barbosa Ribeiro A, Orlandi M, Guzik TJ, Hingorani AD, Nart J, D'Aiuto F. Periodontitis is associated with hypertension: a systematic review and meta-analysis. Cardiovasc Res. 2020; 116 (1): 28-39.
[29] Dietrich T, Sharma P, Walter C, Weston P, Beck J. The epidemiological evidence behind the association between periodontitis and incident atherosclerotic cardiovascular disease. J Clin Periodontol. 2013 Apr; 40 Suppl 14: S70-84. doi: 10.1111/jcpe.12062. Erratum in: J Clin Periodontol. 2013 Apr; 40 Suppl 14: S210-5.
[30] Nitschke I, Hahnel S. Zahnmedizinische Versorgung älterer Menschen: Chancen und Herausforderungen [Dental care for older people: opportunities

and challenges]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2021 Jul; 64 (7): 802-811.
[31] https://de.wikipedia.org/wiki/adolf_windaus, Zugriff am 18.09.2025
[32] https://de.wikipedia.org/wiki/adolf_windaus, Zugriff am 18.09.2025
[33] Charoenngam N, Holick MF. Immunologic Effects of Vitamin D on Human Health and Disease. Nutrients. 2020 Jul 15;12(7):2097.
[34] Holick MF. Vitamin D deficiency. N Engl J Med. 2007 Jul 19;357(3):266-81.
[35] Schiegnitz E, Weber MM, Werny JG, Al-Nawas B, Vitamin D und seine Relevanz für die Zahnmedizin - zm-online (2022), Zugriff am 18.09.2025
[36] https://awmf.org: Relevanz der Vitamin D Substitution auf den Kieferknochenstoffwechsel | Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften e. V., Zugriff am 18.09.2025
[37] Dominguez LJ, Gonnelli S. Calcium, Vitamin D, and Aging in Humans. Nutrients. 2024 Nov 21;16(23):3974.
[38] Rabenberg M, Mensink GBM. Vitamin D status of adults in Germany. J Health Monit. 2016 Dec 14;1(2):34-40
[39] Norman AW. From vitamin D to hormone D: fundamentals of the vitamin D endocrine system essential for good health. Am J Clin Nutr 2008;88(suppl):491S–9S.
[40] Ferri E, Casati M, Cesari M, Vitale G, Arosio B. Vitamin D in physiological and pathological aging: Lesson from centenarians. Rev Endocr Metab Disord. 2019 Sep;20(3):273-282.
[41] Ref: Wei X, Zhuang L, Li Y, Shi J, Yang Y, Lai H, Liu B. Edentulousness and the Likelihood of Becoming a Centenarian: Longitudinal Observational Study. JMIR Aging. 2025 Mar 21;8:e68444.
[42] Liu M, Liu B, Shen J, Qian S, Lai H, Yuan C, Tonetti MS. Low energy intake and nutritional maladaptation in terminal stage IV periodontitis. J Clin Periodontol. 2024 Sep;51(9):1147-1156.
[43] Mavar M, Sorić T, Bagarić E, Sarić A, Matek Sarić M. The Power of Vitamin D: Is the Future in Precision Nutrition through Personalized Supplementation Plans? Nutrients. 2024 Apr 15;16(8):1176.