

LITERATUR ZMK 10 2026

ZMK 2026; 42 (10) S. 479

Tooth Shaping Reloaded“ oder: TikTok schlägt Spitta

Prof. Dr. Claus-Peter Ernst

- [1] <https://www.n-tv.de/mediathek/videos/ratgeber/Grillz-Zahnfeilen-Kleber-Zahnaerztin-warnt-vor-TikTok-Zahntrend-id31360371.html>
- [2] <https://www.stern.de/panorama/zaehne-schleifen--so-gefaehrlich-ist-der-neue-tiktok-trend-38330392.html>
- [3] <https://drdietzel.com/news/gefaehrliche-zahntrends-social-media/>
- [4] <https://www.tiktok.com/@dergudezahnarzt/video/7520582990334840086>
- [5] <https://www.tiktok.com/@zahnarzt.mayer/video/7614589505776946454>
- [6] <https://www.tiktok.com/@zahnarztpraxis.friesdorf/video/7610042180043853059>
- [7] <https://www.youtube.com/watch?v=89Lbun26RoQ>
- [8] Sachs M. Rituelle Zahnfeilungen gegen ein lasterhaftes Leben. Zm 2024; 114 (17): 1428-1429.
- [9] <https://www.youtube.com/watch?v=grMmn5WctX8&t=91s>
- [10] Zikir AP, Mânica S. Ritual tooth modification in Bali (Metatah): Implications for dental assessment. Morphologie 2026; 110(369):101117.
- [11] Pinchi V, Barbieri P, Pradella F, Focardi M, Bartolini V, Norelli GA. Dental Ritual Mutilations and Forensic Odontologist Practice: a Review of the Literature. Acta Stomatol Croat 2015; 49 (1): 3-13.

ZMK 2026; 42 (10) S. 482-492

Pulpotomie am Milchzahn: Überversorgung oder Notwendigkeit in der Kinderzahnheilkunde?

Dr. med. dent. Ahmad Al Masri, M. Sc., Priv.-Doz. Dr. med. dent. habil. Ruth M.

Santamaría, M. Sc., Prof. Dr. Christian H. Splieth, Priv.-Doz. Dr. med. dent. habil. Julian Schmoeckel, M. Sc.

- [1] Azim AA, Azim KA, Deutsch AS, Huang GT: Acquisition of anatomic parameters concerning molar pulp chamber landmarks using cone-beam computed tomography. J Endod 2014;40:1298-1302.

- [2] BaniHani A, Santamaria RM, Hu S, Maden M, Albadri S: Minimal intervention dentistry for managing carious lesions into dentine in primary teeth: an umbrella review. *Eur Arch Paediatr Dent* 2022;23:667-693.
- [3] Boutsiouki C, Frankenberger R, Kramer N: Clinical and radiographic success of (partial) pulpotomy and pulpectomy in primary teeth: A systematic review. *Eur J Paediatr Dent* 2021;22:273-285.
- [4] Brenner I, Abdin M, Schmoeckel J: Pediatric Preformed Zirconium Oxide Crowns vs. Preformed Metal Crowns After Pulpotomy in Primary Molars: A Practice-Based Retrospective 2.5 Year Cohort Study. *Healthcare (Basel)* 2025;13.
- [5] Bücher K, Tautz A, Hickel R, Kühnisch J: Longevity of composite restorations in patients with early childhood caries (ECC). *Clin Oral Investig* 2014;18:775-782.
- [6] DAJ: [Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2016]. https://daj.de/wp-content/uploads/2024/02/Epi_final_BB0103_final_Druckvorbereitung.pdf, 2017.
- [7] Dhar V, Marghalani AA, Crystal YO, Kumar A, Ritwik P, Tulunoglu O, Graham L: Use of Vital Pulp Therapies in Primary Teeth with Deep Caries Lesions. *Pediatr Dent* 2017;39:146-159.
- [8] Hashemi F, Al Masri A, Splieth CH, Schmoeckel J: Clinical Pathways in Managing High-Caries Children with Adverse Dental Histories. *Medicina (Kaunas)* 2025;61.
- [9] Havale R, Anegundi RT, Indushekar K, Sudha P: Clinical and radiographic evaluation of pulpotomies in primary molars with formocresol, glutaraldehyde and ferric sulphate. *Oral Health Dent Manag* 2013;12:24-31.
- [10] Innes NP, Ricketts D, Chong LY, Keightley AJ, Lamont T, Santamaria RM: Preformed crowns for decayed primary molar teeth. *Cochrane Database Syst Rev* 2015;2015:CD005512.
- [11] Janjic Rankovic M, Kapor S, Khazaei Y, Crispin A, Schuler I, Krause F, Ekstrand K, Michou S, Eggmann F, Lussi A, Huysmans MC, Neuhaus K, Kuhnisch J: Systematic review and meta-analysis of diagnostic studies of proximal surface caries. *Clin Oral Investig* 2021;25:6069-6079.
- [12] Jayaraman J, Nagendrababu V, Pulikkotil SJ, Veettil SK, Dhar V: Effectiveness of formocresol and ferric sulfate as pulpotomy material in primary molars: a systematic review and meta-analysis with trial sequential analysis of randomized clinical trials. *Quintessence Int* 2020;51:38-48.
- [13] Jordan AR, Meyer-Lueckel H, Kuhr K, Sasunna D, Bekes K, Schiffner U: Caries experience and care in Germany: results of the 6th German Oral Health Study (DMS * 6). *Quintessence Int* 2025;56:S30-S39.

- [14] Maheshwari P, Gangwar A, De S, Dua R, Ghosh J, Kumari S: Assessment of Pulp Chamber Morphology of Primary Maxillary and Mandibular Molars Using Spiral Computed Tomography: An Analytical Study. *Int J Clin Pediatr Dent* 2025;18:431-435.
- [15] Mourad MS, Santamaria RM, Splieth CH, Schwahn C, Midani R, Schmoeckel J: Impact of operators' experience and patients' age on the success of nitrous oxide sedation for dental treatment in children. *Eur J Paediatr Dent* 2022a;23:183-188.
- [16] Mourad MS, Splieth CH, Al Masri A, Schmoeckel J: Potential for nitrous oxide sedation in pedodontics practice to reduce the need for dental general anesthesia. *Quintessence Int* 2022b;53:598-606.
- [17] Nagendrababu V, Pulikkotil SJ, Veettil SK, Jinatongthai P, Gutmann JL: Efficacy of Biodentine and Mineral Trioxide Aggregate in Primary Molar Pulpotomies-A Systematic Review and Meta-Analysis With Trial Sequential Analysis of Randomized Clinical Trials. *J Evid Based Dent Pract* 2019;19:17-27.
- [18] Passos De Luca M, Massignan C, Bolan M, Butini Oliveira L, Aydinov S, Dick B, De Luca Canto G: Does the presence of parents in the dental operatory room influence children's behaviour, anxiety and fear during their dental treatment? A systematic review. *Int J Paediatr Dent* 2021;31:318-336.
- [19] Philip N, Duggal M, Nazzal H: Pulpotomy for treating primary teeth with irreversible pulpitis: a call for action. *Eur Arch Paediatr Dent* 2026;27:1039-1051.
- [20] Potter LA, Vollmer M, Santamaria RM, Splieth CH, Schmoeckel J: Performance of restorations in primary molars over a seven-year period. *J Dent* 2024;147:105121.
- [21] Rashid BA, Al Masri A, Splieth CH, Abdalla M, Schmoeckel J: Dental Decision-Making in Pediatric Dentistry: A Cross-Sectional Case-Based Questionnaire Among Dentists in Germany. *Medicina (Kaunas)* 2024;60.
- [22] Selvakumar H, Kavitha S, Vijayakumar R, Eapen T, Bharathan R: Study of pulp chamber morphology of primary mandibular molars using spiral computed tomography. *J Contemp Dent Pract* 2014;15:726-729.
- [23] Shafae H, Alirezaie M, Rangrazi A, Bardideh E: Comparison of the success rate of a bioactive dentin substitute with those of other root restoration materials in pulpotomy of primary teeth: Systematic review and meta-analysis. *J Am Dent Assoc* 2019;150:676-688.
- [24] Shedeed O, Al Masri A, Splieth C, Pink C, Santamaria R: Are pediatric preformed zirconia crowns comparable to preformed metal crowns? A real-life retrospective study. *Quintessence Int* 2023;54:630-639.
- [25] Smail-Faugeron V, Glenny AM, Courson F, Durieux P, Muller-Bolla M, Fron Chabouis H: Pulp treatment for extensive decay in primary teeth. *Cochrane Database Syst Rev* 2018;5:CD003220.

- [26] Splieth CH, Banerjee A, Bottenberg P, Breschi L, Campus G, Ekstrand KR, Giacaman RA, Haak R, Hannig M, Hickel R, Juric H, Lussi A, Machiulskiene V, Manton DJ, Jablonski-Momeni A, Opdam NJM, Paris S, Santamaria RM, Schwendicke F, Tassery H, Ferreira Zandona A, Zero DT, Zimmer S, Domejean S: How to Intervene in the Caries Process in Children: A Joint ORCA and EFCD Expert Delphi Consensus Statement. *Caries Res* 2020;54:297-305.
- [27] Stringhini Junior E, Dos Santos MGC, Oliveira LB, Mercade M: MTA and biodentine for primary teeth pulpotomy: a systematic review and meta-analysis of clinical trials. *Clin Oral Investig* 2019;23:1967-1976.
- [28] Stringhini Junior E, Vitcel ME, Oliveira LB: Evidence of pulpotomy in primary teeth comparing MTA, calcium hydroxide, ferric sulphate, and electrosurgery with formocresol. *Eur Arch Paediatr Dent* 2015;16:303-312.
- [29] Tedesco TK, Calvo AFB, Passaro AL, Araujo MP, Ladewig NM, Scarpini S, Lara JS, Braga MM, Gimenez T, Raggio DP: Nonrestorative treatment of initial caries lesion in primary teeth: a systematic review and network meta-analysis. *Acta Odontol Scand* 2022;80:1-8.
- [30] Themessl-Huber M, Freeman R, Humphris G, MacGillivray S, Terzi N: Empirical evidence of the relationship between parental and child dental fear: a structured review and meta-analysis. *Int J Paediatr Dent* 2010;20:83-101.
- [31] Vilella-Pastor S, Saez S, Veloso A, Guinot-Jimeno F, Mercade M: Long-term evaluation of primary teeth molar pulpotomies with Biodentine and MTA: a CONSORT randomized clinical trial. *Eur Arch Paediatr Dent* 2021;22:685-692.
- [32] Wyatt KD, List B, Brinkman WB, Prutsky Lopez G, Asi N, Erwin P, Wang Z, Domecq Garces JP, Montori VM, LeBlanc A: Shared Decision Making in Pediatrics: A Systematic Review and Meta-analysis. *Acad Pediatr* 2015;15:573-583.
- [33] Azim AA, Azim KA, Deutsch AS, Huang GT: Acquisition of anatomic parameters concerning molar pulp chamber landmarks using cone-beam computed tomography. *J Endod* 2014;40:1298-1302.
- [34] BaniHani A, Santamaria RM, Hu S, Maden M, Albadri S: Minimal intervention dentistry for managing carious lesions into dentine in primary teeth: an umbrella review. *Eur Arch Paediatr Dent* 2022;23:667-693.
- [35] Boutsouki C, Frankenberger R, Kramer N: Clinical and radiographic success of (partial) pulpotomy and pulpectomy in primary teeth: A systematic review. *Eur J Paediatr Dent* 2021;22:273-285.
- [36] Brenner I, Abdin M, Schmoeckel J: Pediatric Preformed Zirconium Oxide Crowns vs. Preformed Metal Crowns After Pulpotomy in Primary Molars: A Practice-Based Retrospective 2.5 Year Cohort Study. *Healthcare (Basel)* 2025;13.

- [37] Bücher K, Tautz A, Hickel R, Kühnisch J: Longevity of composite restorations in patients with early childhood caries (ECC). *Clin Oral Investig* 2014;18:775-782.
- [38] DAJ: [Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2016]. https://daj.de/wp-content/uploads/2024/02/Epi_final_BB0103_final_Druckvorbereitung.pdf, 2017.
- [39] Dhar V, Marghalani AA, Crystal YO, Kumar A, Ritwik P, Tulunoglu O, Graham L: Use of Vital Pulp Therapies in Primary Teeth with Deep Caries Lesions. *Pediatr Dent* 2017;39:146-159.
- [40] Hashemi F, Al Masri A, Splieth CH, Schmoeckel J: Clinical Pathways in Managing High-Caries Children with Adverse Dental Histories. *Medicina (Kaunas)* 2025;61.
- [41] Havale R, Anegundi RT, Indushekar K, Sudha P: Clinical and radiographic evaluation of pulpotomies in primary molars with formocresol, glutaraldehyde and ferric sulphate. *Oral Health Dent Manag* 2013;12:24-31.
- [42] Innes NP, Ricketts D, Chong LY, Keightley AJ, Lamont T, Santamaria RM: Preformed crowns for decayed primary molar teeth. *Cochrane Database Syst Rev* 2015;2015:CD005512.
- [43] Janjic Rankovic M, Kapor S, Khazaei Y, Crispin A, Schuler I, Krause F, Ekstrand K, Michou S, Eggmann F, Lussi A, Huysmans MC, Neuhaus K, Kuhnisch J: Systematic review and meta-analysis of diagnostic studies of proximal surface caries. *Clin Oral Investig* 2021;25:6069-6079.
- [44] Jayaraman J, Nagendrababu V, Pulikkotil SJ, Veettil SK, Dhar V: Effectiveness of formocresol and ferric sulfate as pulpotomy material in primary molars: a systematic review and meta-analysis with trial sequential analysis of randomized clinical trials. *Quintessence Int* 2020;51:38-48.
- [45] Jordan AR, Meyer-Lueckel H, Kuhr K, Sasunna D, Bekes K, Schiffner U: Caries experience and care in Germany: results of the 6th German Oral Health Study (DMS * 6). *Quintessence Int* 2025;56:S30-S39.
- [46] Maheshwari P, Gangwar A, De S, Dua R, Ghosh J, Kumari S: Assessment of Pulp Chamber Morphology of Primary Maxillary and Mandibular Molars Using Spiral Computed Tomography: An Analytical Study. *Int J Clin Pediatr Dent* 2025;18:431-435.
- [47] Mourad MS, Santamaria RM, Splieth CH, Schwahn C, Midani R, Schmoeckel J: Impact of operators' experience and patients' age on the success of nitrous oxide sedation for dental treatment in children. *Eur J Paediatr Dent* 2022a;23:183-188.
- [48] Mourad MS, Splieth CH, Al Masri A, Schmoeckel J: Potential for nitrous oxide sedation in pedodontics practice to reduce the need for dental general anesthesia. *Quintessence Int* 2022b;53:598-606.

- [49] Nagendrababu V, Pulikkotil SJ, Veettil SK, Jinatongthai P, Gutmann JL: Efficacy of Biodentine and Mineral Trioxide Aggregate in Primary Molar Pulpotomies-A Systematic Review and Meta-Analysis With Trial Sequential Analysis of Randomized Clinical Trials. *J Evid Based Dent Pract* 2019;19:17-27.
- [50] Passos De Luca M, Massignan C, Bolan M, Butini Oliveira L, Aydinov S, Dick B, De Luca Canto G: Does the presence of parents in the dental operatory room influence children's behaviour, anxiety and fear during their dental treatment? A systematic review. *Int J Paediatr Dent* 2021;31:318-336.
- [51] Philip N, Duggal M, Nazzari H: Pulpotomy for treating primary teeth with irreversible pulpitis: a call for action. *Eur Arch Paediatr Dent* 2026;27:1039-1051.
- [52] Potter LA, Vollmer M, Santamaria RM, Splieth CH, Schmoedel J: Performance of restorations in primary molars over a seven-year period. *J Dent* 2024;147:105121.
- [53] Rashid BA, Al Masri A, Splieth CH, Abdalla M, Schmoedel J: Dental Decision-Making in Pediatric Dentistry: A Cross-Sectional Case-Based Questionnaire Among Dentists in Germany. *Medicina (Kaunas)* 2024;60.
- [54] Selvakumar H, Kavitha S, Vijayakumar R, Eapen T, Bharathan R: Study of pulp chamber morphology of primary mandibular molars using spiral computed tomography. *J Contemp Dent Pract* 2014;15:726-729.
- [55] Shafaei H, Alirezaei M, Rangrazi A, Bardideh E: Comparison of the success rate of a bioactive dentin substitute with those of other root restoration materials in pulpotomy of primary teeth: Systematic review and meta-analysis. *J Am Dent Assoc* 2019;150:676-688.
- [56] Shedeed O, Al Masri A, Splieth C, Pink C, Santamaria R: Are pediatric preformed zirconia crowns comparable to preformed metal crowns? A real-life retrospective study. *Quintessence Int* 2023;54:630-639.
- [57] Smail-Faugeron V, Glenney AM, Courson F, Durieux P, Muller-Bolla M, Fron Chabouis H: Pulp treatment for extensive decay in primary teeth. *Cochrane Database Syst Rev* 2018;5:CD003220.
- [58] Splieth CH, Banerjee A, Bottenberg P, Breschi L, Campus G, Ekstrand KR, Giacaman RA, Haak R, Hannig M, Hickel R, Juric H, Lussi A, Machiulskiene V, Manton DJ, Jablonski-Momeni A, Opdam NJM, Paris S, Santamaria RM, Schwendicke F, Tassery H, Ferreira Zandona A, Zero DT, Zimmer S, Domejean S: How to Intervene in the Caries Process in Children: A Joint ORCA and EFCD Expert Delphi Consensus Statement. *Caries Res* 2020;54:297-305.
- [59] Stringhini Junior E, Dos Santos MGC, Oliveira LB, Mercade M: MTA and biodentine for primary teeth pulpotomy: a systematic review and meta-analysis of clinical trials. *Clin Oral Investig* 2019;23:1967-1976.

- [60] Stringhini Junior E, Vitcel ME, Oliveira LB: Evidence of pulpotomy in primary teeth comparing MTA, calcium hydroxide, ferric sulphate, and electrosurgery with formocresol. *Eur Arch Paediatr Dent* 2015;16:303-312.
- [61] Tedesco TK, Calvo AFB, Passaro AL, Araujo MP, Ladewig NM, Scarpini S, Lara JS, Braga MM, Gimenez T, Raggio DP: Nonrestorative treatment of initial caries lesion in primary teeth: a systematic review and network meta-analysis. *Acta Odontol Scand* 2022;80:1-8.
- [62] Themessl-Huber M, Freeman R, Humphris G, MacGillivray S, Terzi N: Empirical evidence of the relationship between parental and child dental fear: a structured review and meta-analysis. *Int J Paediatr Dent* 2010;20:83-101.
- [63] Vilella-Pastor S, Saez S, Veloso A, Guinot-Jimeno F, Mercade M: Long-term evaluation of primary teeth molar pulpotomies with Biodentine and MTA: a CONSORT randomized clinical trial. *Eur Arch Paediatr Dent* 2021;22:685-692.
- [64] Wyatt KD, List B, Brinkman WB, Prutsky Lopez G, Asi N, Erwin P, Wang Z, Domecq Garces JP, Montori VM, LeBlanc A: Shared Decision Making in Pediatrics: A Systematic Review and Meta-analysis. *Acad Pediatr* 2015;15:573-583.

ZMK 2026: (42) (10) S. 494-501

Pfeilerzahnverlängerung im digitalen Wandel – Etablierte Konzepte und das Kieler Extrusionskonzept

Merlind Becker-Schönfeldt, Anne Garling, Lukas Geier, M. Sad Chaar, Maximiliane Amelie Schlenz

- [1] Kern M, Wolfart S, Heydecke G, Witkowski S, Türp J, Strub JR. *Curriculum Prothetik II. Artikulatoren - Ästhetik - Werkstoffkunde - Festsitzende Prothetik*. 5 ed. Berlin: Quintessenz; 2022.
- [2] Ingber JS, Rose LF, Coslet JG. The biological width a concept in periodontics and restorative dentistry. *Alpha Omegan*, 1977;70:62-65.
- [3] Maynard JG, Wilson RDK. Physiologic dimensions of periodontium significant to the restorative dentist. *Journal of Periodontology*, 1979;50:170-174.
- [4] Fokkinga WA, Kreulen CM, Bronkhorst EM, Creugers NH. Up to 17-year controlled clinical study on post-and-cores and covering crowns. *Journal of Dentistry*, 2007;35:778-786.
- [5] Naumann M, Schmitter M, Frankenberger R, Krastl G. "Ferrule comes first. post is second!" fake news and alternative facts? A systematic review. *Journal of Endodontics*, 2018;44:212-219.

- [6] Kern M, Wolfart S, Heydecke G, Witkowski S, Türp J, Strub JR. Curriculum Prothetik I. Geschichte - Grundlagen - Behandlungskonzept - Vorbehandlung. 5 ed. Berlin: Quintessenz; 2022.
- [7] Hehn J, Striegel M, Schwenk T, Göttfert F. Minimalinvasive Kronenverlängerung nach Schwenk und Striegel. Quintessenz, 2012;63:459-467.
- [8] Pontoriero R, Carnevale G. Surgical crown lengthening: a 12-month clinical wound healing study. Journal of Periodontology, 2001;72:841-848.
- [9] Wolfart S, Thormann H-K, Freitag S, Kern M. Assessment of dental appearance following changes in incisor proportions. Journal of Dental Research, 2005;84:Abstr No 0224.
- [10] Chiche GJ, Pinault A. Esthetics of Anterior Fixed Prosthodontics. 1 ed. Chicago: Quintessence; 1994.
- [11] Turp L, Kern M, Chaar MS. Prosthetic restoration after atraumatic surgical extrusion: a report of two cases. Quintessence Int, 2022;53:568-578.
- [12] Krug R, Connert T, Soliman S, Syfrig B, Dietrich T, Krastl G. Surgical extrusion with an atraumatic extraction system: A clinical study. The Journal of Prosthetic Dentistry, 2018;120:879-885.
- [13] Mehl C, Wolfart S, Kern M. Kieferorthopädische Extrusion von Zähnen mit Hilfe von Magneten. Eine Falldarstellung. Quintessenz, 2008;59:595-604.
- [14] Mehl C, Wolfart S, Kern M. Orthodontic extrusion with magnets: A case report. Quintessence International, 2008;39:371-379.
- [15] Harder S, Mehl C, Kern M. Behandlungsmöglichkeiten bei tief frakturierten Pfeilerzähnen. Quintessenz, 2010;61:1485-1494.
- [16] Carvalho CV, Bauer FP, Romito GA, Pannuti CM, De Micheli G. Orthodontic extrusion with or without circumferential supracrestal fiberotomy and root planing. The International Journal of Periodontics & Restorative Dentistry, 2006;26:87-93.

ZMK 2026: (42) (10) S. 502-507

Orale Nebenwirkungen der am häufigsten verordneten Medikamente in Deutschland

PD Dr. Dr. F. Halling, Prof. Dr. Dr. R. Lutz, PD Dr. Dr. A. Meisgeier

1. Angeletti, F., Meier, F., Zöller, N., Meissner, M., Kaufmann, R. und Valesky, E.M. (2020). Überempfindlichkeitsreaktionen auf nichtsteroidale Antiphlogistika (NSAID) – eine retrospektive Studie. JDDG: J Dtsch Dermatol Ges, 18 (12): 1405-1416.
2. Becker, D.E. (2014). Adverse drug reactions in dental practice. Anesth Prog, 61 (1): 26-33; quiz 34.

3. Boer, C. C., Correa, M. E., Miranda, E. C. und de Souza, C. A. (2010). Taste disorders and oral evaluation in patients undergoing allogeneic hematopoietic SCT. *Bone Marrow Transplant*, 45 (4): 705-711.
4. Chowdhury, S. R., Chandra Das, D., Sunna, T. C., Beyenne, J. und Hossain, A. (2023). Global and regional prevalence in community settings: a systematic review and meta-analysis. *EClinicalMedicine*, 57: 101860.
5. Edwards, I. R. und Aronson, J. K. (2000). Adverse drug reactions: definitions, diagnosis, and management. *Lancet*, 356 (9237): 1255-1259.
6. Glick, A., Sista, V. und Johnson, C. (2020). Oral Manifestations of Commonly Prescribed Drugs. *Am Fam Physician*, 102 (10): 613-621.
7. Gomes, E. R. und Demoly, P. (2005). Epidemiology of hypersensitivity drug reactions. *Curr Opin Allergy Clin Immunol*, 5 (4): 309–316.
8. Halling, F. (2015). Das „unsichtbare“ Angioödem. *Zahnärztl Mitt* 105 (19): 72–74.
9. Halling, F., Lutz, R. Meisgeier, A. (2026). Oral side effects of the most commonly prescribed drugs in Germany. *Dent J (Basel)*, 14 (2): 83.
10. Jacobsen, P. L. und Chavez, E. M. (2005). Clinical management of the dental patient taking multiple drugs. *J Contemp Dent Pract*, 6 (4): 144-151.
11. Jahn F (2019) Arzneimittelexantheme auf der Haut und der Schleimhaut – Teil I. *ZWR* 128 (5): 206–213.
12. Kim, J. und Parish, A.L. (2017). Polypharmacy and medication management in older adults. *Nursing Clinics of North America*, 52 (3): 457-468.
13. Koeniger, R. (2012). Akute Lippen- und Zungenschwellung mit Schluckbeschwerden – Allergie? *Bayerisches Ärztebl* 67:149
14. Nederfors, T., Isaksson, R., Mörnstad, H. und Dahlöf C. (1997). Prevalence of perceived symptoms of dry mouth in an adult Swedish population—relation to age, sex and pharmacotherapy. *Community Dent Oral Epidemiol*, 25 (3): 211-216.
15. Nebeker, J. R., Barach, P. und Samore, M. H. (2004). Clarifying adverse drug events: a clinician's guide to terminology, documentation, and reporting. *Ann Intern Med*, 140 (10): 795–801.
16. Nitscke, I. und Hahnel S. (2021). Zahnmedizinische Versorgung älterer Menschen: Chancen und Herausforderungen. *Bundesgesundheitsbl*, 64 (7): 802–811.
17. Ouanounou, A. und Haas, D. A. (2015). Pharmacotherapy for the elderly dental patient. *J Can Dent Assoc*, 80: f18.
18. Prado-Mel, E., Ciudad-Gutiérrez, P., Rodríguez-Ramallo, H., Sánchez-Fidalgo, S., Santos-Ramos, B. und Villalba-Moreno, A.M. (2022). Association between anticholinergic activity and xerostomia and/ or xerophthalmia in the elderly: systematic review. *BMC Pharmacology and Toxicology*, 23 (1): 94.
19. Rademacher, W.M.H. Aziz, Y., Hielema, A., Cheung, K.C., de Lange, J., Vissink, A. und Rozema, F.R. (2019). Oral adverse effects of drugs: Taste disorders. *Oral Diseases*, 26 (1): 213-223.
20. Räder C.T. und Kunkel, M. (2010). Manifestation einer Metamizol-induzierten Agranulozytose im Mundraum. *Zahnärztl Mitt*, 100 (9): 1056-1058.
21. Shinkai, R.S., Hatch, J.P., Schmidt, C.B. und Sartori, E.A. (2006). Exposure to the oral side effects of medication in a community-based sample. *Special Care in Dentistry*, 26 (3): 116-120.
22. Smith, R. G. und Burtner, A. P. (1994). Oral side-effects of the most frequently prescribed drugs. *Spec Care Dentist*, 14 (3): 96-102

23. Tiisanoja, A., Syrjälä, A. H., Kullaa, A. und Ylöstalo, P. (2020). Anticholinergic burden and dry mouth in middle-aged people. *JDR Clin Trans Res*, 5 (1): 62-70.
24. Vogt, T. (2010) Unerwünschte Arzneimittelwirkungen im Orofazialbereich. In: Balogh A, Haen E (Hrsg) *Klinische Pharmakologie in der zahnärztlichen Praxis*. Wissenschaftliche Verlagsgesellschaft, Stuttgart, S.191–203
25. Wastesson, J.W., Morin, L., Tan, E.C.K. und Johnell, K. (2018). An update on the clinical consequences of polypharmacy in older adults: a narrative review. *Expert Opinion on Drug Safety*, 17 (12): 1185-1196.
26. Zavras, A.I., Rosenberg, G.E., Danielson, J.D. und Cartsos, V.M. (2013). Adverse drug and device reactions in the oral cavity. *JADA*, 144 (9): 1014-1021.

ZMK 2026; 42 (10) S. 508-513

Chairside-Versorgung mit Zirkondioxid – Möglichkeiten und Grenzen moderner Verarbeitungsprozesse

Dr. Nikolaus Kronwitter, Prof. Dr. Sebastian Hahnel

- [1] Rosentritt M, Preis V, Behr M et al. Fatigue and wear behaviour of zirconia materials. *Journal of the Mechanical Behavior of Biomedical Materials*. 2020; 110: 103970. <https://doi.org/10.1016/j.jmbbm.2020.103970>
- [2] Zhang F, Inokoshi M, Batuk M et al. Strength, toughness and aging stability of highly-translucent Y-TZP ceramics for dental restorations. *Dent Mater*. 2016; 32: e327-e337. <https://doi.org/10.1016/j.dental.2016.09.025>
- [3] Camposilvan E, Leone R, Gremillard L et al. Aging resistance, mechanical properties and translucency of different yttria-stabilized zirconia ceramics for monolithic dental crown applications. *Dent Mater*. 2018; 34: 879–890. <https://doi.org/10.1016/j.dental.2018.03.006>
- [4] Carrabba M, Keeling AJ, Aziz A et al. Translucent zirconia in the ceramic scenario for monolithic restorations: A flexural strength and translucency comparison test. *J Dent*. 2017; 60: 70–76. <https://doi.org/10.1016/j.jdent.2017.03.002>
- [5] Fathy SM, Al-Zordk W, E Grawish M et al. Flexural strength and translucency characterization of aesthetic monolithic zirconia and relevance to clinical indications: A systematic review. *Dent Mater*. 2021; 37: 711–730. <https://doi.org/10.1016/j.dental.2021.01.022>
- [6] Martin Rosentritt et al. *Kleine Werkstoffkunde für Zahnärzte – Teil 4: Zahnfarbene Werkstoffe im Vergleich*. zm. 2019; 109 (6): 74-78.
- [7] Jansen JU, Lümke N, Letz I et al. Impact of high-speed sintering on translucency, phase content, grain sizes, and flexural strength of 3Y-TZP and 4Y-TZP zirconia materials. *The Journal of Prosthetic Dentistry*. 2019; 122: 396–403. <https://doi.org/10.1016/j.prosdent.2019.02.005>
- [8] Alshahrani AM, Lim CH, Wolff MS et al. Current speed sintering and high-speed sintering protocols compromise the translucency but not strength of yttria-stabilized zirconia. *Dent Mater*. 2024; 40: 664–673. <https://doi.org/10.1016/j.dental.2024.02.012>
- [9] Cokic SM, Vleugels J, van Meerbeek B et al. Mechanical properties, aging stability and translucency of speed-sintered zirconia for chairside restorations. *Dent Mater*. 2020; 36: 959–972. <https://doi.org/10.1016/j.dental.2020.04.026>

- [10] Liu H, Inokoshi M, Nozaki K et al. Influence of high-speed sintering protocols on translucency, mechanical properties, microstructure, crystallography, and low-temperature degradation of highly translucent zirconia. *Dent Mater.* 2022; 38: 451–468. <https://doi.org/10.1016/j.dental.2021.12.028>
- [11] Lawson NC, Maharishi A. Strength and translucency of zirconia after high-speed sintering. *J Esthet Restor Dent.* 2020; 32: 219–225. <https://doi.org/10.1111/jerd.12524>
- [12] Edelhoff D, Florian B, Florian W et al. HIP zirconia fixed partial dentures--clinical results after 3 years of clinical service. *Quintessence Int.* 2008; 39: 459–471
- [13] Sailer I, Balmer M, Hüsler J et al. 10-year randomized trial (RCT) of zirconia-ceramic and metal-ceramic fixed dental prostheses. *J Dent.* 2018; 76: 32–39. <https://doi.org/10.1016/j.jdent.2018.05.015>
- [14] Mayinger F, Ender A, Strickstock M et al. Impact of the sintering parameters on the grain size, crystal phases, translucency, biaxial flexural strength, and fracture load of zirconia materials. *Journal of the Mechanical Behavior of Biomedical Materials.* 2024; 155: 106580. <https://doi.org/10.1016/j.jmbbm.2024.106580>
- [15] Zhang Y. Making yttria-stabilized tetragonal zirconia translucent. *Dent Mater.* 2014; 30: 1195–1203. <https://doi.org/10.1016/j.dental.2014.08.375>
- [16] Jerman E, Wiedenmann F, Eichberger M et al. Effect of high-speed sintering on the flexural strength of hydrothermal and thermo-mechanically aged zirconia materials. *Dent Mater.* 2020; 36: 1144–1150. <https://doi.org/10.1016/j.dental.2020.05.013>

ZMK 2026; 42 (10) S. 514-523

Konventionell, hybrid oder digital? Das Set-up als Teil des präprothetischen Workflows

A. Wagner, Dr. S. M. Blender

- [1] Romeo G, Bresciano M. Diagnostic and technical approach to esthetic rehabilitations. *J Esthet Restor Dent.* 2003; 15 (4): 204–16.
- [2] Simon H, Magne P. Clinically based diagnostic wax-up for optimal esthetics: the diagnostic mock-up. *J Calif Dent Assoc.* 2008; 36 (5): 355–62.
- [3] Garcia LT, Bohnenkamp DM. The use of diagnostic wax-ups in treatment planning. *Compend Contin Educ Dent.* 2003; 24 (3): 210–2, 4.
- [4] The Glossary of Prosthodontic Terms: Ninth Edition. *J Prosthet Dent.* 2017; 117 (5S): e1–e105.
- [5] Chisnoiu AM, Staicu AC, Kui A, Chisnoiu RM, Iacob S, Flueraşu M, et al. Smile Design and Treatment Planning-Conventional versus Digital-A Pilot Study. *J Pers Med.* 2023; 13(7).
- [6] Hristozova M, Dimitrova M, Zlatev S. Bilateral Symmetry in the Aesthetic Area Achieved by Digital Smile Design on 3D Virtual Patient and Conventional Diagnostic Wax-Up-A Comparative Study. *Dent J (Basel).* 2024; 12 (12).
- [7] Sabbah A. Smile Analysis: Diagnosis and Treatment Planning. *Dent Clin North Am.* 2022; 66 (3): 307–41.
- [8] Alwabel LK, Alabduljabar WM, Alawfi LK, Al Johani NK, Alharbi LE, Kharif MA, et al. Digital Smile Design and Patient-Centered Outcomes in Esthetic Restorative Dentistry: A Systematic Review. *Cureus.* 2025; 17 (11): e98084.

- [9] Thomas PA, Krishnamoorthi D, Mohan J, Raju R, Rajajayam S, Venkatesan S. Digital Smile Design. J Pharm Bioallied Sci. 2022; 14 (Suppl 1): S43–S9.
- [10] Amin SA, Hann S, Elsheikh AK, Boltchi F, Zandinejad A. A complete digital approach for facially generated full arch diagnostic wax up, guided surgery, and implant-supported interim prosthesis by integrating 3D facial scanning, intraoral scan and CBCT. J Prosthodont. 2023; 32 (1): 90–3.
- [11] Smets K, D'Haese R, Bultinck L, Vandeweghe S, Matthys C. Complications and Patient Satisfaction in Fully Edentulous Patients Treated with Digital and Conventional Complete Dentures: A Crossover Clinical Study. Int J Prosthodont. 2025; 38 (4): 383–90.
- [12] Abduo J, Rasaie V. Digital Workflows in Prosthodontics. Aust Dent J. 2025; 70 (Suppl 1): S146–S58.
- [13] Flugge T, Kramer J, Nelson K, Nahles S, Kernen F. Digital implantology-a review of virtual planning software for guided implant surgery. Part II: Prosthetic set-up and virtual implant planning. BMC Oral Health. 2022; 22 (1): 23.
- [14] Morton D, Phasuk K, Polido WD, Lin WS. Consideration for Contemporary Implant Surgery. Dent Clin North Am. 2019; 63 (2): 309–29.
- [15] Magne P, Magne M, Belser U. The diagnostic template: a key element to the comprehensive esthetic treatment concept. Int J Periodontics Restorative Dent. 1996; 16 (6): 560–9.
- [16] Yu H, Zhao Y, Li J, Luo T, Gao J, Liu H, et al. Minimal invasive microscopic tooth preparation in esthetic restoration: a specialist consensus. Int J Oral Sci. 2019; 11 (3): 31.
- [17] de Moura AJ, Burgoa S, Rayes A, da Silva RLB, Ayres AP, Cortes ARG. Digital Workflow for Designing CAD-CAM Custom Abutments of Immediate Implants Based on the Natural Emergence Profile of the Tooth to be Extracted. J Oral Implantol. 2023; 49 (5): 510–6.
- [18] Galindo D, Soltys JL, Graser GN. Long-term reinforced fixed provisional restorations. J Prosthet Dent. 1998; 79 (6): 698–701.

ZMK 2026; 42 (10) S. 524-526

Auswirkungen moderner Rauch-Alternativen auf die Mundgesundheit

Dr. Ulrike Oßwald-Dame

- [1] Deutsches Ärzteblatt: 26.5.2026 Vapes und Nikotinbeutel: Nikotinkonsum nimmt bei jungen Menschen wieder zu. Abruf unter <https://www.aerzteblatt.de/news/vapes-und-nikotinbeutel-nikotinkonsum-nimmt-bei-jungen-menschen-wieder-zu>
- [2] Studien ab 1997. Die Drogenaffinität Jugendlicher und junger Erwachsener in Deutschland 2025 – Teilband Tabak und andere nikotinhaltige Produkte. Mai 2026. Abruf unter <https://www.bioeg.de/forschung/studien/abgeschlossene-studien/studien-ab-1997/suchtprevention/drogenaffinitaetsstudie-2025/>
- [3] Unterschied zwischen E-Zigarette & Vape. Abruf unter <https://www.medicig.de/ratgeber/e-Zigarette-vs-vape/>

- [4] Miluna-Meldere S, Vanka SA, Skadins I et al. Oral mucosal changes caused by nicotine pouches: case series. *Diagn Pathol.* 2024;127 (19). doi:10.1186/s13000-024-01549-3.
- [5] Tattar R, Jackson J & Holliday R. The impact of e-cigarette use on periodontal health: a systematic review and meta-analysis. *Evid Based Dent.* 2025. doi:10.1038/s41432-025-01119-6.
- [6] Machuca-Portillo C, Caleza-Jiménez C, Suárez-Marchena C, Chandler-Gutiérrez L, Relimpio-Pérez P, Barra-Soto MJ, Valle LL-d, Segura-Egea JJ. Association Between E-Cigarette Use (Vaping) and Oral Health in Adolescents and Young Adults: A Systematic Review. *Journal of Clinical Medicine.* 2026; 15 (10): 3886. doi:10.3390/jcm15103886.
- [7] Daneshian M, Frederiksson L, Skott P, Garming Legert K. 2026. Oral lesions and dental status in individuals using oral tobacco-free nicotine pouches. *Oral diseases* 1–13. doi:10.1111/odi.70409.
- [8] Alizadehgharib S, Lehrkinder A, Alshabeeb A, Östberg A-K, Lingström P. The effect of a non-tobacco-based nicotine pouch on mucosal lesions caused by Swedish smokeless tobacco (snus). *Eur J Oral Sci.* 2022; 130: e12885. doi:10.1111/eos.12885.
- [9] La Rosa GRM, Samaranayake LP, Zaura E, Chapple I, Polosa R. Nicotine pouches, oral cancer and tobacco harm reduction: current evidence and research priorities. *Front Oral Health.* 2026 Feb 9; 7: 1761734. doi:10.3389/froh.2026.1761734.
- [10] Valen H, Becher R, Vist GE, Holme JA et al. A systematic review of cancer risk among users of smokeless tobacco (Swedish snus) exclusively, compared with no use of tobacco. *Int. J. Cancer* 2023; 153 (12): 1942–1953. doi:10.1002/ijc.34643.
- [11] Kopa-Stojak PN, Pawliczak R. Comparison of carcinogenic potential of alternative tobacco products. A systematic review. *Toxicol Mech Methods.* 2025 Nov; 35 (9): 1161-1175. doi:10.1080/15376516.2025.2536664.

ZMK 2026; 42 (10) S. 527

Wann eine ergänzende Mundspülung besonders sinnvoll sein kann

- [1] Gurenlian JR. The role of dental biofilm in oral health. *J Dent Hyg.* 2007; Special supplement: 4-12
- [2] Creeth JE, Gallagher A, Sowinski J, et al. The effect of brushing time and dentifrice on dental plaque removal in vivo. *J Dent Hyg.* 2009;83(3):111-6.
- [3] Beals D, Ngo T, Feng Y, Cook D, Grau DG, Weber DA. Development and laboratory evaluation of a new toothbrush with a novel brush head design. *Am J Dent.* 2000;13:5A-13A.
- [4] Weik et al. *BMC Oral Health* (2023) 23:456
- [5] Principles for Oral Health. SEPA 2024. Available at: www.principlesfororalhealth.com. Abgerufen am 16 April 2025

- [6] Krause L, Starker A, Hertrampf K, Frenzel Baudisch N, Jordan A. R, Pitchika V, et al. Relationship between smoking and oral health: results of the 6th German Oral Health Study (DMS • 6). Quintessence International. 2025;56(Suppl):96–103. doi: 10.3290/j.qi.b5982019.
- [7] Bundeszahnärztekammer (BZÄK). Rauchen und Mundgesundheit. Verfügbar unter: <https://www.bzaek.de/service/positionen-statements/einzelansicht/rauchen-und-mundgesundheit.html> (Zugriff am 05.08.2026).
- [8] Çalışkan Batı B, Buduneli N, Meriç P. Examining awareness of tobacco's oral health effects: Dentists' role in smoking cessation among dental patients. Tobacco Induced Diseases. 2024;22(February):41. doi:10.18332/tid/176227.
- [9] S3-Leitlinie: Häusliches chemisches Biofilmmangement in der Prävention und Therapie der Gingivitis. AWMF-Registernummer: 083-016, Stand: November 2018, Amendment: Dezember 2020.
- [10] S3-Leitlinie: Häusliches chemisches Biofilmmangement in der Prävention und Therapie der Gingivitis. AWMF-Registernummer: 083-016, Stand: November 2018, Amendment: Dezember 2020.
- [11] Kenvue. Interdental Brush + Essential Oil Mouthrinse Study (IDB Study). Clinical Summary Report. Kenvue Medical Affairs; 2024. The full clinical study manuscript has been submitted for publication. The secondary endpoints from the study were published at (Preshaw, PM et al. Periodontal Bleeding and Probing-Depth Outcomes with Interdental Brushing and Mouthwash (Oral Presentation) J Dent Res Vol 104 B / International Association of Dental Research (IADR). 2025. Barcelona, Spain).