

LITERATUR ZMK 9 2026

ZMK 2026; 42 (9) S. 411

Späte Kreidezeit als Goldstandard

Warum Theropoden zahnmedizinisch effizient waren und Dinosaurier-Denken nicht schlecht sein muss

Prof. Dr. Claus-Peter Ernst

[1] Sattler F, Schwarz D. Tooth replacement in a specimen of *Tyrannosaurus rex* (Dinosauria, Theropoda) from the Hell Creek Formation (Maastrichtian), Montana. *Historical Biology* 2019; 33(7): 949–972.

[2] <https://www.zwp-online.info/zwpnews/dental-news/wissenschaft-und-forschung/dinos-brauchen-keinen-zahnarzt>

[3] D’Emic MD, O’Connor PM, Pascucci TR, Gavras JN, Mardakhayava Lund EK. (2019) Evolution of high tooth replacement rates in theropod dinosaurs. *PLOS ONE* 2019; 14(11): e0224734. <https://doi.org/10.1371/journal.pone.0224734>

ZMK 2026; 42 (9) S. 414–417

Diagnostik und Behandlung von Bruxismus – das aktuelle Update der Leitlinie

Prof. Ingrid Peroz, Dr. Matthias Lange

1. Lobbezoo F, Ahlberg J, Raphael KG, Wetselaar P, Glaros AG, Kato R, et al. International consensus on the assessment of bruxism: Report of a work in progress. *J Oral Rehabil.* 2018;45:1–8.
2. Palinkas M, De Luca Canto G, Rodrigues LAM, Bataglion C, Siéssere S, Semprini M, et al. Comparative capabilities of clinical assessment, diagnostic criteria, and polysomnography in detecting sleep bruxism. *J Clin Sleep Med.* 2015;11:1319–25.
3. Raphael KG, Janal MN, Sirois DA, Dubrovsky B, Klausner JJ, Krieger AC, et al. Validity of self-reported sleep bruxism among myofascial temporomandibular disorder patients and controls. *J Oral Rehabil.* 2015;42:751–8.
4. Lobbezoo F, Naeije M. Bruxism is mainly regulated centrally, not peripherally. *J Oral Rehabil.* 2001;28:1085–91.
5. Campello CP, Moraes SLD, Vasconcelos B, Lima ELS, Pellizzer EP, Lemos CAA, et al. Polymorphisms of the serotonin receptors genes in patients with bruxism: a systematic review. *J Appl Oral Sci.* 2022;29:e20210262.
6. Maciejewska-Szaniec Z, Kaczmarek-Ryś M, Hryhorowicz S, Przysańska A, Gredes T, Maciejewska B, et al. Polymorphic variants in genes related to stress coping are associated with the awake bruxism. *BMC Oral Health.* 2021;21:496–.

7. Emodi Perlman A, Lobbezoo F, Zar A, Friedman Rubin P, van Selms MKA, Winocur E. Self-Reported bruxism and associated factors in Israeli adolescents. *J Oral Rehabil.* 2016;43:443–50.
8. Fluerasu MI, Bocsan IC, Tig IA, Iacob SM, Popa D, Buduru S. The epidemiology of bruxism in relation to psychological factors. *Int J Environ Res Public Health.* 2022;19.
9. Menezes JVNB, Schoeffel AC, Umemura AMB, Feltrin de Souza J, Fraiz FC, Reichert da Silva Assuncao L, et al. Is there an association between anxiety and sleep bruxism among children and adolescents? A systematic review. *NIHR [Internet].* 2020.
10. Wieczorek T, Smardz J, Winiewska S, Martynowicz H, Więckiewicz M, Rymaszewska J. Etiopathology and psychosomatic background of awake bruxism – A review. *J Psychosom Res.* 2019;121:156–.
11. Guo H, Wang T, Li X, Ma Q, Niu X, Qiu J. What sleep behaviors are associated with bruxism in children? A systematic review and meta-analysis. *Sleep Breath.* 2017;21:1013–23.
12. Silva TB, Ortiz FR, Maracci LM, Silva GBP, Salbego RS, Liedke GS, et al. Association among headache, temporomandibular disorder, and awake bruxism: A cross-sectional study. *Headache.* 2022;62:748–54.
13. Winocur E, Gavish A, Voikovitch M, Emodi-Perlman A, Eli I. Drugs and bruxism: a critical review. *J Orofac Pain.* 2003;17:99–111.
14. Rintakoski K, Kaprio J. Legal psychoactive substances as risk factors for sleep-related bruxism: a nationwide Finnish Twin Cohort study. *Alcohol Alcohol.* 2013;48:487–94.
15. Hojo A, Haketa T, Baba K, Igarashi Y. Association between the amount of alcohol intake and masseter muscle activity levels recorded during sleep in healthy young women. *Int J Prosthodont.* 2007;20:251–5.
16. Bertazzo-Silveira E, Kruger CM, Porto De Toledo I, Porporatti AL, Dick B, Flores-Mir C, et al. Association between sleep bruxism and alcohol, caffeine, tobacco, and drug abuse: A systematic review. *J Am Dent Assoc.* 2016;147:859–66 e4.
17. Winocur E, Gavish A, Volfen G, Halachmi M, Gazit E. Oral motor parafunctions among heavy drug addicts and their effects on signs and symptoms of temporomandibular disorders. *J Orofac Pain.* 2001;15:56–63.
18. Hesselbacher S, Subramanian S, Rao S, Casturi L, Surani S. Self-reported sleep bruxism and nocturnal gastroesophageal reflux disease in patients with obstructive sleep apnea: relationship to gender and ethnicity. *Open Respir Med J.* 2014;8:34–40.
19. Lobbezoo F, Ahlberg J, Glaros AG, Kato T, Koyano K, Lavigne GJ, et al. Bruxism defined and graded: an international consensus. *J Oral Rehabil.* 2013;40:2–4.
20. Lobbezoo F, Rompré PH, Soucy JP, lafrancesco C, Turkewicz J, Montplaisir JY, et al. Lack of associations between occlusal and cephalometric measures, side imbalance in striatal D2 receptor binding, and sleep-related oromotor activities. *J Orofac Pain.* 2001;15:64–71.
21. Manfredini D, Visscher CM, Guarda-Nardini L, Lobbezoo F. Occlusal factors are not related to self-reported bruxism. *J Orofac Pain.* 2012;26:163–7.
22. Ahlers MO. Zahnverschleiß erkennen und auswerten - mit neuen Tools der DGFD. *J Cranio Mand Func.* 2025;17:179–82.

23. Donnarumma V, Michelotti A, Cimino R, Vollaro S, Cioffi I. Short-term effects of a first-line treatment including counseling and self-management strategies on chronic TMD muscle pain and awake bruxism in women. *J Oral Facial Pain Headache*. 2022;36:36–48.
24. Raff A. Abrechnung des neuen Bruxismus-Screening-Index der DGFD. *J Cranio Mand Func*. 2020;12:273–9.
25. Wetselaar P, Wetselaar-Glas MJM, Katzer LD, Ahlers MO. Diagnosing tooth wear, a new taxonomy based on the revised version of the Tooth Wear Evaluation System (TWES 2.0). *J Oral Rehabil*. 2020;47:703–12.
26. Poluha RL, Macário HS, Câmara-Souza MB, De la Torre Canales G, Ernberg M, Stuginski-Barbosa J. Benefits of the combination of digital and analogic tools as a strategy to control possible awake bruxism: A randomised clinical trial. *J Oral Rehabil*. 2024;00:1–7.
27. Valiente Lopez M, van Selms MK, van der Zaag J, Hamburger HL, Lobbezoo F. Do sleep hygiene measures and progressive muscle relaxation influence sleep bruxism? Report of a randomised controlled trial. *J Oral Rehabil*. 2015;42:259–65.
28. Bastos T, Pinto R, Dias I, Leite I, Leite F. Self-care treatment on patients with wakefulness bruxism. *Inter J Orofac Myol*. 2018;44:62–74.
29. Boscato N, Exposto FG, Costa YM, Svensson P. Effect of standardized training in combination with masseter sensitization on corticomotor excitability in bruxer and control individuals: a proof of concept study. *Sci Rep*. 2022;12:17469.
30. Cavalcante-Leao BL, Porporatti AL, Cíntia Felício Adriano R, Santos RS, Vanelli MI, Perez I, et al. Effects of respiratory exercises in sleep bruxism and associated obstructive sleep apnea: a double-blind, placebo-controlled randomized clinical trial. *Acta Odontol Scand*. 2024;83:120–5.
31. Soares-Silva L, de Amorim CS, Magno MB, Tavares-Silva C, Maia LC. Effects of different interventions on bruxism: an overview of systematic reviews. *Sleep Breath*. 2024.
32. Tuncer A, Kastal E, Tuncer AH, Yazıcıoğlu İ. The effect of sleep hygiene and physiotherapy on bruxism, sleep, and oral habits in children with sleep bruxism during the COVID-19 pandemic. *J Back Musculoskel Rehabil*. 2023;36:1047–59.
33. Silva SED, Lima LCM, Leal TR, Firmino RT, Granville-Garcia AF. Use of electronic devices, practice of sports, and awake bruxism in schoolchildren aged eight to ten years. *Braz Oral Res*. 2022;36:e137.
34. Huynh N, Fabbro CD. Sleep bruxism in children and adolescents—A scoping review. *J Oral Rehabil*. 2024;51:103–9.
35. Nota A, Pittari L, Paggi M, Abati S, Tecco S. The association between bruxism and gastroesophageal reflux disease and their effect on tooth wear: a systematic review. NIHR [Internet]. 2021 19.04.2024. Available from: https://www.crd.york.ac.uk/prospero/display_record.php?ID=CRD42021234209.
36. Matsumoto H, Tsukiyama Y, Kuwatsuru R, Koyano K. The effect of intermittent use of occlusal splint devices on sleep bruxism: a 4-week observation with a portable electromyographic recording device. *J Oral Rehabil*. 2015;42:251–8.

37. Denardin ACS, Nascimento LPd, Velsan LF, Cas CDD, Pauletto P, Garanhani RR, et al. Disocclusion guides in occlusal splints on temporomandibular disorders and sleep bruxism: a systematic review. *Oral Surg Oral Med Oral Pathol Oral Radiol*. 2023;135:51–64.
38. Akat B, Gorur SA, Bayrak A, Eren H, Eres N, Erkan Y, et al. Ultrasonographic and electromyographic evaluation of three types of occlusal splints on masticatory muscle activity, thickness, and length in patients with bruxism. *Cranio*. 2023;41:59–68.
39. Lei Q, Lin D, Liu Y, Lin K, Huang W, Wu D. Neuromuscular and occlusion analysis to evaluate the efficacy of three splints on patients with bruxism. *BMC Oral Health*. 2023;23:325–.
40. Huynh NT, Rompré PH, Montplaisir JY, Manzini C, Okura K, Lavigne GJ. Comparison of various treatments for sleep bruxism using determinants of number needed to treat and effect size. *Int J Prosthodont*. 2006;19:435–41.
41. Kolcakoglu K, Dogan S, Tulga Oz F, Aydinbelge M. A Comparison of Hard and Soft Occlusal Splints for the Treatment of Nocturnal Bruxism in Children Using the BiteSTRIP(R). *J Clin Pediatr Dent*. 2022;46:219–24.
42. Amorim CSM, Espirito Santo AS, Sommer M, Marques AP. Effect of physical therapy in bruxism treatment: A systematic review. *J Manipulative Physiol Ther*. 2018;41:389–404.
43. Savla K, Vardhan V, Aage D. Physiotherapy in bruxism: A scoping review. *Int J Health Sci Res*. 2021;11:115–25.
44. Chisini LA, San Martin AS, Cademartori MG, Boscatto N, Correa MB, Goettems ML. Interventions to reduce bruxism in children and adolescents: a systematic scoping review and critical reflection. *Eur J Pediatric*. 2020;179:177–89.
45. Ierardo G, Mazur M, Luzzi V, Calcagnile F, Ottolenghi L, Polimeni A. Treatments of sleep bruxism in children: A systematic review and meta-analysis. *Cranio*. 2021;39:58–64.
46. Mostafavi SN, Jafari A, Hoseini SG, Khademian M, Kelishadi R. The efficacy of low and moderate dosage of diazepam on sleep bruxism in children: A randomized placebo-controlled clinical trial. *J Res Med Sci*. 2019;24:8.
47. Senff J, Bonotto DV, Hilgenberg-Sydney PB, Sebastiani A, Scariot R, Oda LY. Childhood and adolescents sleep bruxism treatment: A systematic review. *Sleep Sci*. 2023;16:e344–e53.
48. Walczynska-Dragon K, Kurek-Gorecka A, Niemczyk W, Nowak Z, Baron S, Olczyk P, et al. Cannabidiol intervention for muscular tension, pain, and sleep bruxism intensity—a randomized, double-blind clinical trial. *J Clin Med*. 2024;13.
49. Wieckiewicz M, Martynowicz H, Wieczorek T, Wojakowska A, Sluzalec-Wieckiewicz K, Gac P, et al. Consecutive controlled case series on effectiveness of Opipramol in severe sleep bruxism management-preliminary study on new therapeutic path. *Brain Sci*. 2021;11:146.
50. Ågren M, Sahin C, Pettersson M. The effect of botulinum toxin injections on bruxism: A systematic review. *J Oral Rehabil*. 2020;47:395–402.
51. Alwayli HM, Abdulrahman BI, Rastogi S. Does botulinum toxin have any role in the management of chronic pain associated with bruxism? *Cranio*. 2024;ahead-of-print:1–8.
52. Chen Y, Tsai C-H, Bae TH, Huang C-Y, Chen C, Kang Y-N, et al. Effectiveness of botulinum toxin injection on bruxism: A systematic review and meta-analysis of randomized controlled trials. *Aesthetic Plast Surg*. 2023;47:775–90.

53. Cheng Y, Yuan L, Ma L, Pang F, Qu X, Zhang A. Efficacy of botulinum-A for nocturnal bruxism pain and the occurrence of bruxism events: a meta-analysis and systematic review. *Br J Oral Maxillofac Surg.* 2022;60:174–82.
54. Fernández-Núñez T, Amghar-Maach S, Gay-Escoda C. Efficacy of botulinum toxin in the treatment of bruxism: Systematic review. *Medicina oral, patología oral y cirugía bucal.* 2019;24:e416–e24.
55. Kaya D, Ataoglu H. Botulinum toxin treatment of temporomandibular joint pain in patients with bruxism: A prospective and randomized clinical study. *Niger J Clin Pract.* 2021;24:412–7.
56. Patel J, Cardoso JA, Mehta S. A systematic review of botulinum toxin in the management of patients with temporomandibular disorders and bruxism. *Br Dent J.* 2019;226:667–72.
57. Pereira IN, Hassan H. Botulinum toxin A in dentistry and orofacial surgery: an evidence-based review - part 1: therapeutic applications. *Evid Based Dent.* 2022.
58. Saini RS, Ali Abdullah Almoyad M, Binduhayyim RIH, Quadri SA, Gurumurthy V, Bavabeedu SS, et al. The effectiveness of botulinum toxin for temporomandibular disorders: A systematic review and meta-analysis. *PLoS One.* 2024;19:e0300157.
59. Sendra LA, Azeredo Alves Antunes L, Barboza EP. Use of botulinum neurotoxin Type A in the management of primary bruxism in adults: An updated systematic review. *J Prosth Dent.* 2022.
60. Sendra LA, Montez C, Vianna KC, Barboza EP. Clinical outcomes of botulinum toxin type A injections in the management of primary bruxism in adults: A systematic review. *J Prosthet Dent.* 2021;126:33–40.
61. Shehri ZG, Alkhouri I, Hajeer MY, Haddad I, Abu Hawa MH. Evaluation of the efficacy of low-dose botulinum toxin injection into the masseter muscle for the treatment of nocturnal bruxism: A randomized controlled clinical trial. *Curēus* 2022;14:e32180–e.
62. Shim YJ, Lee HJ, Park KJ, Kim HT, Hong IH, Kim ST. Botulinum toxin therapy for managing sleep bruxism: A randomized and placebo-controlled trial. *Toxins.* 2020;12:168.
63. Ommerborn MA, Depprich RA, Schneider C, Giraki M, Franz M, Raab WH-M, et al. Pain perception and functional/occlusal parameters in sleep bruxism subjects following a therapeutic intervention. *Head Face Med.* 2019;15:4–.
64. Shedden Mora MC, Weber D, Neff A, Rief W. Biofeedback-based cognitive-behavioral treatment compared with occlusal splint for temporomandibular disorder: a randomized controlled trial. *Clin J Pain.* 2013;29:1057–65.
65. Bergmann A, Edelhoff D, Schubert O, Erdelt K-J, Pho Duc J-M. Effect of treatment with a full-occlusion biofeedback splint on sleep bruxism and TMD pain: a randomized controlled clinical trial. *Clin Oral Investig.* 2020;24:4005–18.
66. Lauenstein N, Becker G, Bernhardt O. Untersuchung zum Effekt eines elektrischen Stimulus des Musculus temporalis auf orofaziale Schmerzen bei Patienten mit Bruxismussymptomen. *J CranioMand Func.* 2022;14:9–23.
67. Nakazato Y, Takaba M, Abe Y, Nakamura H, Ohara H, Suganuma T, et al. Effect of contingent vibratory stimulus via an oral appliance on sleep bruxism after the splint adaptation period. *J Oral Rehabil.* 2021;48:901–8.

68. Ohara H, Takaba M, Abe Y, Nakazato Y, Aoki R, Yoshida Y, et al. Effects of vibratory feedback stimuli through an oral appliance on sleep bruxism: a 6-week intervention trial. *Sleep Breath*. 2022;26:949–57.
69. Quaresma M, Crispim P, Luis H, Marques D, Caramês J. Effect of contingent electrical stimulation in sleep bruxism – a randomized clinical trial. *Revista portuguesa de estomatologia, medicina dentária e cirurgia maxilofacial*. 2020;61.
70. Vieira MdA, Oliveira-Souza AISd, Hahn G, Bähr L, Armijo-Olivo S, Ferreira APdL. Effectiveness of biofeedback in individuals with awake bruxism compared to other types of treatment: A systematic review. *Int J Environ Res Public Health*. 2023;20:1558.

ZMK 2026; 42 (9) S. 418–419

Kieferorthopädische Therapie bei Parodontitispatientinnen und -patienten ist KEINE Grauzone

PD Dr. med. dent. Sonja H. M. Derman, PD Dr. med. dent Daniel Hagenfeld, Dr. med. dent. Jonas Q. Schmid

- [1] Herrera, D., et al., Treatment of stage IV periodontitis: The EFP S3 level clinical practice guideline. *J Clin Periodontol*, 2022. 49 Suppl 24: p. 4-71.
- [2] Pini Prato, G.P. and L. Chambrone, Orthodontic treatment in periodontal patients: The use of periodontal gold standards to overcome the "grey zone". *J Periodontol*, 2020. 91(4): p. 437-441.
- [3] J, G.C., et al., A new classification scheme for periodontal and peri-implant diseases and conditions - Introduction and key changes from the 1999 classification. *J Clin Periodontol*, 2018. 45 Suppl 20: p. S1-S8.
- [4] Sanz, M., et al., Treatment of stage I-III periodontitis-The EFP S3 level clinical practice guideline. *J Clin Periodontol*, 2020. 47 Suppl 22: p. 4-60.
- [5] Martin, C., et al., Effect of orthodontic therapy in periodontitis and non-periodontitis patients: a systematic review with meta-analysis. *J Clin Periodontol*, 2022. 49 Suppl 24: p. 72-101.
- [6] Papageorgiou, S.N., et al., Effect of periodontal-orthodontic treatment of teeth with pathological tooth flaring, drifting, and elongation in patients with severe periodontitis: A systematic review with meta-analysis. *J Clin Periodontol*, 2022. 49 Suppl 24(Suppl 24): p. 102-120.
- [7] Yassir, Y.A., et al., Clinical effectiveness of clear aligner treatment compared to fixed appliance treatment: an overview of systematic reviews. *Clin Oral Investig*, 2022. 26(3): p. 2353-2370.
- [8] Graf, I., et al., Quality of orthodontic care-A multicenter cohort study in Germany : Part 1: Evaluation of effectiveness of orthodontic treatments and predictive factors. *J Orofac Orthop*, 2022. 83(5): p. 291-306.
- [9] Janssens, Y., et al., Quality of occlusal outcome in adult Class II patients treated with completely customized lingual appliances and Class II elastics compared to adult Class I patients. *Eur J Orthod*, 2024. 46(5).

- [10] Alouini, O., et al., Controlling incisor torque with completely customized lingual appliances. *J Orofac Orthop*, 2020. 81(5): p. 328-339.
- [11] Lossdorfer, S., et al., Analysis of the torque capacity of a completely customized lingual appliance of the next generation. *Head Face Med*, 2014. 10: p. 4.
- [12] Schmid, J.Q., et al., The effect of lingual orthodontic appliances in the dimensional reduction of labial gingival recession and root prominence caused by wire syndrome in the anterior mandible: a multicenter study. *Quintessence Int*, 2025. 56(4): p. 306-317.
- [13] Forsch, M., et al., Perception of esthetic orthodontic appliances: An eye tracking and cross-sectional study. *Angle Orthod*, 2020. 90(1): p. 109-117.
- [14] van der Veen, M.H., et al., Caries outcomes after orthodontic treatment with fixed appliances: do lingual brackets make a difference? *Eur J Oral Sci*, 2010. 118(3): p. 298-303.
- [15] Khattab, T.Z., et al., Speech performance and oral impairments with lingual and labial orthodontic appliances in the first stage of fixed treatment. *Angle Orthod*, 2013. 83(3): p. 519-26.
- [16] Pretzl, B., et al., Tooth loss in periodontally compromised patients: Results 20 years after active periodontal therapy. *J Clin Periodontol*, 2018. 45(11): p. 1356-1364.

ZMK 2026; 42 (9) S. 428-433

Die Rolle von Bleaching als integraler Bestandteil eines Behandlungskonzepts für Opazitäten im Frontzahnbereich

Susanne Effenberger, Mariam Samadi, Omar Marouane, Falk Schwendicke

- [1] F. Dias, C.M.F. Gradella, M.C. Ferreira, L.B. Oliveira, Molar-incisor hypomineralization: parent's and children's impact perceptions on the oral health-related quality of life, *Eur Arch Paediatr Dent*. 2021; 22 (2): 273–282.
- [2] M.D.M. Lima, L. Moura, S.M. Paiva, C.C.B. Lima, M.S. Moura, M.A.B. Paschoal, Impact of Molar Incisor Hypomineralisation on Quality of Life, *Monogr Oral Sci*. 204; 32: 79–87.
- [3] O. Marouane, D.J. Manton, M. Cebula, F. Schwendicke, S. Effenberger, In vivo comparison of resin infiltration outcomes under different light conditions: A randomized controlled clinical trial, *J Dent*. 2025; 153: 105554.
- [4] C.R.G. Torres, T.P. Pereira, S. Effenberger, A.B. Borges, Optimizing Resin Infiltration Procedure in Molar Incisor Hypomineralization Lesions, *J Esthet Restor Dent*. 2025; 37 (4): 827–833.
- [5] R.A. Farah, B.C. Monk, M.V. Swain, B.K. Drummond, Protein content of molar-incisor hypomineralisation enamel, *J Dent*. 201; 38 (7): 591–6.
- [6] K. Bekes, R. Steffen, N. Kramer, Update of the molar incisor hypomineralization: Wurzburg concept, *Eur Arch Paediatr Dent*. 2023; 24 (6): 807–813.
- [7] D.D.S. Martins, F.Q. Ionta, G. Pompermaier Garlet, R.R. Lima, A.A. Neves, D. Rios, A. Lussi, Developmental Defects of Enamel, *Monogr Oral Sci*. 2024; 32: 10–34.
- [8] N.A. Lygidakis, E. Garot, C. Somani, G.D. Taylor, P. Rouas, F.S.L. Wong, Best clinical practice guidance for clinicians dealing with children presenting with molar-incisor-hypomineralisation (MIH): an updated European Academy of Paediatric Dentistry policy document, *Eur Arch Paediatr Dent*. 2022; 23 (1): 3–21.

- [9] B.J. Zhong, S. Yang, D.W. Hong, Y.L. Cheng, T. Attin, H. Yu, The Efficacy of At-home, In-office, and Combined Bleaching Regimens: A Randomized Controlled Clinical Trial, *Oper Dent*. 2023; 48 (3): E71–E80.
- [10] S. Dias, A. Mata, J. Silveira, R. Pereira, A. Putignano, G. Orsini, R. Monterubbianesi, D. Marques, Hydrogen Peroxide Release Kinetics of Four Tooth Whitening Products-In Vitro Study, *Materials* (Basel) 2021; 14 (24).
- [11] S. Paris, F. Schwendicke, J. Keltsch, C. Dorfer, H. Meyer-Lueckel, Masking of white spot lesions by resin infiltration in vitro, *J Dent*. 2013; 41 Suppl 5: e28–34.
- [12] Z. Pan, K. Que, J. Liu, G. Sun, Y. Chen, L. Wang, Y. Liu, J. Wu, Y. Lou, M. Zhao, Effects of at-home bleaching and resin infiltration treatments on the aesthetic and psychological status of patients with dental fluorosis: A prospective study, *J Dent*. 2019; 91: 103228.
- [13] C.M. Schoppmeier, S.H.M. Derman, M.J. Noack, M.J. Wicht, Power bleaching enhances resin infiltration masking effect of dental fluorosis. A randomized clinical trial, *J Dent*. 2018; 79: 77–84.
- [14] F.K. Wittich, M. Cebula, S. Effenberger, C.M. Schoppmeier, F. Schwendicke, A.G. Barbe, M.J. Wicht, Masking efficacy of bleaching and/ or resin infiltration of fluorotic spots on anterior teeth - a systematic review and meta-analysis, *J Dent*. 2024; 149: 105276.
- [15] C. Lopes, F.J.D. de Oliveira, E.S.T.C. Lucena, I.A. Ferreira, B.C.D. Borges, Are tooth bleaching procedures safe for children and adolescents? A scoping review of color change, side effects, and impact on patient satisfaction, *J Dent*. 2025; 159: 105794.
- [16] P. Eachempati, S. Kumbargere Nagraj, S. Kiran Kumar Krishanappa, P. Gupta, I.E. Yaylali, Home-based chemically-induced whitening (bleaching) of teeth in adults, *Cochrane Database Syst Rev*. 2018; 12 (12): CD006202.
- [17] L. Greenwall, M. Cebula, J. Greenwall-Cohen, F. Schwendicke, S. Effenberger, To Bleach or Not to Bleach?-The Role of Bleaching in the Clinical Workflow for the Treatment of Demarcated Opacities in Anterior Teeth, *J Esthet Restor Dent*. 2026; 38 (3): 412–420.
- [18] O. Marouane, D.J. Manton, The influence of lesion characteristics on application time of an infiltrate applied to MIH lesions on anterior teeth: An exploratory in vivo pilot study, *J Dent*. 2021; 115: 103814.

ZMK 2026; 42 (9) S. 434-439

Volldigitale Prothetik – von der digitalen Datenerfassung zur prothetischen Versorgung

Dr. Tuba Aini, ZTM Anja Benzenhöfer, Zahnarzt Daniel Petcu

- [1] Ender A, Zimmermann M, Mehl A. Accuracy of complete- and partial-arch impressions of actual intraoral scanning systems in vitro. *Int J Comput Dent*. 2019; 22 (1): 11–9. PubMed PMID: 30848250.
- [2] Rasaie V, Abduo J, Hashemi S. Accuracy of Intraoral Scanners for Recording the Denture Bearing Areas: A Systematic Review. *J Prosthodont Off J Am Coll Prosthodont*. 2021; 30 (6): 520–39. doi:10.1111/jopr.13345 PubMed PMID: 33554361.

- [3] Schweiger J, Edelhoff D, Güth JF. 3D Printing in Digital Prosthetic Dentistry: An Overview of Recent Developments in Additive Manufacturing. *J Clin Med*. 2021; 10 (9): 2010. doi:10.3390/jcm10092010 PubMed PMID: 34067212; PubMed Central PMCID: PMC8125828.
- [4] Jeong M, Radomski K, Lopez D, Liu JT, Lee JD, Lee SJ. Materials and Applications of 3D Printing Technology in Dentistry: An Overview. *Dent J*. 2023; 12 (1): 1. doi:10.3390/dj12010001 PubMed PMID: 38275676; PubMed Central PMCID: PMC10814684.
- [5] Pillai S, Upadhyay A, Khayambashi P, Farooq I, Sabri H, Tarar M, u. a. Dental 3D-Printing: Transferring Art from the Laboratories to the Clinics. *Polymers*. 2021; 13 (1): 157. doi:10.3390/polym13010157 PubMed PMID: 33406617; PubMed Central PMCID: PMC7795531.
- [6] Rubayo DD, Phasuk K, Vickery JM, Morton D, Lin WS. Influences of build angle on the accuracy, printing time, and material consumption of additively manufactured surgical templates. *J Prosthet Dent*. 2021; 126 (5): 658–63. doi:10.1016/j.prosdent.2020.09.012 PubMed PMID: 33143902.
- [7] Lankes V, Reymus M, Liebermann A, Stawarczyk B. Bond strength between temporary 3D printable resin and conventional resin composite: influence of cleaning methods and air-abrasion parameters. *Clin Oral Investig*. 2023; 27 (1): 31–43. doi:10.1007/s00784-022-04800-7 PubMed PMID: 36441267; PubMed Central PMCID: PMC9877060.

ZMK 2026; 42 (9) S. 440-450

S3-Leitlinien-Kommentar

Behandlung tiefer und extrem tiefer Karies an vitalen bleibenden Zähnen

Prof. Dr. Claus-Peter Ernst

1. Ahmed MR, Aaslam S, Bukhari JH (2021) Comparison of partial and complete caries excavation in permanent teeth: an 18 months follow-up. *Pak J Med Health Sci* 15: 1214–1216.
2. Aldeen RZ, Aljabban O, Almanadili A, Alkurdi S, Eid A, Mancino D, Haikel Y, Kharouf N. The Influence of Carious Lesion and Bleeding Time on the Success of Partial Pulpotomy in Permanent Molars with Irreversible Pulpitis: A Prospective Study. *Bioengineering (Basel)*. 2023; 10(6): 700.
3. Asgary S, Eghbal MJ, Fazlyab M, Baghban AA, Ghoddusi J. Five-year results of vital pulp therapy in permanent molars with irreversible pulpitis: a non-inferiority multicenter randomized clinical trial. *Clin Oral Investig* 2015; 19: 335-341.
4. Aswathi KK, Rani SP, Athimuthu A, Prasanna P, Patil P, Deepali KJ. Comparison of efficacy of caries removal using polymer bur and chemomechanical caries removal agent: A clinical and microbiological assessment - An *in vivo* study. *J Indian Soc Pedod Prev Dent* 2017; 35: 6-13.
5. Ather A, Patel B, Gelfond JAL, Ruparel NB. Outcome of pulpotomy in permanent teeth with irreversible pulpitis: a systematic review and meta-analysis. *Sci Rep*. 2022; 12(1):19664.
6. Ayhan M, Altunbaş D, Akdeniz İ. Efficacy of different pulpotomy procedures in permanent molars with symptomatic irreversible pulpitis: a retrospective study. *BMC Oral Health* 2025;25(1):1641.

7. Bjørndal L, Reit C, Bruun G, Markvart M, Kjaeldgaard M, Näsman P, Thordrup M, Dige I, Nyvad B, Fransson H, Lager A, Ericson D, Petersson K, Olsson J, Santimano EM, Wennström A, Winkel P, Gluud C. Treatment of deep caries lesions in adults: randomized clinical trials comparing stepwise vs. direct complete excavation, and direct pulp capping vs. partial pulpotomy. *Eur J Oral Sci* 2010; 118: 290-297.
8. Bjørndal L, Fransson H, Bruun G, Markvart M, Kjaeldgaard M, Näsman P, Hedenbjörk-Lager A, Dige I, Thordrup M. Randomized Clinical Trials on Deep Carious Lesions: 5-Year Follow-up. *J Dent Res* 2017; 96: 747-753.
9. Coll JA, Dhar V, Guelmann M, Crystal YO, Chen CY, Marghalani AA, AlShamali S, Xu Z, Glickman G, Ather A, Sabeti M, Wedeward R. Vital Pulp Therapy in Permanent Teeth: A Systematic Review and Meta-Analyses. *Pediatr Dent* 2025; 47(3): 137-150.
10. Damaschke T. Wie viel muss entfernt werden? *zm* 2025; 115 (10): 834-840.
11. Damaschke T. Beschwerdefrei bedeutet nicht entzündungsfrei. *zm* 2025; 115 (13): 1106-1107.
12. de Almeida Neves A, Coutinho E, Cardoso MV, Lambrechts P, Van Meerbeek B. Current concepts and techniques for caries excavation and adhesion to residual dentin. *J Adhes Dent* 2011; 13: 7-22.
13. Duman C, Kalaaoglu EE, Capan BS, Egil E. Comparison of two aerosol-free caries removal methods: a split-mouth randomized clinical trial. *Cumhur Dent J* 2021; 24: 266–273.
14. Duncan HF, Kirkevang LL, Peters OA, El-Karim I, Krastl G, Del Fabbro M, Chong BS, Galler KM, Segura-Egea JJ, Kebschull M; ESE Workshop Participants and Methodological Consultant. Treatment of pulpal and apical disease: The European Society of Endodontology (ESE) S3-level clinical practice guideline. *Int Endod J*. 2023; 56 Suppl 3: 238-295.
15. Eggmann F, Gasser TJW, Hecker H, Amato M, Weiger R, Zaugg LK. Partial pulpotomy without age restriction: a retrospective assessment of permanent teeth with carious pulp exposure. *Clin Oral Investig* 2022; 26: 365-373.
16. Elmsmari F, Ruiz XF, Miró Q, Feijoo-Pato N, Durán-Sindreu F, Olivieri JG. Outcome of Partial Pulpotomy in Cariously Exposed Posterior Permanent Teeth: A Systematic Review and Meta-analysis. *J Endod* 2019; 45: 1296-1306.
17. Ernst CP. Selektive Kariesentfernung: Aspekte abseits der Evidenz. *ZMK*; 41: 215.
18. Ganter P, Al-Ahmad A, Wrbas KT, Hellwig E, Altenburger MJ. The use of computer-assisted FACE for minimal-invasive caries excavation. *Clin Oral Investig* 2014; 18: 745-751.
19. Gugnani N, Pandit I, Srivastava N, Gupta M, Gugnani S. Light induced fluorescence evaluation: A novel concept for caries diagnosis and excavation. *J Conserv Dent* 2011; 14: 418-422.
20. Haak R, Schmidt J. Kariesentfernung – Wie viel kann belassen werden? *zm* 2025; 115 (9): 748-755.
21. Hamama H, Yiu C, Burrow M. Current update of chemomechanical caries removal methods. *Aust Dent J* 2014; 59: 446- 456.
22. Jakovljevic A, Jaćimović J, Aminoshariae A, Fransson H. Effectiveness of vital pulp treatment in managing nontraumatic pulpitis associated with no or nonspontaneous pain: A systematic review. *Int Endod J* 2023, 56 Suppl 3: 340-354.
23. Jassal A, Nawal RR, Yadav S, Talwar S, Yadav S, Duncan HF. Outcome of partial and full pulpotomy in cariously exposed mature molars with symptoms indicative of irreversible pulpitis: A randomized controlled trial. *Int Endod J* 2023; 56: 331-344.
24. Khokhar M, Tewari S. Outcomes of Partial and Complete Caries Excavation in Permanent Teeth: A 18 Month Clinical Study. *Contemp Clin Dent*. 2018; 9: 468-473.
25. Krastl G, Widbiller M. Die pulpanahe Karies im Praxisalltag. *zm* 2025; 115 (13): 1104-1105.
26. Labib ME, Hassanein OE, Moussa M, Yassen A, Schwendicke F. Selective versus stepwise removal of deep carious lesions in permanent teeth: a randomised controlled trial from Egypt-an interim analysis. *BMJ Open* 2019; 9: e030957.

27. Lai G, Kaisarly D, Xu X, Kunzelmann KH. MicroCT-based comparison between fluorescence-aided caries excavation and conventional excavation. *Am J Dent* 2014; 27: 12-16.
28. Leksell E, Ridell K, Cvek M, Mejäre I. Pulp exposure after stepwise versus direct complete excavation of deep carious lesions in young posterior permanent teeth. *Endod Dent Traumatol* 1996; 12(4): 192-196.
29. Lennon AM. Fluorescence-aided caries excavation (FACE) compared to conventional method. *Oper Dent* 2003; 28: 341-345.
30. Lennon AM, Buchalla W, Rassner B, Becker K, Attin T. Efficiency of 4 caries excavation methods compared. *Oper Dent* 2006; 3: 551-555.
31. Lennon ÁM, Reich NS, Ferstl G, Ebensberger H, Hiller KA, Buchalla W. Shear Bond Strength of Adhesives Placed following Selective Removal of Red-Fluorescing Carious Dentine in vitro. *Caries Res* 2024; 58: 17-29.
32. Li W, Yang B, Shi J. Efficacy of pulpotomy for permanent teeth with carious pulp exposure: A systematic review and meta-analysis of randomized controlled trials. *PLoS One* 2024; 19 (7): e0305218.
33. Liebers F. Eine Methode vermisst. *zm* 2025; 115 (12): 1025.
34. Lohmann J, Schäfer E, Dammaschke T. Histological determination of cariously altered collagen after dentin caries excavation with the polymer bur PolyBur P1 in comparison to a conventional bud bur. *Head Face Med* 2019 ;15(1):19. doi: 10.1186/s13005-019-0205-9.
35. Louzada LM, Hildebrand H, Neuhaus KW, Duncan HF. The effectiveness of partial pulpotomy compared with full pulpotomy in managing deep caries in vital permanent teeth with a diagnosis of non-traumatic pulpitis. *Int Endod J* 2025; 58(1):37-54.
36. Manhas S, Pandit IK, Gugnani N, Gupta M. Comparative Evaluation of the Efficacy of Stepwise Caries Excavation vs Indirect Pulp Capping in Preserving the Vitality of Deep Carious Lesions in Permanent Teeth of Pediatric Patients: An *In Vivo* Study. *Int J Clin Pediatr Dent* 2020; 13(Suppl 1): S92-S97,
37. Meller C, Welk A, Zeligowski T, Splieth C. Comparison of dentin caries excavation with polymer and conventional tungsten carbide burs. *Quintessence Int* 2007; 38: 565-569.
38. Neves Ade A, Coutinho E, De Munck J, Van Meerbeek B. Caries-removal effectiveness and minimal-invasiveness potential of caries-excitation techniques: a micro-CT investigation. *J Dent* 2011; 39: 154-162.
39. Ng YL, Mann V, Gulabivala K. Tooth survival following non-surgical root canal treatment: a systematic review of the literature. *Int Endod J* 2010; 43(3):171-89., Friedman S, Mor C. The success of endodontic therapy--healing and functionality. *J Calif Dent Assoc* 2004; 32: 493-503.
40. Orhan AI, Oz FT, Orhan K. Pulp exposure occurrence and outcomes after 1- or 2-visit indirect pulp therapy vs complete caries removal in primary and permanent molars. *Pediatr Dent* 2010; 32: 347-355.
41. Peskersoy C, Turkun M, Onal B. Comparative clinical evaluation of the efficacy of a new method for caries diagnosis and excavation. *J Conserv Dent* 2015; 18: 364-368.
42. Polten J. Lobenswerte Empfehlungen, die sich widersprechen. *zm* 2025; 115 (12): 1024.
43. Prabhakar A, Kiran NK. Clinical evaluation of polyamide polymer burs for selective carious dentin removal. *J Contemp Dent Pract* 2009;10: 26-34.
44. Ramani A, Sangwan P. Outcome Following Complete and Partial Pulpotomy in Managing Cariously Exposed Mature Permanent Molars With Symptomatic Irreversible Pulpitis: A 5-Year Follow-Up of a Randomised Clinical Trial. *Int Endod J* 2025; 58:1835-1848.
45. Ramezanzade S, Bjørndal L, Chen H, Baysan A. Effectiveness of Stepwise Excavation or Selective Excavation in Comparison with Non-Selective Caries Removal in Managing Deep Caries in Vital

Permanent Teeth: A Systematic Review with Trial Sequential, Pairwise, and Network Meta-Analyses. *Caries Res* 2026; 60: 80-109.

46. Rando-Meirelles MPM, Tôrres LHN, Sousa MLR. Twenty-Four Months of Follow-up after Partial Removal of Carious Dentin: A Preliminary Study. *Dentistry* 2013; 3: 162. doi:10.4172/2161-1122.1000162
47. Schwendicke F, Badakhsh P, Marques MG, Demarchi KM, Brant ARR, Moreira CL, Ribeiro APD, Leal SC, Hilgert LA. Subjective versus objective, polymer bur-based selective carious tissue removal: 2-year randomized clinical trial. *J Dent* 2023 Nov; 138:104728. doi: 10.1016/j.jdent.2023.104728. Epub 2023 Oct 4. PMID: 37783372.
48. Schwendicke F, Herbst S. Die Evidenz stützt weniger invasives Vorgehen bei tiefen Läsionen! *zm* 2025; 115 (12): 1022-1025.
49. Schwendicke F, Kosan E, Banerjee A, Baysan A, Bjørndal L, Ceballos L, Duncan HF, Herbst S, Neuhaus KW, O'Connell AC, Paris S, Dujic H. Deep Caries Management: EFCD-ESE-ORCA S3-Level Clinical Practice Guideline. *Caries Res* 2026; 22: 1-19.
50. Schwendicke F, Kosan E, Banerjee A, Baysan A, Bjørndal L, Ceballos L, Duncan HF, Herbst S, Neuhaus KW, O'Connell AC, Paris S, Dujic H. Deep Caries Management: EFCD-ESE-ORCA S3-Level Clinical Practice Guideline. *Int Endod J* 2026; 59: 1298-1315.
51. Schwendicke F, Kosan E, Banerjee A, Baysan A, Bjørndal L, Ceballos L, Duncan HF, Herbst S, Neuhaus KW, O'Connell AC, Paris S, Dujic H. Deep caries management: EFCD-ESE-ORCA S3-level clinical practice guideline. *Clin Oral Investig* 2026; 30: 186.
52. Schwendicke F, Dujic, h, Kosan E, Paris S, Herbst S. Tiefe Karies behandeln und dabei die Pulpa erhalten. *zm* 2026; 116, 1088-1090.
53. Silva EJNL, Pinto KP, Belladonna FG, Ferreira CMA, Versiani MA, De-Deus G. Success rate of permanent teeth pulpotomy using bioactive materials: A systematic review and meta-analysis of randomized clinical trials. *Int Endod J* 2023; 56(9):1024-1041.
54. Silva EJNL, Pinto KP, Torabinejad M, Sarmiento EB, Martins JNR, Versiani MA, De-Deus G. Overall success rate of permanent teeth pulpotomy using ProRoot MTA: A systematic review and meta-analysis of randomized clinical trials. *PLoS One* 2025; 20 (4):e0320838.
55. Taha NA, Albakri SW. Outcome and Prognostic Factors for Partial and Full Pulpotomy in the Management of Spontaneous Symptomatic Pulpitis in Carious Mature Permanent Teeth: A Randomized Clinical Trial. *J Endod* 2024; 50(7): 889-898.
56. Trippe LH, Ribeiro AA, Azcarate-Peril MA, Preisser JS, Wang R, Zandona AF. Is Fluorescence Technology a Promising Tool for Detecting Infected Dentin in Deep Carious Lesions? *Caries Res* 2020; 54: 205-217.
57. Wang W, Zeng Q, Li Y, Sun Y, Kim T, Tang J, Bergeron BE, Tay F, Gu L. Effectiveness of pulpotomy in managing carious exposure in mature permanent teeth: A systematic review and meta-analysis. *J Dent* 2024; 150: 105392.
58. Widbiller M, Weiler R, Knüttel H, Galler KM, Buchalla W, Scholz KJ. Biology of selective caries removal: a systematic scoping review protocol. *BMJ Open* 2022; 12(2): e061119.
59. Zhang L, Lin C, Chen Z, Yue L, Yu Q, Hou B, Ling J, Liang J, Wei X, Chen W, Qiu L, Li J, Niu Y, Lin Z, Cheng L, He W, Wang X, Huang D, Huang Z, Niu W, Zhang Q, Zhang C, Yang D, Yu J, Zhao J, Pan Y, Ma J, Deng S, Xie X, Meng X, Yang J, Zhou X, Chen Z. Expert consensus on pulpotomy in the management of mature permanent teeth with pulpitis. *Int J Oral Sci* 2025; 17(1): 4.
60. Zhao Y, Ye L. How to make choice of the carious removal methods, Carisolv or traditional drilling? A meta-analysis. *J Oral Rehabil* 2014; 41: 432-442.
61. Ziskind D, Kupietzky A, Beyth N. First-choice treatment alternatives for caries removal using the chemomechanical method. *Quintessence Int* 2005; 36: 9-14.

Vitamin-D in der Endodontologie - Studie zur Heilung periapikaler Läsionen

Prof. Dr. Clemens Walter

[1] Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF). S3-Leitlinie „Relevanz der Vitamin-D-Bestimmung und -Supplementierung auf die Implantatprognose und Augmentationschirurgie“. AWMF-Registernummer 083-055, 2025.

[2] Walter C, Fritzke A, Kaner D. Vitamin D in parodontaler und implantologischer Diagnostik und Therapie – Wo stehen wir heute? Quintessenz Zahnmedizin. 2026;77(3):203–222.

[3] Kühnisch J, Thiering E, Kratzsch J, et al. Elevated serum 25(OH)-vitamin D levels are negatively correlated with molar-incisor hypomineralization. J Dent Res. 2015;94(2):381–387.

[4] Børsting T, Schuller A, van Dommelen P, Stafne SN, Skeie MS, Skaare AB, et al. Maternal vitamin D status in pregnancy and molar incisor hypomineralisation and hypomineralised second primary molars in the offspring at 7–9 years of age: a longitudinal study. Eur Arch Paediatr Dent. 2022;23:557–566. doi:10.1007/s40368-022-00712-y.

[5] Piekoszewska-Ziętek P, et al. Influence of Vitamin D on Developmental Defects of Enamel in Children: A Systematic Review. Nutrients. 2025;17(8):1317.

[6] Holick MF. Vitamin D deficiency. N Engl J Med. 2007;357(3):266–281. doi:10.1056/NEJMra070553.

[7] Deutsche Gesellschaft für Ernährung (DGE). Referenzwerte für die Nährstoffzufuhr. 3. Auflage. Bonn: DGE; 2025. Die aktuelle DGE-Seite weist aus, dass die 3. Auflage seit September 2025 vorliegt; der konkrete Vitamin-D-Schätzwert selbst basiert weiterhin auf der Ableitung von 2012.