Literatur

I´MPLANTOLOGIE (ZMK SH 1/26)

Der Großteil der Literatur- und Quellenlisten ist dem Heft selbst zu entnehmen.

ZMK SHI 2026; 42 (10) S. 14-22

Prof. Dr. med. dent., M.Sc., M.Sc. Sven Rinke, Dr. med. dent. Holger Ziebolz

Sofortversorgung des zahnlosen Unterkiefers mit einer implantatgestützten vollkeramischen Brückenkonstruktion nach dem „All-on-4“-Konzept im komplett digitalen Workflow

[1] Altalla, Husam; Alhelou, Hazem; Karaduman, Fulya; Alawawda, Osayd; Bayindir, Funda. Comparative accuracy of photogrammetry and intraoral scanners in recordings for complete arch implant-supported prostheses: A systematic review and meta-analysis. In: The Journal of Prosthetic Dentistry 2026; 135 (5): e60–e70. DOI: 10.1016/j.prosdent.2025.10.059.

[2] Araújo Nobre, Miguel de; Lopes, Armando; Ferro, Ana; Nunes, Mariana; Gouveia, Miguel; Santos, Diogo, et al. Immediate full-arch mandibular rehabilitation supported by four implants: A retrospective study with 20 to 25 years of follow-up. In: Journal of Dentistry 2026; 165: 106286. DOI: 10.1016/j.jdent.2025.106286.

[3] Auduc, Chantal; Douillard, Thomas; Nicolas, Emmanuel; El Osta, Nada. Fully Digital Workflow in Full-Arch Implant Rehabilitation: A Descriptive Methodological Review. In: Prosthesis 2025; 7 (4): 85. DOI: 10.3390/prosthesis7040085.

[4] Chowdhary, Ramesh; Midhula, V. Evaluation of Edentulous Maxillary and Mandibular Full Arch Implant Supported Rehabilitation Using the All-on-Four Treatment Concept: An 8-Year Follow-Up Retrospective Study. In: Journal of Long-Term Effects of Medical Implants 2025; 35 (1): S. 51–59. DOI: 10.1615/JLongTermEffMedImplants.2024047252.

[5] Figueiredo, Cristiano Elias; Oliveira, Nathan Estevão de; Cassimiro, Gustavo; Andrade Vieira, Walbert de; Paula Santos, Gabriel Phelipe de; Paranhos, Luiz Renato; Sotto-Maior, Bruno Salles. Rehabilitation of edentulous jaws using the "All-on-Four" treatment concept: an overview of systematic reviews. In: Oral and Maxillofacial Surgery 2025; 30 (1): 6. DOI: 10.1007/s10006-025-01492-7.

[6] Hussein, Mostafa Omran. Photogrammetry technology in implant dentistry: A systematic review. In: The Journal of Prosthetic Dentistry 2023; 130 (3): S. 318–326. DOI: 10.1016/j.prosdent.2021.09.015.

[7] Ma, Bowen; Yue, Xinxin; Sun, Yujie; Peng, Lingyan; Geng, Wie. Accuracy of photogrammetry, intraoral scanning, and conventional impression techniques for complete-arch implant rehabilitation: an in vitro comparative study. In: BMC Oral Health 2021; 21 (1): 636. DOI: 10.1186/s12903-021-02005-0.

[8] Maló, Paulo; Rangert, Bo; Nobre, Miguel. "All-on-Four" immediate-function concept with Brånemark System implants for completely edentulous mandibles: a retrospective clinical study. In: Clinical Implant Dentistry and Related Research 2003; 5 (Suppl. 1): S. 2–9. DOI: 10.1111/j.1708-8208.2003.tb00010.x.

[9] Maló, Paulo; Araújo Nobre, Miguel de; Lopes, Armando; Ferro, Ana; Botto, João. The All-on-4 treatment concept for the rehabilitation of the completely edentulous mandible: A longitudinal study with 10 to 18 years of follow-up. In: Clinical Implant Dentistry and Related Research 2019; 21 (4): S. 565–577. DOI: 10.1111/cid.12769.

[10] Marinkovic D, Gutiérrez R, Frey M, Collao F, Moreno Y, Miranda C. Prosthetic and Biological Complications of Metal-Zirconia versus Metal-Acrylic Implant-Supported Screw-Retained Complete-Arch Prostheses: A Systematic Review and Meta-Analysis. J Clin Exp Dent. 2026 Apr 25; 18 (5): e704-e715. doi: 10.4317/jced.63882.

[11] Matos, Ana Catarina Mota de; Vieira, Fernanda Leal; Marrara, Júlio Ruiz; Tirapelli, Camila; Correia, Francisco Diogo; Santiago-Junior, Joel Ferreira. Are monolithic zirconia complete arch implant-supported prostheses reliable? A systematic review and meta-analysis. In: The Journal of Prosthetic Dentistry 2026; 136 (1): S. 40–51. DOI: 10.1016/j.prosdent.2026.02.006.

[12] Michelinakis, George; Apostolakis, Dimitrios; Kamposiora, Phophi; Papavasiliou, George; Özcan, Mutlu. The direct digital workflow in fixed implant prosthodontics: a narrative review. In: BMC Oral Health 2021; 21 (1): 37. DOI: 10.1186/s12903-021-01398-2.

[13] Pozzi, Alessandro; Carosi, Paolo; Gallucci, German O.; Nagy, Katalin; Nardi, Alessandra; Arcuri, Lorenzo. Accuracy of complete-arch digital implant impression with intraoral optical scanning and stereophotogrammetry: An in vivo prospective comparative study. In: Clinical Oral Implants Research 2023; 34 (10): S. 1106–1117. DOI: 10.1111/clr.14141.

[14] Pozzi, Alessandro; Arcuri, Lorenzo; Carosi, Paolo; Laureti, Andrea; Londono, Jimmy; Wang, Hom-Lay. Photogrammetry Versus Intraoral Scanning in Complete-Arch Digital Implant Impression: A Systematic Review and Meta-Analysis. In: Clinical Implant Dentistry and Related Research 2025; 27 (3): e70059. DOI: 10.1111/cid.70059.

[15] Sharaf, Mufeed Ahmed; Wang, Siyuan; Mashrah, Mubarak Ahmed; Xu, Yangbo; Haider, Ohood; He, Fuming. Outcomes that may affect implant and prosthesis survival and complications in maxillary fixed prosthesis supported by four or six implants: A systematic review and meta-analysis. In: Heliyon 2024; 10 (3): e24365. DOI: 10.1016/j.heliyon.2024.e24365.

[16] Zhang, Yan; Li, Sha; Di, Ping; Zhang, Yu; Wu, Aozhou; Lin, Ye. Comparison of 4- or 6-implant supported immediate full-arch fixed prostheses: A retrospective cohort study of 217 patients followed up for 3–13 years. In: Clinical Implant Dentistry and Related Research 2023a; 25 (2): S. 381–397. DOI: 10.1111/cid.13170.

[17] Zhang, Yi-Jie; Qian, Shu-Jiao; Lai, Hong-Chang; Shi, Jun-Yu. Accuracy of photogrammetric imaging versus conventional impressions for complete arch implant-supported fixed dental prostheses: A comparative clinical study. In: The Journal of Prosthetic Dentistry 2023b; 130 (2): S. 212–218. DOI: 10.1016/j.prosdent.2021.09.035.