

Biofilmmangement – so geht's

Handinstrumente, (Ultra-)Schall und Pulverstrahltechnik richtig anwenden

Dr. Steffen Rieger

Literatur

- [1] Arabaci T, Çiçek Y, Çanakçı CF: Sonic and ultrasonic scalers in periodontal treatment: a review. *Int J Dent Hyg* 5, 2–12 (2007).
- [2] Bühler J, Amato M, Weiger R, Walter C: A systematic review on the patient perception of periodontal treatment using air polishing devices. *Int J Dent Hyg* 14, 4–14 (2015).
- [3] van Can JGP, van Loon LJC, Brouns F, Blaak EE: Reduced glycaemic and insulinaemic responses following trehalose and isomaltulose ingestion: implications for postprandial substrate use in impaired glucose-tolerant subjects. *Br J Nutr* 108, 1210–1217 (2012).
- [4] Flemmig TF, Petersilka GJ, Mehl A, Hickel R, Klaiber B: The effect of working parameters on root substance removal using a piezoelectric ultrasonic scaler in vitro. *J Clin Periodontol* 25, 158–163 (1998).
- [5] Flemmig TF, Petersilka GJ, Mehl A, Rüdiger S, Hickel R, Klaiber B: Working parameters of a sonic scaler influencing root substance removal in vitro. *Clin Oral Investig* 1, 55–60 (1997).
- [6] Graetz C, Bielfeldt J, Tillner A, Plaumann A, Dörfer CE: Spatter contamination in dental practices - how can it be prevented? *Rev Med Chir Soc Med Nat Iasi* 118, 1122–1134 (2014).
- [7] Graetz C, Plaumann A, Rauschenbach S, Bielfeldt J, Dörfer CE, Schwendicke F: Removal of simulated biofilm: a preclinical ergonomic comparison of instruments and operators. *Clin Oral Investig* 20, 1193–1201 (2016).
- [8] Graetz C, Schwendicke F, Plaumann A, Rauschenbach S, Springer C, Kahl M, Sälzer S, Dörfer CE: Subgingival instrumentation to remove simulated plaque in vitro: influence of operators' experience and type of instrument. *Clin Oral Investig* 19, 987–995 (2015).
- [9] Heitz-Mayfield LJA, Lang NP: Surgical and nonsurgical periodontal therapy. Learned and unlearned concepts. *Periodontol* 2000 62, 218–231 (2013).

- [10] Krishna R, Stefano JAD: Ultrasonic vs. hand instrumentation in periodontal therapy: clinical outcomes. *Periodontol 2000* 71, 113–127 (2016).
- [11] Moëne R, Décaillet F, Andersen E, Mombelli A: Subgingival plaque removal using a new air-polishing device. *J Periodontol* 81, 79–88 (2010).
- [12] Muhney KA, Dechow PC: Patients' perception of pain during ultrasonic debridement: a comparison between piezoelectric and magnetostrictive scalers. *J Dent Hyg JDH* 84, 185–189 (2010).
- [13] Müller N, Moëne R, Cancela JA, Mombelli A: Subgingival air-polishing with erythritol during periodontal maintenance. *J Clin Periodontol* 41, 883–889 (2014).
- [14] Neta T, Takada K, Hirasawa M: Low-cariogenicity of trehalose as a substrate. *J Dent* 28, 571–576 (2000).
- [15] Petersilka GJ, Bell M, Mehl A, Hickel R, Flemmig TF: Root defects following air polishing. *J Clin Periodontol* 30, 165–170 (2003).
- [16] Petersilka Gregor J: Subgingival air-polishing in the treatment of periodontal biofilm infections. *Periodontol 2000* 55, 124–142 (2010).