

[1] Abusrewil S, Alshanta OA, Albashaireh K, Alqahtani S, Nile CJ, Scott JA, McLean W: Detection, treatment and prevention of endodontic biofilm infections: what's new in 2020? *Crit Rev Microbiol* 46, 194–212 (2020).

[2] Arslan H, Ahmed HMA, Şahin Y, Doğanay Yıldız E, Gündoğdu EC, Güven Y, Khalilov R: Regenerative endodontic procedures in necrotic mature teeth with periapical radiolucencies: a preliminary randomized clinical study. *J Endod* 45, 863–872 (2019).

[3] Asgary S, Eghbal MJ: Treatment outcomes of pulpotomy in permanent molars with irreversible pulpitis using biomaterials: a multi-center randomized controlled trial. *Acta Odontol Scand* 71, 130–136 (2013).

[4] Asgary S, Hassanizadeh R, Torabzadeh H, Eghbal MJ: Treatment outcomes of 4 vital pulp therapies in mature molars. *J Endod* 44, 529–535 (2018).

[5] Banchs F, Trope M: Revascularization of immature permanent teeth with apical periodontitis: new treatment protocol? *J Endod* 30, 196–200 (2004).

[6] Buchalla W, Frankenberger R, Galler K, Krastl G, Kunzelmann K-H, Paris S, Schäfer E: Aktuelle Empfehlungen zur Kariesexkavation. Wissenschaftliche Mitteilung der Deutschen Gesellschaft für Zahnerhaltung (DGZ). *Dtsch Zahnärztl Z* 6, 484–494 (2017).

[7] Çapar İD, Uysal B, Ok E, Arslan H: Effect of the size of the apical enlargement with rotary instruments, single-cone filling, post space preparation with drills, fiber post removal, and root canal filling removal on apical crack initiation and propagation. *J Endod* 41, 253–256 (2015).

[8] Chailertvanitkul P, Paphangkorakit J, Sooksantisakoonchai N, Pumas N, Pairojamornyoote W, Leela-Apiradee N, Abbott PV: Randomized control trial comparing calcium hydroxide and mineral trioxide aggregate for partial pulpotomies in cariously exposed pulps of permanent molars. *Int Endod J* 47, 835–842 (2014).

[9] Chan R, Versiani MA, Friedman S, Malkhassian G, Dousa-Neto MD, Leoni GB, Silva Sousa YT, Basrani B: Efficacy of 3 supplementary irrigation protocols in the removal of hard tissue debris from the mesial root canal system of mandibular molars. *J Endod* 45, 923–929 (2019).

[10] Choi HW, Park SY, Kang MK, Shon WJ: Materials (Basel). Comparative analysis of biofilm removal efficacy by multisonic ultracleaning system and passive ultrasonic activation. *Materials* 12, 3492 (2019).

[11] Dammaschke T, Galler K, Krastl G: Aktuelle Empfehlungen zur Vitalerhaltung der Pulpa. *Dtsch Zahnärztl Z* 74, 54–63 (2019).

[12] da Silva LA, Nelson-Filho P, da Silva RA, Flores DS, Heilborn C, Johnson JD, Cohenca N: Revascularization and periapical repair after endodontic treatment using apical negative pressure irrigation versus conventional irrigation plus triantibiotic intracanal dressing in dogs' teeth with apical periodontitis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 109, 779–787 (2010).

- [13] da Silva JM, Rodrigues JR, Camargo CH, Fernandes VV Jr, Hiller KA, Schweikl H, Schmalz G: Effectiveness and biological compatibility of different generations of dentin adhesives. *Clin Oral Investig* 18, 607–613 (2014).
- [14] Duncan HF, Galler KM, Tomson PL, Simon S, El-Karim I, Kundzina R, Krastl G, Dammaschke T, Fransson H, Markvart M, Zehnder M, Bjørndal L: European Society of Endodontology position statement: Management of deep caries and the exposed pulp. *Int Endod J* 52, 923–934 (2019).
- [15] Fawzy El-Sayed KM, Ahmed GM, Abouauf EA, Schwendicke F: Stem/progenitor cell-mediated pulpal tissue regeneration: a systematic review and meta-analysis. *Int Endod J* 52, 1573–1585 (2019).
- [16] Fouad AF: Contemporary microbial and antimicrobial considerations in regenerative endodontic therapy. *J Endod* 46, S105–S114 (2020).
- [17] Galani M, Tewari S, Sangwan P, Mittal S, Kumar V, Duhan J: Comparative evaluation of postoperative pain and success rate after pulpotomy and root canal treatment in cariously exposed mature permanent molars: a randomized controlled trial. *J Endod* 12, 1953–1962 (2017).
- [18] Galler KM, Grubmüller V, Schlichting R, Widbiller M, Eidt A, Schuller C, Wölflick M, Hiller KA, Buchalla W: Penetration depth of irrigants into root dentine after sonic, ultrasonic and photoacoustic activation. *Int Endod J* 52, 1210–1217 (2019).
- [19] Galler KM, Krastl G, Simon S, Van Gorp G, Meschi N, Vahedi B, Lambrechts P: European Society of Endodontology position statement: Revitalization procedures. *Int Endod J* 49, 717–23 (2016).
- [20] Galler KM, Schweikl H, Hiller KA, Cavender AC, Bolay C, D'Souza RN, Schmalz G: TEGDMA reduces mineralization in dental pulp cells. *J Dent Res* 90, 257–262 (2011).
- [21] Galler KM, Widbiller M: Cell-free approaches for dental pulp tissue engineering. *J Endod* 46, S143–S149 (2020).
- [22] Gronthos S, Brahimi J, Li W, Fisher LW, Cherman N, Boyde A, DenBesten P, Robey PG, Shi S: Stem cell properties of human dental pulp stem cells. *J Dent Res* 81, 531–535 (2002).
- [23] Haapasalo M, Wang Z, Shen Y, Curtis A, Patel P, Khakpour M: Tissue dissolution by a novel multisonic ultracleaning system and sodium hypochlorite. *J Endod* 40, 1178–1181 (2014).
- [24] Hilton TJ, Ferracane JL, Mancl L: Northwest practice-based research collaborative in evidence-based dentistry (NWP). Comparison of CaOH with MTA for direct pulp capping: a PBRN randomized clinical trial. *J Dent Res* 92, 16S–22S (2013).
- [25] Iohara K, Imabayashi K, Ishizaka R, Watanabe A, Nabekura J, Ito M, Matsushita K, Nakamura H, Nakashima M: Complete pulp regeneration after pulpectomy by transplantation of CD105+ stem cells with stromal cell-derived factor-1. *Tissue Eng Part A* 17, 1911–1920 (2011).
- [26] Iwaya SI, Ikawa M, Kubota M: Revascularization of an immature permanent tooth with apical periodontitis and sinus tract. *Dent Traumatol* 17, 185–187 (2001).

- [27] Jacob J, Paul M, Sara B, Steaphen P, Philip N, Mathew J. Comparative Analysis of Dentinal Crack Formation Following Root Canal Instrumentation with Hand K-Flex Files, ProTaper Next, and Self-adjusting Files. *J Contemp Dent Pract* 20, 935-939 (2019).
- [28] Krastl G, Weiger R: Vital pulp therapy after trauma. *Endodontic Practice Today* 8, 293–300 (2014).
- [29] Kurzmann C, Meire MA, Lettner S, Farmakis ETR, Moritz A, De Moor RJG: The efficacy of ultrasonic and PIPS (photon-induced acoustic streaming) irrigation to remove artificially placed dentine debris plugs out of an artificial and natural root model. *Lasers Med Sci* 35, 719–728 (2020).
- [30] Mente J, Hufnagel S, Leo M, Michel A, Gehrig H, Panagidis D, Saure D, Pfefferle T: Treatment outcome of mineral trioxide aggregate or calcium hydroxide direct pulp capping: long-term results. *J Endod* 40, 1746–1751 (2014).
- [31] Mente J, Petrovic J, Gehrig H, Rampf S, Michel A, Schürz A, Pfefferle T, Saure D, Erber R: A prospective clinical pilot study on the level of matrix metalloproteinase-9 in dental pulpal blood as a marker for the state of inflammation in the pulp tissue. *J Endod* 42, 190–197 (2016).
- [32] Nakashima M, Iohara K: Recent progress in translation from bench to a pilot clinical study on total pulp regeneration. *J Endod* 43, S82–S86 (2017).
- [33] Ong TK, Lim GS, Singh M, Fial AV: Quantitative assessment of root development following regenerative endodontic therapy: a systematic review and meta-analysis. *J Endod* S0099-2399, 30613-0 (2020).
- [34] Ostby BN: The role of the blood clot in endodontic therapie: an experimental histologic study. *Acta Odontol Scand* 19, 324–353 (1961).
- [35] Özgür B, Uysal S, Güngör HC: Partial pulpotomy in immature permanent molars after carious exposures using different hemorrhage control and capping materials. *Pediatr Dent* 39, 364–370 (2017).
- [36] Qian W, Ma T, Ye M, Li Z, Liu Y, Hao P: Microbiota in the apical root canal system of tooth with apical periodontitis. *BMC Genomics*, 20(S2), 189 (2019).
- [37] Qudeimat MA, Alyahya A, Hasan AA: Mineral trioxide aggregate pulpotomy for permanent molars with clinical signs indicative of irreversible pulpitis: a preliminary study. *Int Endod J* 50, 126–134 (2017).
- [38] Rechenberg DK, Galicia JC, Peters OA: Biological markers for pulpal inflammation: a systematic review. *PLoS One* 11, e0167289 (2016).
- [39] Schilder H: Cleaning and shaping the root canal. *Dent Clin North Am* 18, 269–296 (1974).
- [40] Siqueira JF Jr, Rôças IN: Bacterial pathogenesis and mediators in apical periodontitis. *Braz Dent J* 18, 267–280 (2007).
- [41] Taha NA, Ahmad MB, Ghanim A: Assessment of mineral trioxide aggregate pulpotomy in mature permanent teeth with carious exposures. *Int Endod J* 50, 117–125 (2017).
- [42] Taha NA, Khazali MA: Partial pulpotomy in mature permanent teeth with clinical signs indicative of irreversible pulpitis: a randomized clinical trial. *J Endod* 43, 1417–1421 (2017).

- [43] Torabinejad M, Nosrat A, Verma P, Udochukwu O: Regenerative endodontic treatment or mineral trioxide aggregate apical plug in teeth with necrotic pulps and open apices: a systematic review and meta-analysis. *J Endod* 43, 1806–1820 (2017).
- [44] Widbiller M, Ducke S: Eidt A, Buchalla W, Galler KM: A training model for revitalization procedures. *Int Endod J* 51, e301–e308 (2018).
- [45] Widmer C, Skutas J, Easson C, Lopez JV, Torneck C, Flax M, Sayin TC: Culture-independent characterization of the microbiome of healthy pulp. *J Endod* 44, 1132–1139 (2018).
- [46] Xuan K, Li B, Guo H, Sun W, Kou X, He X, Zhang Y, Sun J, Liu A, Liao L, Liu S, Liu W, Hu C, Shi S, Jin Y: Deciduous autologous tooth stem cells regenerate dental pulp after implantation into injured teeth. *Sci Transl Med* 10, eaaf3227 (2018).
- [47] Zehnder M: Root canal irrigants. *J Endod* 32, 389–398 (2006).
- [48] Zehnder M, Wegehaupt FJ, Attin T: A first study on the usefulness of matrix metalloproteinase 9 from dentinal fluid to indicate pulp inflammation. *J Endod* 37, 17–20 (2011).
- [49] Zhao Y, Fan W, Xu T, Tay FR, Gutmann JL, Fan B: Evaluation of several instrumentation techniques and irrigation methods on the percentage of untouched canal wall and accumulated dentine debris in C-shaped canals. *Int Endod J* 52, 1354–1365 (2019).