

**Erfolgreiche Vollkeramik-Materialien und ihre Vielseitigkeit
Klinische Langzeiterfahrungen mit dem IPS e.max-System**

- [1] Rekow ED, Silva NRFA, Coelho PG, Zhang Y, Guess P, Thompson VP: Performance of dental ceramics: challenges for improvements. *J Dent Res* 90 (8), 937–952 (2011).
- [2] Edelhoff D, Özcan M: To what extent does the longevity of fixed dental prostheses depend on the function of the cement? Working Group 4 materials: cementation. *Clin Oral Implants Res* 18 Suppl 3, 193–204 (2007).
- [3] Gehrt M, Wolfart S, Rafai N, Reich S, Edelhoff D: Clinical results of lithium-disilicate crowns after up to 9 years of service. *Clin Oral Investig* 17, 275–284 (2013).
- [4] Beier US, Kapferer I, Dumfahrt H: Clinical long-term evaluation & failure characteristics of 1,335 all-ceramic restorations. *Int J Prosthodont* 25 (1), 70–78 (2012).
- [5] Peumans M, van Meerbeek B, Lambrechts P, Vanherle G: Porcelain veneers: a review of the literature. *J Dent* 28,163–177 (2000).
- [6] Gurel G, Sesma N, Calamita MA, Coachman C, Morimoto S: Influence of enamel preservation on failure rates of porcelain laminate veneers. *Int J Periodontics Restorative Dent* 33, 31–39 (2013).
- [7] Beier US, Kapferer I, Burtscher D, Dumfahrt H: Clinical performance of porcelain laminate veneers for up to 20 years. *Int J Prosthodont* 25, 79–85 (2012).
- [8] Guess PC, Selz CF, Voulgarakis A, Stampf S, Stappert CF: Prospective clinical study of press-ceramic overlap and full veneer restorations: 7-year results. *Int J Prosthodont* 27 (4), 355–358 (2014).
- [9] Morimoto S, Albanesi RB, Sesma N, Agra CM, Braga MM: Main clinical outcomes of Feldspathic porcelain and glass-ceramic laminate veneers: a systematic review and meta-analysis of survival and complication rates. *Int J Prosthodont* 29 (1), 38–49 (2016).
- [10] Edelhoff D, Prandtner O, Saeidi Pour RS, Liebermann A, Stimmelmayer M, Güth JF: Anterior restorations: The performance of ceramic veneers. *Quintessence Int* 49 (2), 89–101 (2018).
- [11] Gresnigt MMM, Özcan M, Carvalho M, Lazari P, Cune MS, Razavi P, Magne P: Effect of luting agent on the load to failure and accelerated-fatigue resistance of lithium disilicate laminate veneers. *Dent Mater* 33 (12), 1392–1401 (2017).
- [12] Yang Y, Yu J, Gao J, Guo J, Li L, Zhao Y, Zhang S: Clinical outcomes of different types of tooth-supported bilayer lithium disilicate all-ceramic restorations after functioning up to 5 years: A retrospective study. *J Dent* 51, 56–61 (2016).
- [13] Frankenberger R, Taschner M, Garcia-Godoy F, Petschfelt A, Krämer N: Leucite-reinforced glass ceramic inlays and onlays after 12 years. *J Adhes Dent* 10, 393–398 (2008).
- [14] Van Dijken JW, Hasselrot L: A prospective 15-year evaluation of extensive dentin-enamel-bonded pressed ceramic coverages. *Dent Mater* 26, 929–939 (2010).
- [15] Guess PC, Selz CF, Steinhart YN, Stampf S, Strub JR: Prospective clinical split-mouth study of pressed and CAD/CAM all-ceramic partial-coverage restorations: 7-year results. *Int J Prosthodont* 26, 21–25 (2013).
- [16] Edelhoff D, Ahlers MO: Occlusal onlays as a modern treatment concept for the reconstruction of severely worn occlusal surfaces. *Quintessence Int* 49 (7), 521–533 (2018).

- [17] Jordan und Wolfgang Micheelis: Fünfte Deutsche Mundgesundheitsstudie (DMS V). Mit Beiträgen von Constanze Cholmakow-Bodechtel, Elisabeth Füssl-Grünig, Siegfried Geyer, Katrin Hertrampf, Thomas Hoffmann, Birte Holtfreter, A. Rainer Jordan, Thomas Kocher, Wolfgang Micheelis, Ina Nitschke, Sarah Noffz, Linda Scharf, Ulrich Schiffner, Svenja Schützhold, Helmut Stark, Stefan Zimmer. Materialienreihe Band 35. Köln: Deutscher Zahnärzte Verlag (2016).
- [18] Jaeggi T, Grüninger A, Lussi A: Restorative therapy of erosion. *Monogr Oral Sci* 20, 200–214 (2006).
- [19] Edelhoff D, Sorensen JA: Tooth structure removal associated with various preparation designs for posterior teeth. *Int J Periodont Restorative Dent* 22, 241–249 (2002).
- [20] Magne P, Stanley K, Schlichting LH: Modeling of ultrathin occlusal veneers. *Dent Mater* 28 (7), 777–782 (2012).
- [21] Fradeani M, Barducci G, Bacherini L, Brennan M: Esthetic rehabilitation of a severely worn dentition with minimally invasive prosthetic procedures (MIPP). *Int J Periodontics Restorative Dent* 32 (2), 135–147 (2012).
- [22] Magne P, Belser U: Porcelain versus composite inlays/onlays: effect of mechanical loads on stress distribution, adhesion, and crown flexure. *Int J Periodontics Restorative Dent* 23, 543–555 (2003).
- [23] Teichmann A, Göckler F, Rückbeil M, Weber V, Edelhoff D, Wolfart S: Periodontal outcome and additional clinical quality criteria of lithium-disilicate restorations (Empress 2) after 14 years. *Clin Oral Investig* (2018). doi: 10.1007/s00784-018-2649-x [Epub ahead of print].
- [24] van den Breemer CR, Vinkenborg C, van Pelt H, Edelhoff D, Cune MS: The clinical performance of monolithic lithium disilicate posterior restorations after 5, 10, & 15 years: A retrospective case series. *Int J Prosthodont* 30 (1), 62–65 (2017).
- [25] Gehrt M, Wolfart S, Rafai N, Reich S, Edelhoff D: Clinical results of lithium-disilicate crowns after up to 9 years of service. *Clin Oral Investig* 17, 275–284 (2013).
- [26] Steeger B: Survival analysis and clinical follow-up examination of all-ceramic single crowns. *Int J Comput Dent* 13, 101–119 (2010).
- [27] Valenti M, Valenti A: Retrospective survival analysis of 261 lithium disilicate crowns in a private general practice. *Quintessence Int* 40, 573–579 (2009).
- [28] Marquardt P, Strub JR: Survival rates of IPS empress 2 all-ceramic crowns and fixed partial dentures: results of a 5-year prospective clinical study. *Quintessence Int* 37 (4), 253–259 (2006).
- [29] Kerschbaum T, Faber FJ, Noll FJ, Keiner M, Hürther W, Schumacher S, Keller E: Komplikationen von Cercon-Restaurationen in den ersten fünf Jahren. *Dtsch Zahnärztl Z* 64, 81–89 (2009).
- [30] Monaco C, Caldari M, Scotti R: Clinical evaluation of 1,132 zirconia-based single crowns: A retrospective cohort study from the AIOP Clinical Research Group. *Int J Prosthodont* 26, 435–442 (2013).
- [31] Örtorp A, Kihl ML, Carlsson GE: A 5-year retrospective study of survival of zirconia single crowns fitted in a private clinical setting. *Journal of Dentistry* 40, 527–530 (2012).
- [32] Kerschbaum T: Langzeitüberlebensdauer von Zahnersatz. Eine Übersicht. *Quintessenz* 55, 1113–1126 (2004).
- [33] Walton TR: A 10-year longitudinal study of fixed prosthodontics: Clinical characteristics and outcome of single-unit metal-ceramic crowns. *Int J Prosthodont* 12, 519–526 (1999).
- [34] Walton TR: The up to 25-year survival and clinical performance of 2,340 high gold-based

metal-ceramic single crowns. *Int J Prosthodont* 26, 151–160 (2013).

[35] Vigolo P, Mutinelli S: Evaluation of zirconium-oxide-based ceramic single-unit posterior fixed dental prostheses (FDPs) generated with two CAD/CAM systems compared to porcelain-fused-to-metal single-unit posterior FDPs: a 5-year clinical prospective study. *J Prosthodont* 21 (4), 265–269 (2012).

[36] Guess PC, Zavanelli RA, Silva NR, Bonfante EA, Coelho PG, Thompson VP: Monolithic CAD/CAM lithium disilicate versus veneered Y-TZP crowns: comparison of failure modes and reliability after fatigue. *Int J Prosthodont* 23 (5), 434–442 (2010).

[37] Teichmann M, Göckler F, Wübbels A, Weber V, Yildirim M, Wolfart S, Edelhoff D: Ten-year survival and complication rates of lithium-disilicate (Empress 2) tooth-supported crowns, implant-supported crowns, and fixed dental prostheses. *J Dent* 56, 65–77 (2017).

[38] Sasse M, Kern M: All-ceramic rein-bonded fixed dental prostheses: Treatment planning, clinical procedures, and outcome. *Quintessence Int* 45 (4), 291–297 (2014).

[39] Kern M: Einflügelige Adhäsivbrücken und Adhäsivattachments – Innovation mit Bewährung. *Zahnärztliche Mitteilungen* 95 (21), 54–60 (2005).

[40] Sailer I, Hämmerle CH: Zirconia ceramic single-retainer resin-bonded fixed dental prostheses (RBFDPs) after 4 years of clinical service: a retrospective clinical and volumetric study. *Int J Periodontics Restorative Dent* 34 (3), 333–343 (2014).

[41] Kern M, Passia N, Sasse M, Yazigi C: Ten-year outcome of zirconia ceramic cantilever resin-bonded fixed dental prostheses and the influence of the reasons for missing incisors. *J Dent* 65, 51–55 (2017).

[42] Sailer I, Bonani T, Brodbeck U, Hämmerle CH: Retrospective clinical study of single-retainer cantilever anterior & posterior glass-ceramic resin-bonded FDPs at a mean follow-up of 6 years. *Int J Prosthodont* 26 (5), 443–450 (2013).

[43] Özcan M, Bernasconi M: Adhesion to zirconia used for dental restorations: a systematic review and meta-analysis. *J Adhes Dent* 17 (1), 7–26 (2015).

[44] Blatz MB, Vonderheide M, Conejo J: The effect of resin bonding on long-term success of high-strength ceramics. *J Dent Res* 97 (2), 132–139 (2018).

[45] Wolleb K, Sailer I, Thoma A, Menghini G, Hämmerle CH: Clinical and radiographic evaluation of patients receiving both tooth- and implant-supported prosthodontic treatment after 5 years of function. *Int J Prosthodont* 25, 252–259 (2012).

[46] Lops D, Mosca D, Casentini P, Ghisolfi M, Romeo E: Prognosis of zirconia ceramic fixed partial dentures: a 7-year prospective study. *Int J Prosthodont* 25, 21–23 (2012).

[47] Molin MK, Karlsson SL: Five-year clinical prospective evaluation of zirconia-based Denzir 3-unit FPDs. *Int J Prosthodont* 21, 223–227 (2008).

[48] Kern M, Sasse M, Wolfart S: Ten-year outcome of three-unit fixed dental prostheses made from monolithic lithium disilicate ceramic. *J Am Dent Assoc* 143, 234–240 (2012).

[49] Schmitter M, Mussotter K, Rammelsberg P, Gabbert O, Ohlmann B: Clinical performance of long-span zirconia frameworks for fixed dental prostheses: 5-year results. *J Oral Rehabil* 39 (7), 552–557 (2012).

[50] Teichmann M, Wienert AL, Rückbeil M, Weber V, Wolfart S, Edelhoff D: Ten-year survival and chipping rates and clinical quality grading of zirconia-based fixed dental prostheses. *Clin Oral Investig* 22 (8), 2905–2915 (2018).

[51] Pjetursson BE, Brägger U, Lang NP, Zwahlen M: Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single

crowns (SCs). *Clin Oral Implants Res* 18 (Suppl 3), 97–113 (2007).

[52] Makarouna M, Ullmann K, Lazarek K, Boening KW: Six-year clinical performance of lithium disilicate fixed partial dentures. *Int J Prosthodont* 24, 204–206 (2011).

[53] Ioannidis A, Bindl A: Clinical prospective evaluation of zirconia-based three-unit posterior fixed dental prostheses: Up-to ten-year results. *J Dent* 47, 80–85 (2016).

[54] Sailer I, Balmer M, Hüsler J, Hämmerle CHF, Känel S, Thoma DS: 10-year randomized trial (RCT) of zirconia-ceramic and metal-ceramic fixed dental prostheses. *J Dent* 76, 32–39 (2018).

[55] Naenni N, Bindl A, Sax C, Hämmerle, Sailer I: A randomized controlled clinical trial of 3-unit posterior zirconia-ceramic fixed dental prostheses (FDP) with layered or pressed veneering ceramics: 3-year results. *J Dent* 43 (11), 1365–1370 (2015).

[56] Sailer I, Strasding M, Valente NA, Zwahlen M, Liu S, Pjetursson BE: A systematic review of the survival and complication rates of zirconia-ceramic and metal-ceramic multiple-unit fixed dental prostheses. *Clin Oral Implants Res* 29 (Suppl 16), 184–198 (2018).

[57] Beuer F, Schweiger J, Eichberger M, Kappert HF, Gernet W, Edelhoff D: High-strength CAD/CAM-fabricated veneering material sintered to zirconia copings – a new fabrication mode for all-ceramic restorations. *Dent Mat* 25 (1), 121–128 (2009).

[58] Grohmann P, Bindl A, Hämmerle C, Mehl A, Sailer I: Three-unit posterior zirconia-ceramic fixed dental prostheses (FDPs) veneered with layered and milled (CAD-on) veneering ceramics: 1-year follow-up of a randomized controlled clinical trial. *Quintessence Int* 46 (10), 871–880 (2015).

[59] Rinke S, Wehle J, Schulz X, Bürgers R, Rödiger M: Prospective evaluation of posterior fixed zirconia dental prostheses: 10-year clinical results. *Int J Prosthodont* 31 (1), 35–42 (2018).

[60] Kelly JR, Tesk JA, Sorensen JA: Failure of all-ceramic fixed partial dentures in vitro and in vivo: analysis and modeling. *J Dent Res* 74 (6), 1253–1258 (1995).