

Dr. Frank Zastrow

Implantatversorgung einer Bruxismus-Patientin

- [1] Cecchinato D, Bressan EA, Toia M, Araujo MG, Liljenberg B, Lindhe J: Osseointegration in periodontitis susceptible individuals. *Clin Oral Implants Res* 23, 1-4 (2012).
- [2] Degidi M, Scarano A, Piattelli A: Regeneration of the alveolar crest using titanium micromesh with autologous bone and a resorbable membrane. *The Journal of oral implantology* 29, 86-90 (2003).
- [3] Eitner S, Schlegel A, Emeka N, Holst S, Will J, Hamel J: *Clin Oral Implants Res* 19 (5), 530-7 (2008). doi: 10.1111/j.1600-0501.2007.01500.x. Epub 2008 Mar 26. Comparing bar and double-crown attachments in implant-retained prosthetic reconstruction: a follow-up investigation.
- [4] Esposito M, Grusovin MG, Rees J, et al.: Effectiveness of sinus lift procedures for dental implant rehabilitation: a Cochrane systematic review. *Eur J Oral Implantol* 3, 7-26 (2010).
- [5] Heydecke G, Boudrias P, Awad MA, De Albuquerque RF, Lund JP, Feine JS: Within-subject comparisons of maxillary fixed and removable implant prostheses: Patient satisfaction and choice of prosthesis. *Clin Oral Implants Res* 14, 125-130 (2003).
- [6] Heydecke G, McFarland DH, Feine JS, Lund JP: *J Dent Res* 83 (3), 236-40 (2004). Speech with maxillary implant prostheses: ratings of articulation.
- [7] Karl M, Carretta R, Higuchi KW: *Int J Prosthodont* 2018 May 17. doi: 10.11607/ijp.5707. [Epub ahead of print]. Passivity of Fit of a Novel Prefabricated Implant-Supported Mandibular Full-Arch Reconstruction: A Comparative In Vitro Study.
- [8] Khoury F, Happe A: Soft tissue management in oral implantology: a review of surgical techniques for shaping an esthetic and functional peri-implant soft tissue structure. *Quintessence Int* 31, 483-499 (2000).
- [9] Khoury F, Khoury C: Mandibular bone block grafts: instrumentation, harvesting technique and application. *Journal de Parodontologie& d'Implantologie Orale* 25, 15-34 (2005).

- [10] Khoury F, Hanser T: [P 293] Method and results in harvesting mandibular bone block grafts. Clin Oral Implants Res - Poster presentation at the 17th EAO Warsaw 19, 932-933 (2008).
- [11] Khoury F, Keller P, Keeve PL: Int J Oral Maxillofac Implants 32 (5), 1086-1096 (2017). doi: 10.11607/jomi.5832. Stability of Grafted Implant Placement Sites After Sinus Floor Elevation Using a Layering Technique: 10-Year Clinical and Radiographic Results.
- [12] Muaiyed Mahmoud Buzayan✉ and Norsiah Binti Yunus: J Indian Prosthodont Soc 14 (1), 16–23 (2014). Published online 2013 Dec 28. doi: 10.1007/s13191-013-0343-x PMCID: PMC3935037 PMID: 24604993 .Passive Fit in Screw Retained Multi-unit Implant Prosthesis Understanding and Achieving: A Review of the Literature. Muaiyed Mahmoud Buzayan✉ and Norsiah Binti Yunus
- [13] Pape FW, Khoury C, Khoury F: Behandlungskonzept bei komplexen implantatprothetischen Rehabilitationen – Ein klinischer Erfahrungsbericht. Implantologie 11, 259-270 (2003).
- [14] Pjetursson BE, Tan WC, Zwahlen M, Lang NP: A systematic review of the success of sinus floor elevation and survival of implants inserted in combination with sinus floor elevation. J Clin Periodontol 35, 216-240 (2008).
- [15] Pjetursson BE, Helbling C, Weber HP, et al.: Peri-implantitis susceptibility as it relates to periodontal therapy and supportive care. Clin Oral Implants Res 23, 888-894 (2012).
- [16] Rocuzzo M, Bonino F, Aglietta M, Dalmasso P: Ten-year results of a three arms prospective cohort study on implants in periodontally compromised patients. Part 2: clinical results. Clin Oral Implants Res 23, 389-395 (2012).
- [17] Soehren SE: Similarities between the development and treatment of plaque-induced peri-implantitis and periodontitis. J Mich Dent Assoc 78, 32-36 (1996).
- [18] Strietzel FP: Sinusbodenelevation und –augmentation Evidenzgestützte Aussagen zu Prognose und Risikofaktoren. Mund Kiefer Gesichts Chir 8, 93-105 (2004).
- [19] Wentaschek S, Lehmann KM, Scheller H, Weibrich G, Behneke N: Int J Prosthodont 29 (3), 245-52 (2016). doi: 10.11607/ijp.4310. Polygonal Area of Prosthesis Support with Straight and Tilted Dental Implants in Edentulous Maxillae.

- [20] Vindasiute E, Puisys A, Maslova N, Linkeviciene L, Peciuliene V, Linkevicius T: Clin Implant Dent Relat Res 17 (4), 771-8 (2015). doi: 10.1111/cid.12170. Epub 2013 Nov 14. Clinical Factors Influencing Removal of the Cement Excess in Implant-Supported Restorations.
- [21] Yukna RA, Krauser JT, Callan DP, Evans GH, Cruz R, Martin M: Thirty-six month follow-up of 25 patients treated with combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell-binding peptide (P-15) bone replacement grafts in human infrabony defects. I. Clinical findings. Journal of periodontology 73, 123-128 (2002).