

Mundduschen wirksam und sicher
ZMK 9 (35), 605

Literatur

- [1] Gorur A., Lyle D.M., Schaudinn C., Costerton JW.: Biofilm removal with a dental water jet. Compend Cont Educ Dent. 2009;30(Special issue 1):1-6. <https://www.ncbi.nlm.nih.gov/pubmed/19385349>.
- [2] Barnes C.M., Russell C.M., Reinhardt R.A., et al.: Comparison of irrigation to floss as an adjunct to tooth brushing: Effect on bleeding, gingivitis and supragingival plaque. J Clin Dent. 2005;16:71-77. <https://www.ncbi.nlm.nih.gov/pubmed/16305005>.
- [3] Sharma N.C., Lyle D.M., Qaqish J.G., et al.: Effect of a dental water jet with orthodontic tip on plaque and bleeding in adolescent patients with fixed orthodontic appliances. Am J Orthod Dentofacial Orthop. 2008;133:565-571. <https://www.ncbi.nlm.nih.gov/pubmed/18405821>.
- [4] Rosema, N.A.M., Hennequin-Hoenderdos, N.L., Berchier, C.E., et al.: The effect of different interdental cleaning devices on gingival bleeding. J Int Acad Periodontol. 2011;13:2-10. <https://www.ncbi.nlm.nih.gov/pubmed/21387981>.
- [5] Magnuson B., Harsono M., Stark P.C., et al.: Comparison of the effect of two interdental cleaning devices around implants on the reduction of bleeding. A 30-day randomized clinical trial. Compend of Contin Educ in Dent. 2013; 34(Special Issue 8):2-7. <https://www.ncbi.nlm.nih.gov/pubmed/24568169>
- [6] Jolkovsky, D.L. et al.: Compendium of Continuing Education in Dentistry 2015; 36(2):2-5. <https://www.waterpik.com/oral-health/pro/clinical-research/water-flosser-proven-safe-review-2015/>.
- [7] Waterpik Water Flosser first in its class to earn ADA Seal; ADA News, Februar, 2017 (abgerufen im November 2018).