

Patientenfreundliche Sofortversorgungs-Konzepte

Dr. Jan Spieckermann

- [1] Zhang Y, Tian J, Wei D, Di P, Lin Y. Quantitative clinical adjustment analysis of posterior single implant crown in a chairside digital workflow: a randomized controlled trial. Clin Oral Impl Res. 2019;30(11):1059-66
- [2] Schnutenhaus S, Buschbeck E, Luthardt RG. Digitaler Workflow bei der implantatprothetischen Versorgung eines zahnlosen Kiefers. ZWR 2018;127:36-43
- [3] Ackermann KL, Kirsch A, Neuendorff G. Mit Backward Planning zielsicher therapieren. Teil 1: Implantat-prothetische Behandlungbeispiele. TeamWork2008;11(4):466-84
- [4] Joda T, Brägger U. Time-efficiency analysis comparing digital and conventional workflows for implant crowns: A prospective clinical crossover trial. Int J Maxillofac Implants 2015;30:1047-53
- [5] Sendi P, Bertschinger N, Brand C, Marinello CP, Bucher HC, Bornstein MM. Measuring the monetary value of dental implants for denture retention: A willingness to pay approach. Open Dentistry J. 2017;11:498-502
- [6] Mundt T. Aufklärung des Patienten vor implantatprothetischer Therapie. Implantologie 2019;27(1):27-36
- [7] Simensen AN, Bøe OE, Berg E, Leknes KN. Patient knowledge and expectations prior to receiving implant-supported restorations. Int J Oral Maxillofac Implants 2015;30:41-47
- [8] Kernen F, Payer M, Schär A, Müller-Gerbl M, Filippi A, Kühl S. Accuracy of three-dimensional printed templates for guided implant placement based on matching a surface scan with CBCT. Clin Implant Dent Relat Res. 2016;18(4):762-8
- [9] Schnutenhaus S, Gröller S, Luthardt R, Rudolph H. Accuracy of the match between cone beam computer tomography and model scan data in template-guided implant planning: A prospective controlled clinical study. Clin Implant Dent Relat Res. 2018;20:541-9
- [10] Schnutenhaus S, Graf M, Doering I, Luthardt RG, Rudolph H. Reproducibility of CBCT image analysis: a clinical study on intrapersonal and interpersonal errors in bone structure determination. Oral Radiol 2019;35(2):152-8
- [11] Malo P, de Araújo Nobre M, Lopes A, Ferro A, Nunes M. The All-on-4 concept for full-arch rehabilitation of the edentulous maxillae : A longitudinal study with 5-13 years of follow-up. Clin Implant Dent Relat Res. 2019;21(4):538-49

- [12] Del Fabbro M, Ceresoli V. The fate of marginal bone around axial vs. tilted implants: A systematic review. *Eur J Oral Implantol* 2014;7(Sppl2):171-89
- [13] Pera P, Menini M, Bevilacqua M, Pesce P, Pera F, Signori A, Tealdo T. Factors affecting the outcome in the immediate loading rehabilitation of the maxilla: a 6-year prospective study. *Int J periodontics Restorative Dent* 2014;34(5):637-65
- [14] Frisch E, Ziebolz D, Vach K, Ratka-Krüger P. Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. *J Clin Periodontol* 2014;41:1007-14
- [15] Yao J, Li M, Tang H, Wang PL, Zhao YX, McGrath C, Mattheos N. What do patients expect from treatment with dental implants? perceptions, expectations, and misconceptions: a multicenter study. *Clin Oral Impl*
- [16] Schnutenhaus, S. Neveling, U., Luthardt, R.G; Digital implnatolgogial workflow for a CAD/CAM immediate long-term temporary restoration for the edentulous maxilla *Int J Comput Dent* 21 (2018), No.2